48th YEAR CATALOG Season 1921 BRENTS PREMIUM SEEDDS

Established

187

The C.S. Brent Seed Co. LEXINGTON, KENTUCKY

ALL 'SEEDS TESTED

WARRANTIES

We take every possible precantion that suggests itself to us, to insure all our stocks being of good germinating power, and of strong vitality, full and thorough tests being made of each and every variety which we offer for sale; and any stocks which do not prove entirely satisfactory in these tests are thrown out; yet, when so many conditions, both of weather and manner of planting, over none of which we have any eontrol, enter into eonsideration, it is manifestly impossible for us to guarantee a satisfactory germination under any and all conditions. Consequently— THE C. S. BRENT SEED COMPANY give no warranty, express or implied, as to description, quality, productiveness, or any other matter, of any seeds, bulhs, or plants they send out, and will not be in any way responsible for the erop. If the goods are not accepted on these terms and conditions, they may be returned, and any money which has been paid for same will be re-

funded

OUR PRICES ARE LOW. We do not claim that our prices are the lowest prices at which seed can be bought, but bear in mind that lowest prices are not always cheapest prices. Our prices are low, that is (low) when the quality of our seed is considered. Prices quoted are subject to market change, due to the general supply and demand. We are always glad, however, to quote

Prices quoted are snapeet to market enange, due to the sector are responsible for money sent us by Postoffice Order, Express Money Order, Special prices at any time. **CASH** should accompany every order. We will be responsible for money sent us by Postoffice Order, Express Money Order, Bank Draft, or by Registered Letter. Every postmaster is required to register any letter on payment of 10 cents extra postage. The cost of remitting may, on all orders over \$1.00, be deducted from amount sent. Amounts of \$1.00 or less may be sent by ordi-


we pay the post of peus, sweet corn, etc. POSTAGE STAMPS THE SAME AS CASH. When notes are not obtainable, or to make proper change, we accept postage


stamps the same as each, for small amounts (2-cent stamps preferred), PRICES here given are all subject to market variations.

PARCEL POST RATES Appl:cable to All Goods Listed in Our Catalogue Except Insecticides.

Your Postmaster will tell you the Parcels Post Zone in which your Postoffice is located, measuring from Lexington. All Secds and Plants shipped by mail take Parcel Post rates. Packages up to 8 onnees in weight are carried at the rate of one eent for every two ounces, regardless of distance. Packages over 8 ounces are charged by the pound. The rate per pound varies according to the distance, which is measured by the Government Zone System, each zone covering a certain number of miles from point of shipment. Distances and rates are shown in the table below. Packets by Parcets Post are handled like any other mail matter. They are delivered to your box by rural mail carrier, if you live on a rural route, or delivered to your do x for the retrieve to your local postoffice, if you live where there is no carrier service.

	1	1	1		1	1	1	
This table shows amount of postage by Parcels Post according to the	LOCAL ZONE	ZONES 1 and 2	ZONE 3	ZONE 4	ZONE 5	ZONE 6	ZONE 7	ZONE 8
weight of package and the distance by zones.	For ship- ment to enstomers	Not over 150 miles	151 to 300 miles from	301 to 600 miles from	601 to 1000 miles from	1001 to 1400 miles	1401 to 1800 miles	Over 1800 miles from
WEIGHT OF PACKAGE	in Lexington	from Lexington	Lexington	Lexington	Lexington	from Lex- ington	from Lex- ington .	Lexington
Over 1 oz. up to 1 lb	5e	50	6e	7c	\$0.08	\$0.09	\$0.11	\$0.12
Over 1 lb. up to 2 lbs.	60	6c	8c	11c	. 14	17	21	.24
Over 2 lbs. up to 3 lbs.	6e	70	10e	15e	.20	.25	.31	, 36
)ver 3 lbs, up to 4 lbs.)ver 4 lbs, up to 5 lbs .	7e 7e	8e 9e	12e	19c	.26	. 33	.41	. 48
over 5 lbs, up to 6 lbs.	Se	10e	14c 16c	23e 27e	.32 .38	.41	.51	. 60
over 6 lbs. up to 7 lbs.	80	11e	180	270 31c	.08	.49	.61	.72
Over 7 lbs, up to 8 lbs	9e	120	20e	35c	.50	.65	81	.84 96
Over 8 lbs. up to 9 lbs .	9e	130	22e	39e	56	73	.91	1.08
over 9 lbs. up to 10 lbs .	10e	14e	24c	43c	.62	81	1 01	1.20
Over 10 lbs, up to 11 lbs	10c	15e	26c	47e	. 68	.89	l i ii	1.32
)ver 11 lbs. up to 12 lbs	lle	16e	280	51e	74	.97	1 21	1.44
over 12 lbs, up to 13 lbs	11c	17e	30e	55e	.80	1 05	1.31	1.56
)ver 13 lbs. up to 14 lbs .	120	18c	32c	59e	.86	1,13	1.41	1.68
over 14 lbs. np to 15 lbs .	12e	19e	34c	63c	92	1 21	1 51	1.80
over 15 lbs, np to 16 lbs	13c	20c	36e	67e	.98	1.29	1 61	1.92
over 16 lbs. up to 17 lbs.	13e	21c	38c	71c	1 04	1,37	1 71	2 04
over 17 lbs. up to 18 lbs	14c	22c	40c	75c	1 10	1 45	1 81	2.16
over 18 lbs, up to 19 lbs.	t4c	23c	42c	79e	1_16	1 53	1,91	2 28
)ver 19 lbs, up to 20 lbs.	15c	24c	44e.	83c	1 22	1.61	2.01	2.40
						1.01	a.01	
over 20 lbs, np to 21 lbs	15e	250				1.01	1	
)ver 21 lbs. np to 22 lbs.	16e	26c					l	i
Over 21 lbs, np to 22 lbs, Over 22 lbs, up to 23 lbs,	16c 16c	26c 27c	Within 1	ocal Zones a carr.ed. 'Th	and Zones 1,	2 and 3, Pac	kages up to	i 70 pounds i
Over 21 lbs, np to 22 lbs, Over 22 lbs, up to 23 lbs, Over 23 lbs, up to 24 lbs	16c 16c 17c	26¢ 27¢ 28¢	Within 1 we.ght are	ocal Zones a carr.ed. 'Th	and Zones 1, ne limit of we	2 and 3, Pac light for all o	kages up to ther zones is	70 pounds i 50 pounds.
Over 21 lbs, np to 22 lbs, Over 22 lbs, up to 23 lbs, Over 23 lbs, up to 24 lbs Over 23 lbs, up to 24 lbs Over 24 lbs, up to 25 lbs.	16c 16c 17c 17c	26c 27c 28c 29c	Within 1 we.ght are HOW	ocal Zones a carr.ed. 'Fh	and Zones 1, te limit of we CERTAIN C	2 and 3, Pac light for all o QUANTITY (kages up to ther zones is OF FERTIL	70 pounds i 50 pounds. IZER TO
Over 21 lbs, np to 22 lbs. Over 22 lbs, up to 23 lbs. Over 23 lbs, up to 24 lbs Over 24 lbs, up to 25 lbs. Over 24 lbs, np to 26 lbs.	16c 16c 17c 17c 17c 18c	26c 27c 28c 29c 30c	Within 1 we.ght are HOW	ocal Zones a carr.ed. 'Th	and Zones 1, te limit of we CERTAIN C	2 and 3, Pac light for all o QUANTITY (kages up to ther zones is OF FERTIL	70 pounds i 50 pounds. IZER TO
Over 21 lbs. np to 22 lbs. Over 22 lbs. up to 23 lbs. Over 23 lbs. up to 24 lbs. Over 24 lbs. up to 25 lbs. Over 24 lbs. np to 26 lbs. Over 25 lbs. np to 26 lbs. Over 26 lbs. up to 27 lbs.	16c 16c 17c 17c 18c 18c	26c 27c 28c 29c 30c 31c	Within 1 we.ght are HOW Tł	ocal Zones a carr.ed. 'Fh TO SOW A HE ACRE A	and Zones 1, ne limit of we CERTAIN C ND HAVE I	2 and 3, Pace light for all o QUANTITY (T EVENLY	kages up to ther zones is OF FERTIL DISTRIBUT	70 pounds i 50 pounds IZER TO FED.
Dver 21 lbs, np to 22 lbs, Dver 22 lbs, up to 23 lbs, Dver 23 lbs, up to 24 lbs, Dver 24 lbs, up to 24 lbs, Dver 24 lbs, np to 26 lbs, Dver 26 lbs, up to 26 lbs, Dver 26 lbs, up to 27 lbs, Dver 27 lbs, np to 28 lbs	16c 16c 17c 17c 18c 18c 19c	26c 27c 28c 29c 30c 31c 32c	Within 1 we.ght are HOW TH Many fa	Local Zones a carr.ed. Th TO SOW A HE ACRE A rmers find dif	and Zones 1, ne limit of we CERTAIN C ND HAVE 1 fficulty in ma	2 and 3, Pac light for all o QUANTITY (T EVENLY king their fer	kages up to ther zones is OF FERTIL DISTRIBUT tilizer run on	70 pounds i 50 pounds. IZER TO FED. It any certai
) ver 21 lbs, np to 22 lbs,) ver 22 lbs, up to 23 lbs,) ver 23 lbs, up to 24 lbs,) ver 24 lbs, up to 24 lbs,) ver 24 lbs, np to 25 lbs,) ver 25 lbs, np to 26 lbs,) ver 26 lbs, up to 27 lbs,) ver 27 lbs, np to 28 lbs) ver 28 lbs, up to 29 lbs,) ver 29 lbs, up to 29 lbs,) ver 28 lbs, up to 29 lbs, up to 29 lbs,) ver 28 lbs, up to 29 lbs	16c 16c 17c 17c 18c 18c 19c 19c	26c 27c 28c 30c 31c 32c 33c	Within 1 we.ght are HOW TH Many fa quantity t	Local Zones a carr.ed. Th TO SOW A HE ACRE A rmers find dit o the acre.	and Zones 1, ne limit of we CERTAIN C ND HAVE 1 fliently in ma Sometimes b	2 and 3, Pac light for all o QUANTITY (T EVENLY king their fer before they b	kages up to ther zones is OF FERTIL DISTRIBUT tilizer run on ave finished	i 50 pounds i 50 pounds. IZER TO FED. it any certai drilling, tl
) ver 21 lbs, np to 22 lbs,) ver 22 lbs, up to 23 lbs,) ver 22 lbs, up to 24 lbs,) ver 23 lbs, up to 24 lbs,) ver 24 lbs, up to 25 lbs,) ver 25 lbs, np to 26 lbs,) ver 26 lbs, up to 27 lbs,) ver 27 lbs, np to 28 lbs,) ver 28 lbs, up to 29 lbs,) ver 28 lbs, up to 29 lbs,) ver 29 lbs, np to 30 lbs,) ver 29 lbs, np to 30 lbs,	16c 16c 17c 17c 18c 18c 19c 19c 20c	26c 27c 28c 30c 31c 32c 33c 34c	Within 1 we.ght are HOW TH Many fa quantity t fertilizer is have finisl	ocal Zones a carr.ed. Th TO SOW A HE ACRE A runers find dif o the acre, a exhnusted, a exhnusted, a ech ue hast r	and Zones 1, ne limit of we CERTAIN C ND HAVE 1 fficulty in ma Sometinnes 1 und again the ow. To over	2 and 3, Pac light for all o QUANTITY (T EVENLY king their fer before they b y will have so come this dif	kages up to ther zones is OF FERTIL DISTRIBUT tilizer run on ave finished everal bugs te theulty, we h	70 pounds i 50 pounds IZER TO FED. it any certai drilling, tl ft when the ave prepare
) ver 21 lbs, np to 22 lbs,) ver 22 lbs, up to 23 lbs,) ver 23 lbs, up to 24 lbs,) ver 23 lbs, up to 24 lbs,) ver 24 lbs, np to 26 lbs,) ver 26 lbs, np to 26 lbs,) ver 26 lbs, up to 28 lbs,) ver 28 lbs, up to 29 lbs,) ver 29 lbs, np to 30 lbs,) ver 29 lbs, np to 30 lbs,) ver 30 lbs, np to 31 lbs,	16c 16c 17c 17c 18c 18c 19c 20c 20c	26c 27c 28c 30c 31c 32c 33c 34c 35c	Within 1 we.ght are HOW TH Many fa quantity t fertilizer is have finis the follow	ocal Zones a carr.ed. Th TO SOW A HE ACRE A rmers find dit o the acre, e exhausted, a ed the hast r ing table, wl	and Zones 1, ne limit of we CERTAIN C ND HAVE 1 fileulty in ma Sometimes 1 and again the ow. To over tich shows b	2 and 3, Pac light for all o QUANTITY (T EVENLY king their for before they b y will have so come this dif ow much to	kages up to ther zones is OF FERTILI DISTRIBUT tilizer run on ave finished everal bugs he ficulty, we h sow per hun	70 pounds i 50 pounds IZER TO FED. It any certai drilling, th ft when the ave prepared dred feet, i
) ver 21 lbs, np to 22 lbs,) ver 22 lbs, up to 23 lbs,) ver 23 lbs, up to 24 lbs,) ver 23 lbs, up to 24 lbs,) ver 24 lbs, np to 25 lbs,) ver 25 lbs, np to 26 lbs,) ver 26 lbs, up to 27 lbs,) ver 27 lbs, np to 28 lbs) ver 29 lbs, np to 30 lbs) ver 29 lbs, np to 30 lbs) ver 30 lbs, np to 31 lbs) ver 31 lbs, np to 32 lbs	16c 16c 17c 17c 18c 18c 19c 20c 20c 21c	26c 27c 28c 30c 31c 32c 33c 35c 26c	Within 1 we.ght are HOW TH Manyfa quantity t fertilizer is have finis the follow order to n	ocal Zones a carr.ed. Th TO SOW A HE ACRE A rimers find dif the acre. exhausted, a red the last r ing table, wh nake differen	and Zones 1, the limit of we CERTAIN C ND HAVE 1 fileulty in ma Sometimes 1 and again the ow. To over rich shows h t quantities,	2 and 3, Pace eight for all o QUANTITY of TEVENLY sking their for before they b y will have so come this dil ow much to ranging from	kages up to ther zones is OF FERTIL DISTRIBU ⁷ tilizer run on ave finished everal bugs to ficulty, we h sow per hun a 200 to 2,000	70 pounds i 50 pounds. IZER TO FED. It any certai drilling, tl ft when the ave prepare dred feet, i) pounds po
) ver 21 lbs. np to 22 lbs.) ver 23 lbs. np to 23 lbs.) ver 23 lbs. np to 23 lbs.) ver 24 lbs. np to 24 lbs.) ver 24 lbs. np to 26 lbs.) ver 26 lbs. np to 26 lbs.) ver 26 lbs. np to 28 lbs.) ver 27 lbs. np to 28 lbs.) ver 29 lbs. np to 30 lbs.) ver 30 lbs. np to 31 lbs.) ver 31 lbs. np to 33 lbs.) ver 33 lbs. np to 33 lbs.) ver 33 lbs. np to 33 lbs.	16c 16c 17c 17c 18c 18c 19c 20c 20c 21c 21c	26c 27c 28c 30c 31c 32c 33c 34c 25c 26c 37c	Within 1 we.ght are HOW TH Many fa quantity t fortilizer is have finisl the follow order to n acre, 1 fy	ocal Zones a carr.ed. Th TO SOW A HE ACRE A: rimers find di o the acre. octhansted, s ed the last r ing table, wl nake differen ou want to so	and Zones 1, he limit of we CERTAIN C ND HAVE 1 fficulty in ma Sometimes 1 and again the ow. To over tich shows h t quantities, w 800 pounds	2 and 3, Pac eight for all o QUANTITY of T EVENLY king their fer before they by y will have sa come this dif ow much to ranging from to the acre, a	kages up to ther zones is OF FERTIL DISTRIBUT tilizer run on save finished everal bags le dicuty, we h sow per hun n 200 to 2,000 nd your rows	70 pounds i 50 pounds. IZER TO FED. It any certai drilling, tl ft when the ave prepare dred feet, i) pounds p sare 36 inch
)ver 21 lbs. $np to 22$ lbs.)ver 22 lbs. $up to 23$ lbs.)ver 23 lbs. $up to 24$ lbs.)ver 24 lbs. $up to 24$ lbs.)ver 24 lbs. $np to 25$ lbs.)ver 26 lbs. $np to 26$ lbs.)ver 26 lbs. $up to 27$ lbs.)ver 27 lbs. $up to 28$ lbs.)ver 28 lbs. $up to 29$ lbs.)ver 29 lbs. $np to 31$ lbs.)ver 31 lbs. $np to 32$ lbs.)ver 33 lbs. $np to 33$ lbs.)ver 33 lbs. $np to 33$ lbs.)ver 34 lcs.	16c 16c 17c 17c 18c 18c 19c 20c 20c 21c	26c 27c 28c 30c 31c 32c 33c 35c 26c	Within 1 we.ght are HOW T Many fa quantity t fertilizer is have finis the follow order to n acre. If y apart (froi	ocal Zones a carr.ed. 'Th TO SOW A HE ACRE A: rmers find dif o the aere, sexhansted, a red (he last r ing table, wl nake differen ou want to so	and Zones 1, ne limit of we CERTAIN C ND HAVE 1 nd again the ow. To over iich shows h t quantities, w 800 pomds kb), yon find	2 and 3, Pac eight for all o 2UANTITY (T EVENLY king their fer before they by y will have so come this dil ow much to ranging from to the acre, a where the li	kages up to ther zones is OF FERTILI DISTRIBUT ave finished everal bags to ficulty, we h ficulty, we h ficulty, we hun a 200 to 2,000 nd your rows to opposite "	70 pounds 50 pounds 50 pounds IZER TO FED. tt any certa drilling, tl ft when the ave prepare dred feet, 0 pound * p are 36 inch 800" and tl
) ver 21 lbs, np to 22 lbs,) ver 22 lbs, up to 23 lbs,) ver 23 lbs, up to 24 lbs,) ver 23 lbs, np to 24 lbs,) ver 25 lbs, np to 26 lbs,) ver 26 lbs, np to 26 lbs,) ver 26 lbs, np to 28 lbs,) ver 28 lbs, up to 28 lbs,) ver 29 lbs, np to 31 lbs,) ver 30 lbs, np to 33 lbs,) ver 33 lbs, np to 33 lbs,) ver 33 lbs, np to 33 lbs,) ver 33 lbs, np to 35 lbs,) ver 33 lbs, np to 35 lbs,) ver 33 lbs, np to 35 lbs,) ver 33 lbs, np to 36 lbs,) ver 33 lbs, np to 36 lbs,) ver 35 lbs, np to 36 lbs, np to 37 lbs, np to 36 lbs, np to 37 lbs, np to 36 lbs, np to 37 lbs, np to 36 lbs, np to 37 lbs, np to 37 lbs, np to 37 lbs, np to 36 lbs, np to 37 lbs, np to 38 lbs, np to 3	16c 16c 17c 17c 18c 18c 19c 20c 20c 21c 22c	26c 27c 28c 30c 31c 32c 32c 34c 35c 26c 37c 38c	Within 1 weight are HOW TH Many fa quantity f fortilizer is bave finish the follow order to n acre. If y apart (fro line nuder	ocal Zones a carr.ed. Th TO SOW A HE ACRE A: runers find dit o the aere. schansted, a bed the hast r ing table, w1 make differen ou want to so n stalk to sta "36" cross ca	and Zones 1, ne Emit of we CERTAIN C ND HAVE 1 fitenlty in ma Sometimes L md again the ow. To over ich shows b t quantifies, w 800 ponnds I&), you find eh other, and	2 and 3, Pac light for all o QUANTITY of T EVENLY king their fer before they b will haves come this dif ow much to to the acre, a where the lin you find "5	kages up to ther zones is OF FERTILL DISTRIBU' tilizer run on ave finished veral bags le ficulty, we h sow per hun a 200 to 2,000 nd your row, we opposite "	70 pounds i 50 pounds. IZER TO TED. it any certai drilling, tl ft when the ave prepare dred feet, i 0 pounds p sare 36 inch 800" and tl mees." Ye
)ver 21 lbs. np to 22 lbs.)ver 22 lbs. up to 23 lbs.)ver 23 lbs. up to 24 lbs.)ver 24 lbs. up to 24 lbs.)ver 24 lbs. np to 26 lbs.)ver 26 lbs. np to 26 lbs.)ver 26 lbs. up to 27 lbs.)ver 27 lbs. np to 28 lbs.)ver 28 lbs. up to 29 lbs.)ver 29 lbs. np to 30 lbs.)ver 30 lbs. np to 31 lbs.)ver 31 lbs. np to 33 lbs.)ver 33 lbs. np to 34 lcs.)ver 34 lbs. np to 35 lbs)ver 35 lbs. np to 36 lbs)ver 36 lbs. np to 36 lbs)ver 36 lbs. np to 36 lbs)ver 36 lbs. np to 37 lbs)ver 37 lbs. np to 36 lbs)ver 37 lbs. np to 36 lbs	16c 16c 17c 17c 18c 18c 19c 20c 20c 21c 21c 22c 22c	26c 27c 28c 30c 31c 32c 33c 34c 26c 37c 38c 39c	Within 1 we.ght are HOW TH Many fa quantity t fertilizer is have finis the follow order to n acre. If y apart (froo line under then set y	ocal Zones a carr.ed. Th TO SOW A HE ACRE A: truers find dii to the acre. texhansted, a ned the last r ing table, wi nake differen ou want to so n stalk to sta "36" cross co our drill so th	and Zones 1, ne Emit of we CERTAIN C ND HAVE 1 filently in ma Sometimes 1 und again the ow. To over ich shows h t quantities, w 800 pounds fk), you find ech other, and at it will nee	2 and 3, Pac ight for all o 2UANTITY (T EVENLY king their for before they by will have so come this dil ow much to ranging from to the acre, a where the lin 1 you find "5 5 ponnds 2 o	kages up to ther zones is OF FERTIL DISTRIBUT tilizer run on ave finished everal bags le ficulty, we h sow per hun a 200 to 2,000 nd your rows we opposite " pounds 2 ou unces in a hn	70 pounds 50 pounds 50 pounds IZER TO FED. It any certa dred feet, 1 pounds p are 36 inch 800° and tl mees." YG ndred vard
)ver 21 lbs. np to 22 lbs.)ver 22 lbs. up to 23 lbs.)ver 23 lbs. up to 24 lbs.)ver 24 lbs. np to 24 lbs.)ver 25 lbs. np to 26 lbs.)ver 26 lbs. np to 26 lbs.)ver 26 lbs. np to 28 lbs.)ver 27 lbs. np to 28 lbs.)ver 28 lbs. up to 29 lbs.)ver 28 lbs. up to 30 lbs.)ver 28 lbs. np to 31 lbs.)ver 30 lbs. np to 33 lbs.)ver 33 lbs. np to 33 lbs.)ver 33 lbs. np to 35 lbs.)ver 33 lbs. np to 35 lbs.)ver 35 lbs. np to 36 lbs.)ver 35 lbs. np to 36 lbs.)ver 35 lbs. np to 36 lbs.)ver 36 lbs. np to 38 lbs.)ver 37 lbs. np to 38 lbs.	16c 16c 17c 17c 18c 19c 20c 20c 21c 21c 22c 23c	26c 27c 28c 30c 31c 32c 33c 35c 26c 37c 37c 38c 39c 40c 41c 42c	Within 1 we.ght are HOW TH Many fa quantity t fertilizer is have finis the follow order to n acre. If y apart (froo line under then set y	ocal Zones a carr.ed. Th TO SOW A HE ACRE A: runers find dit o the aere. schansted, a bed the hast r ing table, w1 make differen ou want to so n stalk to sta "36" cross ca	and Zones 1, ne Emit of we CERTAIN C ND HAVE 1 filently in ma Sometimes 1 und again the ow. To over ich shows h t quantities, w 800 pounds fk), you find ech other, and at it will nee	2 and 3, Pac ight for all o 2UANTITY (T EVENLY king their for before they by will have so come this dil ow much to ranging from to the acre, a where the lin 1 you find "5 5 ponnds 2 o	kages up to ther zones is OF FERTIL DISTRIBUT tilizer run on ave finished everal bags le ficulty, we h sow per hun a 200 to 2,000 nd your rows we opposite " pounds 2 ou unces in a hn	70 pounds i 50 pounds i 50 pounds IZER TO FED. It any certai drilling, tl ft when the ave prepare dred feet, 1) pounds p are 36 inch 800" and tl mces." YC ndred vard
)ver 21 lbs, $np to 22$ lbs,)ver 22 lbs, $up to 23$ lbs,)ver 23 lbs, $up to 24$ lbs,)ver 24 lbs, $np to 25$ lbs,)ver 25 lbs, $np to 26$ lbs,)ver 26 lbs, $up to 27$ lbs,)ver 26 lbs, $up to 29$ lbs,)ver 27 lbs, $np to 28$ lbs,)ver 29 lbs, $np to 30$ lbs,)ver 30 lbs, $np to 31$ lbs,)ver 31 lbs, $np to 33$ lbs,)ver 33 lbs, $np to 34$ lcs,)ver 34 lbs, $np to 35$ lbs,)ver 34 lbs, $np to 35$ lbs,)ver 36 lbs, $np to 37$ lbs,)ver 36 lbs, $np to 37$ lbs,)ver 36 lbs, $np to 37$ lbs,)ver 37 lbs, $np to 38$ lbs,)ver 37 lbs, $np to 38$ lbs,)ver 37 lbs, $np to 39$ lbs,)ver 37 lbs, $np to 39$ lbs,	16c 17c 17c 18c 19c 20c 21c 22c 22c 23c 23c	26e 27e 29e 30e 31e 32e 33e 35e 26e 37e 38e 39a 40e 41e 42e 43e	Within 1 we.ght are HOW TH Many fa quantity t fertilizer is have finis the follow order to n acre. If y apart (froo line under then set y	ocal Zones a carr.ed. Th TO SOW A HE ACRE A trucers find dii o the aere. exhansted, a red the last r ing table, wi nake differen ou want to so n stalk to sta "36" eroses ce our drill so th rtilizer will t	and Zones 1, ae Emit of we CERTAIN C ND HAVE 1 fiienlty in ma Sometimes 1 und again the ow. To over ich shows h t quantities, w 800 pounds. Ik), you find teh other, and at it will use ken be drilled	2 and 3, Pac ight for all o 2UANTITY (T EVENLY king their fer before they by will have as come this dil ow much to ranging from to the acre, a where the lin 1 you find "5 oponnds 2 o d at the rate	kages up to ther zones is OF FERTIL DISTRIBUT tilizer run on ave finished everal bags te ficulty, we h sow per hun a 200 to 2,000 nd your rows we opposite " pounds 2 ou unces in a hn of 800 pound	70 pounds i 50 pounds i 50 pounds IZER TO FED. It any certai drilling, tl ft when the ave prepare dred feet, 1) pounds p are 36 inch 800" and tl mces." YC ndred vard
)ver 21 lbs. np to 22 lbs.)ver 22 lbs. np to 23 lbs.)ver 23 lbs. np to 24 lbs.)ver 23 lbs. np to 24 lbs.)ver 24 lbs. np to 26 lbs.)ver 26 lbs. np to 26 lbs.)ver 26 lbs. np to 28 lbs.)ver 27 lbs. np to 28 lbs.)ver 28 lbs. np to 30 lbs.)ver 29 lbs. np to 30 lbs.)ver 30 lbs. np to 31 lbs.)ver 31 lbs. np to 33 lbs.)ver 33 lbs. np to 35 lbs.)ver 33 lbs. np to 35 lbs.)ver 34 lbs. np to 35 lbs.)ver 35 lbs. np to 38 lbs.)ver 36 lbs. np to 38 lbs.)ver 36 lbs. np to 38 lbs.)ver 37 lbs. np to 38 lbs.)ver 36 lbs. np to 38 lbs.)ver 37 lbs. np to 38 lbs.)ver 38 lbs. np to 39 lbs.	16c 17c 17c 18c 19c 20c 20c 21c 22c 22c 23c 24c 24c 25c	26e 27e 28e 29c 31e 32e 33e 35e 26e 37e 38e 396 41e 42e 42e 44e	Within 1 we.ght are HOW TH Many fa quantity t fertilizer is have finis the follow order to n acre. If y apart (froo line under then set y	ocal Zones a carr.ed. Th TO SOW A HE ACRE A truners find dit o the aere. exhausted, a ned the last r ing table, wi make differen ou want to so us stalk to sta "30" cross co ur drill so th rtilizer will t POUNDS	and Zones 1, a Emit of we CERTAIN C ND HAVE 1 filently in ma Sometimes 1 and again the ow. To over icch shows h t quantities, w 800 pounds t, quantities, t, qua	2 and 3, Pac- ight for all o QUANTITY (T EVENLY king their fer y will have so come this dil ow much to ranging from to the acre, a where the lil l you find "5 pounds 2 o d at the rate JZER PER	kages up to ther zones is OF FERTIL DISTRIBUT tilizer run on ave finished werral bags le theulty, we h sow per hun a 200 to 2,000 nd your rows opposite " pounds 2 ou unces in a hn of 800 pound 100 FEET.	70 pounds i 50 pounds i 50 pounds IZER TO FED. It any certai drilling, tl ft when the ave prepare dred feet, 1) pounds p are 36 inch 800" and tl mces." YC ndred vard
$\begin{array}{llllllllllllllllllllllllllllllllllll$	16c 17c 17c 18c 19c 20c 20c 21c 22c 23c 23c 23c 24c 25c 25c	26c 27c 28c 30c 31c 32c 33c 35c 26c 37c 38c 39a 40c 41c 42c 43c 44c 45c	Within 1 we.ght are HOW TH Many fa quantity t fertilizer is have finis the follow order to n acre. If y apart (froo line under then set y	ocal Zones a carr.ed. Th TO SOW A HE ACRE A truners find dit o the aere. exhausted, a ned the last r ing table, wi make differen ou want to so us stalk to sta "30" cross co ur drill so th rtilizer will t POUNDS	and Zones 1, a Emit of we CERTAIN C ND HAVE 1 filently in ma Sometimes 1 and again the ow. To over icch shows h t quantities, w 800 pounds t, quantities, t, qua	2 and 3, Pac ight for all o 2UANTITY (T EVENLY king their fer before they by will have as come this dil ow much to ranging from to the acre, a where the lin 1 you find "5 oponnds 2 o d at the rate	kages up to ther zones is OF FERTIL DISTRIBUT tilizer run on ave finished werral bags le theulty, we h sow per hun a 200 to 2,000 nd your rows opposite " pounds 2 ou unces in a hn of 800 pound 100 FEET.	70 pounds i 50 pounds i 50 pounds IZER TO FED. It any certai drilling, tl ft when the ave prepare dred feet, 1) pounds p are 36 inch 800" and tl mces." YC ndred vard
)ver 21 lbs. np to 22 lbs.)ver 22 lbs. up to 23 lbs.)ver 23 lbs. up to 24 lbs.)ver 24 lbs. up to 24 lbs.)ver 24 lbs. np to 25 lbs.)ver 25 lbs. np to 26 lbs.)ver 26 lbs. up to 27 lbs.)ver 26 lbs. up to 29 lbs.)ver 28 lbs. up to 29 lbs.)ver 29 lbs. np to 30 lbs.)ver 31 lbs. np to 31 lbs.)ver 31 lbs. np to 32 lbs.)ver 31 lbs. np to 34 lcs.)ver 33 lbs. np to 34 lcs.)ver 35 lbs. np to 36 lbs)ver 35 lbs. np to 36 lbs)ver 35 lbs. np to 36 lbs)ver 37 lbs. np to 36 lbs)ver 37 lbs. np to 38 lbs)ver 37 lbs. np to 38 lbs)ver 37 lbs. np to 38 lbs)ver 39 lbs. np to 39 lbs)ver 39 lbs np to 40 lbs)ver 40 lbs np to 41 lbs)ver 41 lbs np to 42 lbs)ver 41 lbs)ver	16c 16c 17c 17c 18c 19c 20c 20c 21e 22c 23c 23c 24c 25c 25c 26c	26e 27e 28e 30e 31e 32e 33e 34e 35e 26e 38e 39a 40e 41e 43e 44e 45e 46e	Within 1 we.ght are HOW TH Many fa quantity t fertilizer is have finis the follow order to n acre. If y apart (froo line under then set y	ocal Zones a carr.ed. Th TO SOW A HE ACRE A rmers find dii o the aere, exhansted, a hed the last r ing table, wl nake differen ou want to so n stalk to sta "30" cross ca ur drill so th rtilizer will t POUNDS Dist	and Zones 1, a Emit of we CERTAIN C ND HAVE 1 filently in ma Sometimes b and again the ow. To over itch shows h t quantities, w 800 pounds t quantities, w 8	2 and 3, Pac- ight for all o QUANTITY (T EVENLY King their fer by will have so come this dil ow much to ranging from to the acre, a where the lit 1 you find "5 5 ponnds 2 o d at the rate JZER PER n Rows (stal	kages up to ther zones is OF FERTIL DISTRIBUT tilizer run on ave finished weral bags le ficulty, we h sow per hun a 200 to 2,000 nd your rows we opposite " pounds 2 ou unces in a hn of 800 pound 100 FEET. k to stalk):	70 pounds i 50 pounds. 12ER TO FED. It any certai drilling, tl ft when the ave prepare dred feet, i) pounds p are 36 inch 800° and tl mees." Yc ndred yard s to the aer
$\begin{array}{llllllllllllllllllllllllllllllllllll$	16c 16c 17c 18c 18c 19c 20c 21c 22c 23c 24c 24c 25c 26c 26c	$\begin{array}{c} 26e\\ 27e\\ 28e\\ 29e\\ 30e\\ 31e\\ 32e\\ 35e\\ 26e\\ 37e\\ 38e\\ 39e\\ 40e\\ 41e\\ 42e\\ 43e\\ 44e\\ 45e\\ 45e\\ 46e\\ 47e\\ \end{array}$	Within 1 we.ght are HOW TH Many fa quantity t fertilizer is have finis the follow order to n acre. If y apart (froo line under then set y	ocal Zones a carr.ed. Th TO SOW A HE ACRE A truners find dit o the aere. exhausted, a ned the last r ing table, wi make differen ou want to so us stalk to sta "30" cross co ur drill so th rtilizer will t POUNDS	and Zones 1, a Emit of we CERTAIN C ND HAVE 1 filently in ma Sometimes 1 and again the ow. To over icch shows h t quantities, w 800 pounds t, quantities, t, qua	2 and 3, Pac- ight for all o QUANTITY (T EVENLY king their fer y will have so come this dil ow much to ranging from to the acre, a where the lil l you find "5 pounds 2 o d at the rate JZER PER	kages up to ther zones is OF FERTIL DISTRIBUT tilizer run on ave finished werral bags le theulty, we h sow per hun a 200 to 2,000 nd your rows opposite " pounds 2 ou unces in a hn of 800 pound 100 FEET.	70 pounds i 50 pounds. 12ER TO FED. It any certai drilling, tl ft when the ave prepare dred feet, i) pounds p are 36 inch 800° and tl mees." Yc ndred yard s to the aer
)ver 21 lbs, up to 22 lbs,)ver 22 lbs, up to 23 lbs,)ver 23 lbs, up to 24 lbs,)ver 23 lbs, up to 24 lbs,)ver 24 lbs, up to 25 lbs,)ver 25 lbs, up to 26 lbs,)ver 26 lbs, up to 27 lbs, lver 27 lbs, up to 29 lbs, lver 29 lbs, up to 29 lbs, lver 29 lbs, up to 31 lbs,)ver 30 lbs, up to 31 lbs,)ver 31 lbs, up to 33 lbs,)ver 32 lbs, up to 33 lbs,)ver 33 lbs, up to 34 lcs,)ver 34 lbs, up to 34 lcs,)ver 35 lbs, up to 38 lbs,)ver 36 lbs, up to 37 lbs,)ver 37 lbs, up to 38 lbs,)ver 37 lbs, up to 38 lbs,)ver 37 lbs, up to 38 lbs,)ver 37 lbs, up to 41 lbs,)ver 41 lbs, up to 41 lbs,)ver 41 lbs, up to 44 lbs,)ver 44 lbs, up to 43 lbs,)ver 44 lbs, up to 44 lbs,)ver 45 lbs, up to 44 lbs,)	16c 17c 17c 18c 19c 20c 20c 21e 22e 23c 23c 24c 25c 25c 26c 27c	26e 27e 29e 30e 31e 32e 33e 26e 37e 38e 37e 40e 41e 42e 43e 44e 45e 46e 47e 18e	Within 1 we.ght are HOW TH Many fa quantity t fertilizer is have finish the follow order to n arere. If y apart (from line nucler then set y and the fe	ocal Zones a carr.ed. Th TO SOW A HE ACRE A the ACRE A exhausted, a red the last r ing table, will nake differen ou want to so n stalk to sta "36" crosse ce our drill so th rtilizer will t POUNDS Dist 28 Inches	and Zones 1, e Emit of we CERTAIN C ND HAVE 1 filently in ma Sometimes b and again the ow. To over tich shows h t quantities, w 800 pounds lk), yon find teh other, and w 800 pounds lk), yon find teh other, and at it will use ken be drilled OF FERTII ance Betwee 32 Inches	2 and 3, Pac- ight for all o QUANTITY (T EVENLY King their fer by will have so come this dil ow much to ranging from to the acre, a where the lit 1 you find "5 5 ponnds 2 o d at the rate JZER PER n Rows (stal	kages up to ther zones is OF FERTIL DISTRIBUT tilizer run on ave finished everal bags te ficulty, we h ficulty, we h a 200 to 2,000 unces in a ha of 800 pound 100 FEET. k to stalk): 36 Inches	70 pounds i 70 pounds. 70 pounds. 12ER TO FED. 14 any certai dred feet, i 10 pounds prepare are 36 inche 800" and tl nuces." Yo ndred yard s to the aer 40 Inches
Over 21 lbs, up to 22 lbs, 0ver 22 lbs, up to 23 lbs, 0ver 22 lbs, up to 24 lbs, 1ver 23 lbs, up to 24 lbs, 1ver 24 lbs, up to 25 lbs, 1ver 25 lbs, up to 26 lbs, 1ver 25 lbs, up to 27 lbs, 1ver 25 lbs, up to 30 lbs, 1ver 27 lbs, up to 30 lbs, 1ver 27 lbs, up to 31 lbs, 1ver 33 lbs, up to 33 lbs, 1ver 34 lbs, up to 33 lbs, 1ver 35 lbs, up to 35 lbs, 1ver 36 lbs, up to 35 lbs, 1ver 36 lbs, up to 38 lbs, 1ver 36 lbs, up to 36 lbs, 1ver 36 lbs, up to 43 lbs, 1ver 40 lbs, up to 44 lbs, 1ver 44 lbs, up to 43 lbs, 1ver 44 lbs, up to 44 lbs, 1ver 44 lbs, up to 43 lbs, 1ver 44 lbs, up to 44 lbs, 1ver 44 lbs, up to 45 lbs, up to 44 lbs, 1ver 44 lbs, up to 45 lbs, up to 44 lbs, 1ver 44 lbs, up to 45 lbs, up to 44 lbs, 1ver 44 lbs, up to 44 lbs, up	16c 16c 17c 18c 19c 20c 20c 21c 22c 22c 23c 24c 25c 26c 26c 26c 27c 27c	26e 27e 28e 30e 31c 32e 35e 37e 37e 37e 38e 39a 40e 41e 42e 44e 45e 45e 45e 47e 48e 49e	Within 1 we.ght are HOW TH Many fa quantity t fertilizer is have finish the follow order to n arere. If y apart (from line nucler then set y and the fe	ocal Zones a carr.ed. Th TO SOW A HE ACRE A: rmers find dit o the aere, exhansted, a ned the last r ing table, wl make differen ou want to so ou stalk to sta "30" cross ca ur drill so th rtilizer will t POUNDS Dist 28 Inches 14b, 1 oz.	and Zones 1, as Emit of we CERTAIN C ND HAVE 1 ficinlty in ma Sometimes 1 and again the ow. To over itch shows h t quantities, w 800 pounds to you find eh other, and at it will use OF FERTH ance Betwee 32 Inches 1 lb, 4 oz.	2 and 3, Pac ight for all o 2UANTITY (T EVENLY king their fer before they by will have so come this dil ow much to ranging from to the acre, a where the lin l you find "5 do nnds 2 o d at the rate JZER PER n Rows (stal 31 Inches	kages up to ther zones is OF FERTIL DISTRIBUT tilizer run og ave finished weral bags le theulty, we h a 200 to 2,000 nd your rows opposite " pounds 2 ou unces in a hm of 800 pound 100 FEET, k to stalk): 36 Inches	70 pounds i 70 pounds. 70 pounds. 12 Den TO TED. 11 any certai drilling, tl ft when the ave prepare dred feet, i 0 pounds po- are 36 inche 800° and tl mees." Yo ndred yard s to the acr 40 Inches 1 tb. 8 oz.
Over 21 lbs. $np to 22$ lbs. Over 22 lbs. $up to 23$ lbs. Over 23 lbs. $up to 24$ lbs. Over 24 lbs. $np to 24$ lbs. Over 24 lbs. $np to 24$ lbs. Over 26 lbs. $np to 26$ lbs. Over 26 lbs. $np to 28$ lbs. Over 27 lbs. $np to 28$ lbs. Over 28 lbs. $np to 38$ lbs. Over 29 lbs. $np to 31$ lbs. Over 29 lbs. $np to 31$ lbs. Over 30 lbs. $np to 31$ lbs. Over 31 lbs. $np to 33$ lbs. Over 33 lbs. $np to 33$ lbs. Over 33 lbs. $np to 35$ lbs. Over 33 lbs. $np to 35$ lbs. Over 33 lbs. $np to 35$ lbs. Over 33 lbs. $np to 38$ lbs. Over 36 lbs. $np to 38$ lbs. Over 36 lbs. $np to 38$ lbs. Over 38 lbs. $np to 43$ lbs. Over 44 lbs. $np to 44$ lbs. Over 44 lbs. $np to 44$ lbs. Over 44 lbs. $np to 43$ lbs.	16с 16с 17с 18с 18с 19с 20с 20с 21с 22с 23с 23с 24с 24с 25с 26с 27с 28с	26e 27e 28e 30e 31e 32e 33e 26e 37e 38e 40e 41e 42e 43e 45e 46e 47e 18e 49e 50e	Within 1 we.ght are HOW TH Many fa quantity f fertilizer is have finish the follow order to n aere. If y apart (fron line under then set y and the fe	ocal Zones a carr.ed. Th TO SOW A HE ACRE A HE	and Zones 1, are Emit of we CERTAIN C ND HAVE 1 filenlty in ma Sometimes 1 and again the ow. To over ich shows h t quantities, we 800 pounds (R), you find ich other, and ich oth	2 and 3, Pac ight for all o 2UANTITY (T EVENLY King their fer by will haves come this Gil ow much to ranging from to the acre, a where the lin lyou find "5 5 ponnds 2 o d at the rate IZER PER n Rows (stall 34 Inches 1 lb. 5 oz.	kages up to ther zones is DF FERTILL DISTRIBUT tilizer run on ave finished everal bags te ficulty, we h sow per hun a 200 to 2,000 unces in a hun of 800 pound 100 FEET. k to stalk): 36 Inches 1 lb. 6 oz.	70 pounds i 50 pounds. 12ER TO FED. It any certai drilling, tl ft when the ave prepare dred feet, i) pounds pp are 36 inche 800° and tl mees." Yo ndred yard s to the acr 40 Inches 1 fb. 8 oz. 2 lb. 5 oz
Over 21 lbs. np to 22 lbs. Over 22 lbs. up to 23 lbs. Over 23 lbs. up to 23 lbs. Over 23 lbs. up to 24 lbs. Over 24 lbs. np to 26 lbs. Over 26 lbs. np to 26 lbs. Over 26 lbs. up to 27 lbs. Over 27 lbs. np to 28 lbs Over 28 lbs. np to 29 lbs Over 29 lbs. np to 30 lbs Over 30 lbs. np to 31 lbs. Over 31 lbs. np to 33 lbs. Over 31 lbs. np to 34 lcs Over 34 lbs. np to 34 lcs Over 34 lbs. np to 34 lcs Over 35 lbs. np to 35 lbs. Over 36 lbs. np to 37 lbs. Over 36 lbs. np to 38 lbs. Over 37 lbs. np to 38 lbs. Over 37 lbs. np to 38 lbs. Over 36 lbs. np to 39 lbs. Over 36 lbs. np to 44 lbs. Over 40 lbs. np to 41 lbs. Over 44 lbs. np to 44 lbs. Over 44 lbs. np to 44 lbs. Over 44 lbs. np to 45 lbs. Over 44 lbs. np to 45 lbs.	16c 16c 17c 18c 18c 19c 20c 21e 21e 22c 23c 23e 24e 25e 26e 26e 27c 28c 28c	26e 27e 29e 30e 31e 32e 33e 26e 38e 39e 40e 41e 42e 43e 44e 45e 46e 45e 46e 45e 18e 50e 51e	Within 1 we.ght are HOW TH Many fa quantity f fertilizer is have finish the follow order to n aere. If y apart (fron line under then set y and the fe	Cocal Zones a carr.ed. Th TO SOW A HE ACRE A: rmers find dii o the aere, exhansted, a ned the last r ing table, wi nake differen ou want to so n stalk to sta "36" cross co our drill so th rtilizer will t POUNDS Dist 28 Inches 1 Hb. 1 oz, 1 Hb. 1 oz, 1 Hb. 2 oz.	and Zones 1, a Emit of we cERTAIN C ND HAVE 1 Miently in ma Sometimes b and again the ow. To over ich shows b t quantities, w 800 pounds w 100 cm w 800 pounds w 800 pounds w 100 cm w 800 pounds w 100 cm w	2 and 3, Pac ight for all o UANTITY (T EVENLY king their fer before they by will havess come this di ow much to ranging from to the acre, a where the li l you find "5 5 pounds 2 o at the rate IZER PER n Rows (stal 31 Inches 1 1b. 5 oz.	kages up to ther zones is OF FERTIL DISTRIBUT tilizer run on ave finished weral bags le ficulty, we h sow per hun a 200 to 2,000 nd your rows we opposite " pounds 2 ou unces in a hn of 800 pound 100 FEET. k to stalk): 36 Inches 1 lb. 6 oz. 2 lb.12 oz.	70 pounds i 70 pounds. 70 pounds. 12DR TO FED. It any certai drilling, th ft when the ave a prepare dred feet, i 0 pounds po are 36 inche 800° and th nuces.'' Yo ndred yard s to the aer 40 Inches 1 lb. 8 oz. 2 lb. 5 oz. 3 lb. 1 oz
Over 20 (bs. np to 21 (bs Over 21 (bs. np to 23 (bs.) Over 21 (bs. np to 23 (bs.) Over 23 (bs. up to 24 (bs) Over 24 (bs. up to 24 (bs) Over 25 (bs. np to 26 (bs) Over 25 (bs. np to 26 (bs) Over 27 (bs. np to 28 (bs) Over 27 (bs. np to 28 (bs) Over 28 (bs. np to 29 (bs) Over 29 (bs. np to 30 (bs) Over 30 (bs. np to 31 (bs) Over 30 (bs. np to 31 (bs) Over 33 (bs. np to 33 (bs)) Over 34 (bs. np to 35 (bs)) Over 35 (bs. np to 37 (bs)) Over 36 (bs. np to 37 (bs)) Over 37 (bs. np to 38 (bs)) Over 38 (bs. np to 38 (bs)) Over 38 (bs. np to 38 (bs)) Over 38 (bs. np to 38 (bs)) Over 37 (bs. np to 38 (bs)) Over 37 (bs. np to 38 (bs)) Over 40 (bs. np to 43 (bs)) Over 40 (bs. np to 43 (bs)) Over 44 (bs. np to 45 (bs)) Over 45 (bs. np to 46 (bs)) Over 45 (bs. np to 47 (bs)) Over 47 (bs) (p to 47 (bs))	16c 16c 17c 18c 18c 19c 20c 21c 22c 23c 24c 25c 26c 26c 26c 27c 28c 28c 28c 29c 29c 29c 29c 29c 29c 29c 29	$\begin{array}{c} 26e\\ 27e\\ 28e\\ 29e\\ 30e\\ 31e\\ 32e\\ 33e\\ 35e\\ 26e\\ 38e\\ 39e\\ 40e\\ 41e\\ 42e\\ 43e\\ 41e\\ 45e\\ 45e\\ 45e\\ 45e\\ 45e\\ 45e\\ 51e\\ 52e\\ \end{array}$	Within 1 weight are HOW TH Many fa quantity of fertilizer is have finish the follow order to n aere. If y apart (fron line under then set y and the fe	ocal Zones a carr.ed. Th TO SOW A HE ACRE A HE	and Zones 1, are Emit of we CERTAIN C ND HAVE 1 filenlty in ma Sometimes 1 and again the ow. To over ich shows h t quantities, we 800 pounds (R), you find ich other, and ich oth	2 and 3, Pac ight for all o 2UANTITY (T EVENLY King their fer before they by will haves come this dil ow much to ranging from to the acre, n where the li 1 you find "5 bounds 2 o d at the rate JZER PER n Rows (stal 31 Inches 1 lb. 5 oz. 1 lb. 15 oz. 2 lb.10 oz.	kages up to ther zones is DF FERTILL DISTRIBUT tilizer run on ave finished everal bags to ficulty, we h ficulty, we h foculty, we h a 200 to 2,000 unces in a hm of 800 pound 100 FEET. k to stalk): 36 Inches 1 lb. 6 oz. 2 lb. 1 oz. 2 lb. 1 oz. 3 lb. 7 oz.	70 pounds i 70 pounds. 70 pounds. 72 pounds. 72 pounds. 72 pounds. 74 pounds pounds. 75 pounds pounds. 76 pounds.
Over 21 lbs. np to 22 lbs. Over 22 lbs. up to 23 lbs. Over 23 lbs. up to 24 lbs. Over 23 lbs. up to 24 lbs. Over 24 lbs. np to 26 lbs. Over 26 lbs. np to 26 lbs. Over 27 lbs. np to 28 lbs. Over 27 lbs. np to 29 lbs. Over 28 lbs. up to 29 lbs. Over 29 lbs. np to 31 lbs. Over 30 lbs. np to 31 lbs. Over 31 lbs. np to 33 lbs. Over 33 lbs. np to 34 lcs. Over 33 lbs. np to 34 lcs. Over 34 lbs. np to 35 lbs. Over 35 lbs. np to 35 lbs. Over 36 lbs. np to 39 lbs. Over 37 lbs. np to 39 lbs. Over 37 lbs. np to 39 lbs. Over 36 lbs. np to 39 lbs. Over 37 lbs. np to 39 lbs. Over 39 lbs. np to 39 lbs. Over 39 lbs. np to 34 ls. Over 44 lbs. np to 44 lbs. Over 44 lbs. np to 44 lbs. Over 44 lbs. np to 44 lbs. Over 44 lbs. np to 43 lbs. Over 44 lbs. np to 43 lbs. Over 44 lbs. np to 45 lbs. Over 44 lbs. np to 45 lbs. Over 44 lbs. np to 47 lbs. Over 46 lbs. np to 48 lbs.	16c 17c 17c 18c 19c 20c 20c 21e 22c 23c 23c 24c 25c 26c 26c 27c 27c 28c 29c 29c 29c	26e 27e 28e 29e 31e 32e 33e 26e 37e 38e 40e 41e 42e 43e 44e 45e 46e 47e 18e 51e 51e 53e	Within 1 weight are HOW TH Many fa quantity of fertilizer is have finish the follow order to n aere. If y apart (fron line under then set y and the fe	ocal Zones a carr.ed. Th TO SOW A HE ACRE A HE ACRE A the ACRE A t	and Zones 1, e Emit of we CERTAIN C ND HAVE 1 fiienlty in ma Sometimes 1 and again the ow. To over itch shows h t quantities, w 800 pounds IR), yoon find eh other, and at it will use hen be drillee OF FERTII ance Betwee 32 Inches 1 lb. 4 oz. 1 lb.13 oz. 2 lb. 7 oz. 3 lb. 1 oz.	2 and 3, Pac ight for all o 2UANTITY (T EVENLY King their fer before they by will havess come this dif ow much to ranging from to the acre, a where the lin 1 you find "5 5 pounds 2 o d at the rate JZER PER A Rows (stal 34 Inches 1 lb. 5 oz. 1 lb. 5 oz. 2 lb.10 oz. 3 lb. 4 oz.	kages up to ther zones is OF FERTIL DISTRIBUT tilizer run on ave finished weral bags le ficulty, we h sow per hun a 200 to 2,000 nd your rows we opposite " pounds 2 ou unces in a hn of 800 pound 100 FEET. k to stalk): 36 Inches 1 lb. 6 oz. 2 lb.12 oz.	70 pounds i 50 pounds. 150 pounds. IZER TO FED. tt any certai drilling, th ft when the ave prepare dred feet, i) pounds po are 36 inche 800° and th nuces." Yo and th
Over 21 lbs. up to 22 lbs. Over 22 lbs. up to 23 lbs. Over 23 lbs. up to 23 lbs. Over 23 lbs. up to 24 lbs. Over 24 lbs. up to 25 lbs. Over 25 lbs. up to 26 lbs. Over 26 lbs. up to 28 lbs. Over 28 lbs. up to 28 lbs. Over 28 lbs. up to 28 lbs. Over 29 lbs. up to 30 lbs. Over 30 lbs. up to 31 lbs. Over 31 lbs. up to 31 lbs. Over 33 lbs. up to 33 lbs. Over 33 lbs. up to 35 lbs. Over 33 lbs. up to 35 lbs. Over 33 lbs. up to 36 lbs. Over 34 lbs. up to 38 lbs. Over 35 lbs. up to 38 lbs. Over 36 lbs. up to 37 lbs. Over 36 lbs. up to 37 lbs. Over 36 lbs. up to 38 lbs. Over 38 lbs. up to 38 lbs. Over 39 lbs. up to 48 lbs. Over 39 lbs. up to 43 lbs. Over 41 lbs. up to 43 lbs. Over 41 lbs. up to 43 lbs. Over 43 lbs. up to 43 lbs. Over 44 lbs. up to 43 lbs. Over 44 lbs. up to 45 lbs. Over 45 lbs. up to 45 lbs.	16c 17c 17c 18c 19c 20c 20c 21e 22c 23c 23c 24c 25c 26c 26c 27c 27c 28c 29c 29c 29c	$\begin{array}{c} 26e\\ 27e\\ 28e\\ 29e\\ 30e\\ 31e\\ 32e\\ 33e\\ 35e\\ 26e\\ 38e\\ 39e\\ 40e\\ 41e\\ 42e\\ 43e\\ 41e\\ 45e\\ 45e\\ 45e\\ 45e\\ 45e\\ 45e\\ 51e\\ 52e\\ \end{array}$	Within 1 weight are HOW TH Many fa quantity of fertilizer is have finish the follow order to n aere. If y apart (fron line under then set y and the fe	accal Zones a carr.ed. Th TO SOW A HE ACRE A: truners find dii to the aere. texhansted, a ned the last r ing table, wi nake differen ou want to so n stalk to sta "36" crosse ce our drill so th rtilizer will t POUNDS Dist 28 Inches 1 HD, 1 oz. 2 Hb, 2 oz. 2 Hb, 2 oz. 2 Hb, 3 oz.	and Zones 1, a Emit of we cERTAIN C ND HAVE 1 file alty in ma Sometimes b and again the ow. To over ich shows h t quantities, w 800 pounds lk), you find teh other, and w 800 pounds lk), you find teh other, and at it will asse ken be drilled OF FERTII ance Betwee 32 Inches 1 lb, 14 oz. 2 lb, 7 oz. 3 lb, 11 oz.	2 and 3, Pac ight for all o 2UANTITY of T EVENLY King their for before they by will have so come this dil ow much to ranging from to the acre, a where the lin l you find "5 bounds 2 o d at the rate IZER PER a Rows (stal 31 Inches 1 lb, 5 oz. 2 lb.10 oz. 3 lb.14 oz.	kages up to ther zones is OF FERTIL DISTRIBUT tilizer run on ave finished everal bags te ficulty, we h a 200 to 2,000 unces in a ha of 800 pound 100 FEET. k to stalk): 36 Inches 1 1b. 6 oz. 2 1b. 1 oz. 2 1b. 1 oz. 2 1b. 2 oz.	70 pounds i 70 pounds. 70 pounds. 72 pounds. 72 pounds. 72 pounds. 74 when the ave prepare dred feet, i 9 pounds pe are 36 inche 800° and th mees." Yoo and red yard: s to the aero 40 Inches 1 tb. 8 oz. 3 lb. 1 oz. 3 lb. 13 oz. 3 lb. 13 oz. 4 tb. 9 oz.
Over 21 lbs. np to 22 lbs. Over 22 lbs. up to 23 lbs. Over 23 lbs. up to 24 lbs. Over 23 lbs. up to 24 lbs. Over 24 lbs. np to 26 lbs. Over 26 lbs. np to 26 lbs. Over 27 lbs. np to 28 lbs. Over 27 lbs. np to 29 lbs. Over 28 lbs. up to 29 lbs. Over 29 lbs. np to 31 lbs. Over 30 lbs. np to 31 lbs. Over 31 lbs. np to 33 lbs. Over 33 lbs. np to 34 lcs. Over 33 lbs. np to 34 lcs. Over 34 lbs. np to 35 lbs. Over 35 lbs. np to 35 lbs. Over 36 lbs. np to 39 lbs. Over 37 lbs. np to 39 lbs. Over 37 lbs. np to 39 lbs. Over 36 lbs. np to 39 lbs. Over 37 lbs. np to 39 lbs. Over 39 lbs. np to 39 lbs. Over 39 lbs. np to 34 ls. Over 44 lbs. np to 44 lbs. Over 44 lbs. np to 44 lbs. Over 44 lbs. np to 44 lbs. Over 44 lbs. np to 43 lbs. Over 44 lbs. np to 43 lbs. Over 44 lbs. np to 45 lbs. Over 44 lbs. np to 45 lbs. Over 44 lbs. np to 47 lbs. Over 46 lbs. np to 48 lbs.	16c 17c 17c 18c 19c 20c 20c 21e 22c 23c 23c 24c 25c 26c 26c 27c 27c 28c 29c 29c 29c	26e 27e 28e 29e 31e 32e 33e 26e 37e 38e 40e 41e 42e 43e 44e 45e 46e 47e 18e 51e 51e 53e	Within 1 we.ght are HOW TH Many fa quantity of fertilizer is have finish the follow order to n aere. If y apart (fron line nucler then set y and the fe 200 52 200 53 300 54 600 56 600 5 800	car.ed. The car.ed. The TO SOW A HE ACRE A: rmers find dito o the aere. exhansted, a ned the last r ing table, we make differen ou want to so our drill so the rtilizer will the POUNDS Dist 28 Inches 14b, 1 oz. 14b, 2 oz. 2 (b, 1 oz. 14b, 3 oz. 4 (b, 4 oz.	and Zones 1, the Emit of we cERTAIN C ND HAVE 1 filenlty in ma Sometimes 1 und again the ow. To over tich shows h t quantities, w 800 pounds table, you find teh other, and tich shows h t quantities, w 800 pounds table, you find teh other, and tich shows h t quantities, w 800 pounds table, you find teh other, and tich shows h t quantities, w 800 pounds teh other, and the other, and th	2 and 3, Pac ight for all o QUANTITY (T EVENLY king their for well havess come this di ow much to ranging from to the acre, u where the li 1 you find "5 5 pounds 2 o d at the rate JZER PER n Rows (stal 34 Inches 1 lb. 5 oz. 1 lb. 15 oz. 2 lb.10 oz. 3 lb. 4 oz. 3 lb. 4 oz. 3 lb. 14 oz.	kages up to ther zones is OF FERTIL DISTRIBUT tilizer run on ave finished weral bags le theulty, we h a 200 to 2,000 nd your rows opposite " pounds 2 ou nees in a hm of 800 pound 100 FEET. k to stalk): 36 Inches 1 lb. 6 oz. 2 lb.12 oz. 3 lb. 7 oz. 4 lb. 2 oz. 5 lb. 8 oz.	70 pounds i 70 pounds. 70 pounds. 50 pounds. IZER TO TED. tt any certail drilling, th ft when the ave prepare dred feet, i 0 pounds point are 36 inche 800° and th mdred yard: s to the are 40 Inches 1 łb. 8 oz. 2 lb. 5 oz. 3 lb.13 oz. 4 lb. 9 oz 3 lb.13 oz. 4 lb. 9 oz





JANUARY

Garden.-Prepare hot beds and sow Beet. Caulillower, early Cabbage, Lettuce, Onion and Radish: Asparagus beds should be top dressed and given an application of salt or Kainit. Sow

Fansy and other llowers for transplanting. Farsy and other llowers for transplanting. Farsy and the llower lower light for later crops just as soon as the weather will permit. Clover and heavy grasses can be sown on late snows or on grass or grain fields.

FEBRUARY

Garden.—The same vegetable seeds mention-ed for sowing in January if not sown should be planted now, also in hot beds, Egg Plants, Tomato and Pepper, If the weather will per-mit, the last of this month the Jollowing seeds can be sown in the open ground; Early Peas, Beets, Carnots, Celery, Spring Kale, Parsley, Radish and Spinach, Rhubarb, Horse Radlsh, Asparagus Roots, Onion Sets and hardy Let-tuce Plants should now be set out. Farm.—Prepare Tobacco beds, In this sec-tion, beds are burned with brush and wood. This kills most of the weed seed and insects and the ashes are a fertilizer. The latter part of the month, Canada Fleid Peas, Oats, Grass and Clover seeds can be sown; also Dwarf Essex Rape for grazing.

MARCH

Garden.-This month is the most active for sowing all hardy seeds. The somer they are in the ground the better. Seeds should be sown as follows: Garden Peas for succession, Cauli-dower, early Calbage seeds, Onion, Celery, Spinach, Leck, Parsley, Lettuce, Radish, Beet, Spinach, Leck, Parsley, Lettuce, Radish, Beet, Asparagus, Carrot, Parsulp, Salsify, Kale and early Turnip. Plant Irish Potatoes and Onian Sets if not already planted. Set out Cauli-flower, Cabbage and Lettuce Plants, from hot beds, after they have been hardened by leav-ing the glass open at night. Prepare Melon, Cucumber and Squash hills for later planting. Sow the hardy kinds of flower seeds, as they will flower earlier.

will flower earlier. **Farm—Sow** winter and spring Oats, Canada Field Peas with Oats, Clover, Grass of all sorts and Dwarf Essex Rape.

APRIL

Garden.—All seeds previously mentioned that have not been sown, can now be sown in the open. Sow for succession; Smmmer Cabbage, Lettuce, Tomatocs, Beets, Radish and Peas, Early part of the month plant Corn, Okra, Snap Beans. It weather is good the last of the month, plant Corumber, Caulifower, Canta-burg, Watermeder, and force of the second the last of loupe, Watermelon and Squash If weather is unfavorable, plant in May. Prepare for Sweet Potato Plants.

Farm.—Oats, Clover and Grass Seeds can be sown. Sow them early, also plant Corn for an early crop.

MAY

Garden.—Plant Cucumber, Melons Garden.—Plant Cucumber, Melons and Squash if not already planted, early as possi-ble. Pole, Lima and Snap Beans, Sugar Corn and Radishes. Plant Cauliflower and Cabbage seed for fall plants; set out Tomato, Egg Plant. Sweet Potato and Pepper Plants. Farm.—Set out Tolacco Plants, last of the month. Sow Millet, Sorghums Cowpeas. Soja Beans, Corn, Sorghum and Fodder Plants. and

JUNE

Garden,—Set out Cabbage, Tomato, Egg Plant, Pepper and Sweet Potato Plants. Sow Tomato for late crop, fate Cabbage and Canli-flower for winter use. Plant Okra. Water-melon, Cantaloupe, Cucumber. Squash and Pumpkin for late use, and Radish, Pole, Navy and Snap Beans and Sweet Corn for succes-sion. Plant late Potators.

For Plant late rotations, Farm.—Sow the Millets, Cowpeas, Sorghum, Soja Beans, Navy Beans, and plant late Corn.

JULY

Garden.—Plant Radish and Snap Beans for succession; Sugar Corn for late roasting ears. Cabbage and Celery Plants can be set out. Plant late Potatoes and Rutabagas, Farm.—Corn in drills for ensilage or fodder; Millet and Hungarian for hay; Cowpeas for hay or for soil improver. Buckwheat can be sown for grain, soil improver, and feed for Bees. Sow Crimson Clover at the last working of the corn. Dwarf Essex Rape for grazing.

AUGUST

Garden.—Continue planting Snap Beans for the table; also plant at once Cubbage or Celery Plants remaining. Sow Endive, Radish, Parsley, Spinach, Kale and Turn.ps. Farn.—Sow Crimson Clover for feed—if not

rarm,—sow Urimson Clover for feed—if not required for feed, turned under, it is equal to manure. It should be sown on every vacant spot. Sow Barley, Buckwheat and Rye for winter covering and grazing, and for grain in the spring. Vetches and Alfalfa can also be sown.

SEPTEMBER

Garden.—Put out Onlon Sets, sow winter Radishes, Lettuce, Spinach, Turnips and Mussow winter tard.

tard. Furm.—This is the month to sow Winter Oats, as they will get well rooted before win-ter. They afford excellent grazing and make a good grain crop. Crimson Clover will do well sown any time this month. Sow all kinds of Clovers and Grass, Sand and Winter Vetch. Sow Due and Barlow Sow Rye and Barley.

OCTOBER

Garden.—Set out Onion Sets. Plant Cabbage, Lettuce, Kale, Mustard, Spinach and Turnips. Sow Lawn Grass seed; fall sowing does much better than spring sowing. Furn.—Wheat, Rye, Barley and Vetches can be sown. Also Grasses and Clovers, The Clover should be sown as early as possible.

NOVEMBER

Garden.—Sow Letture and early varieties of Cabbage in cold frames. Set out Cabbage and Letture Plants, Asparagus, Rhubarb and Horse Radish Roots should be planted. Farm.—Thnothy Seed, Red Top Seed, Wheat, Rye, Barley can be sown. The sooner they are much the battar

sown the better.

DECEMBER

Garden.—The only seeding that can be done this month is in hot bed or greenhouses where Cabbage and Lettuce can be sown the latter part of the month. Beets and Radishes can also be forced for winter use.



Cooking Recipes

Vegetables gathered in the early morning when they are tender and full of juice and not full grown, properly cooked make most delicious dishes.

In selecting vegetables for your table choose the freshest possible, selecting medium size and not overgrown, though small turnips and full grown, but not ripe eggs plants are best.

Vegetables that are not fresh can be refreshed by plunging them into cold salt water for all hour before cooking. Plunged vegetables should be washed before cooking.

Old potatoes should be pared as thin as possible and thrown at once into very cold salt water for several hours, changing the water twice. Both Irish and Sweet potatoes, if frozen, should be baked without thawing. All vegetables should be washed thoroughly before cooking. Vegetables that form heads as Cabbage, Cauliflower, Brussels Sprouts, etc., should be soaked in very strong salt water, heads down, for two or three hours. If there are any worms or bags they will crawl out. Celery, greens and lettuce sometimes are best cleaned with warm water but must at once be thrown into cold water after cleaning. Cook greens and strong vegetables in boiling salt water. Salt seasons and helps to preserve color. Tubers, roots, cauliower, brussels sprouts, green beans and peas, when removed from the pod should be boiled gently so as not to break the vegetable. Other vegetables should be boiled rapidly. Fresh vegetables cook in about one-third the time of old ones and in soft water in less time than in hard. During cooking, the cover should be removed or drawn to one side to permit the gases to escape. A piece of red pepper the size of a finger nail, a small piece of charcoal or even a small piece of break crust dropped in boiling vegetables will help to modify unpleasant odors. The best seasonings for most vegetables are salt and good butter.

ASPARAGUS

Baked Asparagus.—Use the freshest Asparagus possible, wash and scrape. Cut into equal lengths, tie in bunches of ten to twelve stalks, depending on size. Stand in cold water about half hour. Boil in salt water, with blossom end standing up, until tender, drain, cut into inch pieces and put into baking dish; pour over white sauce, cover the top with grated cheese and bread crumbs, bake until light brown.

Asparagus Omelet.—Make a plain omelet and when eggs are firming, lay over one-half of it hot seasoned tops of Asparagus, and fold over the other half.

Asparagus Soup.—Boil tips and stalks separately; when the stalks are soft, mash and rub them through a sieve. Boil a pint of rich milk, thicken it with a tablespoon each of butter and flour, and add the water in which the Asparagus was boiled and the pulp. Season with salt, pepper, a very little sugar, and lastly a gill of cream, add the tips, boil all together a minute and serve with toast or crackers.

BEETS

Beet Greens.—Pull young beets that are not over one inch in diameter. Wash thoroughly. Cook tops and roots together until tender in boiling salt water. A piece of bacon improves flavor. Season with butter, pepper and salt. Serve with or without vinegar.

Swiss Chard.—This variety is grown exclusively for use as greens. Later in the season the wax-like leaf strings may be cooked like Asparagus or pickled.

Boiled Chard—Wash and cut the stalks one inch wide. Put in boiling water, boil thirty minutes or until tender. Drain, dust with salt, one teaspoonful salt to quart chard. Garnish with hard-boiled egg. Serve with lemon juice or vinegar. Can also be cooked with bacon.

BRUSSELS SPROUTS

Brussels Sprouts.—Wash in cold water, pick off the dead leaves, put them in two quarts of boiling water, with tablespoonful of salt, and a quarter teaspoonful of bicarbonate of soda. Boil rapidly for twenty minutes with the saucepan uncovered, then drain in a colander, and serve with drawn butter or a cream sauce.

Broccoli.—Broccoli is a variety of cauliflower and can be cooked in the same manner.

CABBAGE.

Cold Slaw.—Shave the cabbage and keep in icc water until crisp. Drain off the water and press tightly between towels or cloths to dry. Pour salad dressing made as follows over it:



Cooking Recipes (Continued)

Cold Slaw (Continued)

1 teaspoon mustard, 1 teaspoon salt, 2 teaspoons flour, $\frac{1}{2}$ teaspoon powdered sugar, a few grains cayenne, yolk of 1 egg, 1 teaspoon melted butter, 1-3 cup hot vinegar, $\frac{1}{2}$ cup thick cream.

Mix dry ingredients, add butter, eggs aud vinegar slowly. Cook over boiling water until mixture thickens; cool and add heavy cream beaten until stiff.

CARROTS

Boiled Carrots.—Wash thoroughly, scrape do uot peel), cut into balls or squares. Boil in salted water until tender, without a cover. Season with salt and pcpper and pour butter over them or serve with cream sauce.

Fried Carrots.—First cook as in boiled carrots, but slice lengthwise instead of squares. Put one tablespoonful of butter into frying pan and when very hot, put in the carrots; brown lightly on both sides, sprinkle with salt, pepper and a little sugar, and garnish with parsley.

Carrot Soup.—Boil a pint of carrots with a piece of butter about as large as a walnut and a lump of sugar until they are tender. Press through a colander and put into a pint of boiling milk, thicken with a tablespoonful each of butter and flour, dilute this with soup stock or chicken broth, and just before taking up add the yolks of two eggs well beaten and two tablespoonfuls of cream.

CAULIFLOWER

Boiled Cauliflower. — Remove the outer leaves, pare. Pour cold water over it and let stand a short while. Drain, cook in boiling water, uncovered, until tender and will keep its shape. Pour a well-seasoned cream dressing over it. Do not season the cauliflower until done. It is sometimes cooked tied in cheese cloth, which makes it white.

Eaked Cauliflower.—Boil cauliflower in salt water, separate into small pieces, and put in a baking dish, make a cream sauce and pour over it. Cover the mixture with bread crumbs, dot with butter and bake a light brown. Grated cheese may be added if desired.

CELERY

To Crisp Celery.—Let it lie in ice water two hours before serving. To fringe the stalk, stick several coarse needles into a cork and draw the stalk half way from the top several times, and lay in the refrigerator to curl and crisp.

Celery Soup.—The ingredients are two heads

of celery, one quart of water, one quart of milk, two tablespoonfuls of flour, one teaspoonful of salt, two tablespoonfuls of butter and a dash of pepper. Wash and scrape celery and cut in half-inch pieces, put in boiling water and cook until soft. Mash the celery in the water in which it is boiled and add salt and pepper. Let the milk come to a boil; cream together the butter and flour and stir the boiling milk into it slowly; then add celery and strain through a sieve, mashing and pressing with back of spoon until all but the tough fibers of the celery are squeezed through. Return the soup to the fire and heat until it is steaming, when it is ready to serve.

CORN

Fried Corn.—Use enough corn and corn pulp which has been cut and scraped from the cob, to fill two cups. Melt one tablespoonful of lard or pork dripping in the hot skillet. Put in the corn and cook for twenty minutes and keep stirred. Add salt and pepper to taste.

Corn Fritters.—To two eggs beaten together add two cups of grated corn, one-fourth cup of flour and tablespoonful of baking powder and season with salt. Fry by the spoonful in boiling fat until brown.

Corn Pudding.—Use two cups of grated corn, two cupfuls of sweet milk, two cggs beaten, one teaspoon of salt and one tablespoon of butter. A little sugar may be added if desired. Mix up in baking dish and bake until it thickens.

EGG PLANT

Fried Egg Plant.—This vegetable fried in fat is being used by some as a substitute for meat. To fry, remove the skin, cut in quarterinch slices. SprInkle the slices with salt and stack them one on another. Place a plate or weight on the stack to squeeze out the juice. Let stand for an hour and drain. Dip the slices in egg, then in dry bread crumbs or flour and fry in deep fat until brown.

Stuffed Egg Plant.—Boil for fifteen minutes or until tender in salted water. Cut the plant in halves lengthwise. Scrape out the inside and mash the pulp fine. Season with butter, pepper and salt and a few drops of cream. Fill the shells in with this mixture, sprinkle with buttered bread crumbs. Place on a pan in the oven and brown.

KOHL RABI

Kohl Rabi.—This vegetable combines some what the flavor of the cabbage and turnip, and should be used when the diameter of the bulbs is from 2 to 3 inches.



Cooking Recipes (Continued)

Boiled Kohl Rabi.—Wash and pare the bulbs, then cut into thin slices. Boil in slightly salted water until tender (about forty minutes), keep cover partly removed. Pour off the water, season with butter, pepper and salt.

Fried Kohl Rabi.—Parboil for half an hour, cut in half and fry for fifteen minutes in butter. Season with salt and pepper and serve in the butter in which they are cooked.

ONIONS

Onions.—Pell and slice onions under water to keep the volatile oil from the eyes. A cup of vinegar boiling on the stove modifies the disagreeable odor of onions cooking. Boiling a frying pan in water with wood ashes, potash or soda in it removes the odor and taste of onions. To rub silver with lemon removes the onion taste from it. Leaves of parsley eaten like eress with vinegar hide the odor of onions on the breath. Onions to be eaten raw or cooked will lose their rank flavor if they are pulled and thrown into salt water an hour before use. Two waters in boiling accomplish the same purpose.

Stuffed Onions.—Boil onions one hour in slightly salted water, and remove the eenters. Make a stuffing by taking the part from the onion chopped fine and mix with minced chicken or ham and some buttered bread crumbs, season with salt and pepper. Mix well and fill the onion shells, put in a baking dish with a little water. Cover the dish and bake until tender. Just before serving, remove the onions, dust over with bread crumbs and dots of butter, return and bake until brown.

Onion Pickles. — Choose small uniform onions, make a brine that will hold up an egg, and pour over the onions boiling hot. Let them lie in this twenty-four hours, then drain and wipe dry and put into bottles. Pour over them cold eider vinegar, seasoned with slieed horse radish, whole pepper and maee. Put in bottles and seal.

PARSNIPS

Parsnips.—Wash, elean, boil one hour or more until done in salted water, then serape off the skin. Cut lengthwise into slices, cover with rich milk, seasoned with salt, pepper and butter, bring to boil and serve. Or dip the sliees in butter and then in flour and fry until brown on both sides. Parsnip Fritters.—Proceed as with boiled parsnips, then mash, season with butter, salt and pepper, shape in small round flat cakes, roll in flour and fry in butter.

PEAS.

Sugar Peas.—The green pods of the sugar pea may be prepared like string beans. Gather the pods while the seeds are still very small. Cover with boiling water and boil gently until tender. If they are young and fresh, they will cook in twenty-five or thirty minutes. Pour off some of the water, which will serve for soup. Season with salt and butter and serve at once. When the pods are fresh and tender, they have an exquisite flavor. When the seeds have grown large and the pods become tough, they may be shelled and cooked like any other variety of peas. The seeds of the sugar pea are tender and fine flavored.

Peas Omelet.—Make a plain omelet in usual way and when the eggs are firming, pour on half the omelet a pint of young peas which have been boiled until tender, then fold omelet and serve.

PEPPERS

Green Peppers.—Green peppers slieed make a delightful salad. They can be used alone or with other salad plants, chili sauce and chow ehow.

Stuffed Peppers.—Use only tender sweet peppers. Cut off the stem and remove all the inside pulp and seeds, be sure to remove all the seeds. Stand in cold water an hour. Drain and fill with chopped eooked chicken, veal or beef. Mix with almost equal weight of bread crumbs and a large lump of butter. Season with salt and either a little chopped onion or parsley and two or three tablespoonfuls of eream. Put in a pan with a little water, sprinkle buttered bread crumbs over the top and brown in oven. Takes about forty-five minutes. Serve with tomato sauce.

Deviled Peppers.—Use green bell peppers, cut off the stem and remove the inside. Chop eooked cold ham, and with it as many eggs as one wishes, or chop tongue, veal or chicken, and use the following salad dressing: To a pint of meal use the yolk of a hard-boiled egg, rubbed smooth in a scant tablespoonful of melted butter, a half teaspoonful of made mustard, half a teaspoonful of sugar, add enough vinegar to make it thin and stir in the meat. Fill the pepper with this mixture, rounding it up high.



Cooking Receipts (Continued)

PUMPKIN

Baked Pumpkin.—Slice the pumpkin in quarter-inch slices, peel, put in bottom of baking dish. Put layer of sugar, dash of cinnamon and proceed as with escalloped sweet potatoes.

Pumpkin Pie.—Take two cups of mashed stewed pumpkin, add one cup of rich milk, two tablespoonfuls of butter, one cup sngar and yolk of two eggs. Mix thoroughly. Season with a little salt, a little cinnamon, ginger or nutmeg as preferred. Beat the white of eggs and add last. A good pumpkin pie will puff up a little when done.

RHUBARB

Stewed Rhubarb.—After washing, cut into inch lengths, cover with fresh water, heat to a boiling point. Drain, add two cups of sugar to each quart of Rhubarb and simmer about five minutes.

SALSIFY

Boiled Salsify or Oyster Plant.—Cut off tops, scrape off skins, cut into small pieces, place in cold water with a little lemon juice or vinegar to prevent turning dark. Boil thrcc-quarters of an hour until tender. After firteen minutes boiling add a little salt. Season with little salt and serve with cream sauce. A little salt codfish picked very fine and put in when done is thought to improve the flavor.

Escalloped Salsify.—Treat boiled salsify in same way as in escalloping white potatoes.

Salsify or Vegetable Oyster Soup.—Cut fine enough Salsify to make a pint, boil in pint of water until soft, mash and put through a sieve. Add this, both liquor and pulp, to three pints of boiling milk, thicken with a tablespoonful of flour. Season with butter, salt and pepper. Stir in three tablespoonfuls of cracker dust.

SQUASH

Squash.—Wash, peel and cut into small pieces. Boil for half an hour. Drain, mash pieces while hot and season with butter, salt and pepper. Sammer squash may be cut in slices and fried like egg plant. Winter squash may be cooked in the same manner.

Baked Winter Squash.—Cut in small pieces to serve individually, bake with the rind on, scoop out the squash, season it with butter, pepper, salt, a little sugar and cream, and replace in shells; an allowance of two or three extra pieces should be made to give filling enough to heap the shells; dust a few bread or cracker crumbs over the top, dot with a bit of butter, bake a nice brown and serve.

SPINACH

Boiled Spinach.—Clean thoroughly by cutting off roots, removing all wilted leaves, break the good leaves apart and drop in pan of clear water, wash, change water and continue to do this until the Spinach is cleaned. Put half peck Spinach in three quarts of water with tablespoonful of salt. Boil until tender. When it starts to boil, remove cover slightly to one side to permit steam to escape. Pour into sieve and lct drain well. Chop coarse or fine as desired. Chopped fine, flavored with butter, salt and pepper. Cau be served with poached egg on top of it.

TOMATOES

Stewed Tomatoes.—Peel the tomatoes by putting in boiling water for a minute and the skin will then slip off easily; cut in small pieces, boil freely for about half an hour from the time it begins to boil. Season five minutes before cooking is finished with one teaspoonful salt and sugar and two teaspoonfuls of batter. Sometimes a small amount of broken bread crust is added.

Baked Tomato.—Tomatoes can be cooked without stuffing or they can be stuffed with bread crumbs, butter and chopped tomato. If cooked whole, cut a cross in the top. Peel, lay stem-end down in the pan with little water. Season with pepper, salt and a little sugar and butter. Sprinkle with stale bread crumbs. Bake for twenty minutes.


Fried Tomatoes.—Cut the tomatoes in thick slices, roll in flour, corn meal or egg and bread erumbs, and fry in butter on both sides untit brown. Season with salt, pepper and a little sugar (if ripe tomatoes are used) while cooking. Leave off the sugar for green tomatoes. Green fried tomatoes are delicious, tasting much like fried oysters. Use corn meal with these.

TURNIPS

Boiled Turnips.—Wash and cut into small blocks. Cook in boiling water for ten minutes. Drain and pour over them fresh boiling water, continue to boil until tender. Drain, season and serve with salt, peppe rand butter.

Turnips au Gratin.—Slice boiled turnips into thick slices. Place in layers in buttered baking dish with melted butter, salt, pepper and grated cheese between each layer. Fill to top of dish with cheese on top. Bake for twenty minutes.

We hope the recipes we have given will be a help to you. If you have any recipes of your own that you care to send in we will be glad to receive them, and when we can use them, will do so, giving you credit for them in our next catalog.



Planing a Garden for Brent's Premium Seeds

sary to the success of your garden.

ASPARGUS

ASPARGUS ASPARAGUS CULTURE—Almost any good loamv garden land is good for Asparagus. One onnee of seed will produce about 200 plants. Sow in rows 12 to 15 inches apart as early in the spring as the ground permits and give it good cultivation. Thin the plants to 2 or 3 inches apart. For the permanent bed a deep warm, rich loamy soll is necessary, deeply and thor-oughly worked, manured and fertilized. When the seedlings are two years old set them 14 to 21 inches apart in furrows 8 to 10 inches deep and separated by a distance of 2 to 3 feet and cover lightly at first, then gradually fill in with soil. In the early spring plow the hed shallowly or pulverize with a harrow, second season after planting, hill up the rows and cut and in the fall cover with manure or compost. The second season after planting, hill up the rows and cut sparingly for use, the young shoots which appear above the ground. After that the bed will give good crops. The two years given to growing the seedings may be saved by procuring the two-year-old roots and clauting them which is a years activity and and and planting them, which is a very satisfactory arrangement.

INSECT REMEDIES.—For the asparagus heetle, spray with Arsenate of Lend, 3 lbs, to 50 gallors of water. Or dust with Shug Shot, air slaked lime or Dry Arsenate of Lend, while the dew is on the plant.

COLUMBIAN MAMMOTH WHITE,-Produces shoots which stay white as long as fit for use without earth-ing up or any other artificial blanching. Nearly all seedlings will produce clear white shoots. For prices see colored pages.

CONOVER'S COLOSSAL -A standard variety. Popular, productive, good. For prices see colored pages.



Columbian Mammoth




Dwarf Beans Also called String, Bush, Bunch, aitd Snap Beans.

CULTURE.—No crop responds more readily than Beans to good soil and cultivation. If too rank manure is used, however, they show a tendency to run too much to vine. Beans are very sensitive to cold and wet, and really should not be planted in this section until early in April, though frequently they are put in in March. The fall crop is put in in August. Plant in rows 2½ feet apart, covering one to two inches deen, and allowing 5 to 4 inches apart in the row for green varieties, 4 to 6 inches for wax. For a succession, for private gardens, plant at intervals of two weeks, excepting during June and July, as they generally do not do well during these very hot months. Give frequent, shallow cultivation up to the time of blossoming, not, however, when the ground is wet, or dew on the vines, as it is liable to cause rust.

Two pounds are sufficient for 100 feet of drill, 60 to .90 pounds to acre.

INSECT REMEDIES .- For the Bean Leaf Beetle which eats holes in the leaves, or the Blister Boetle. spray with arsenate of lead, 2 lbs. to 50 gallons of water.

For the Bean Aphis or Lice, spray with diluted Kerosene Emulsion or Tobacco extract, For Fungus diseases and rust, spray with Bordeanx Mixture,



Red Valentino

EXTRA EARLY RED VALENTINE.—A standard green-podded variety and more extensively grown than any other garden sort. Vines medium to large, erect, with dark green leaves; pods about 4½ Inches long, are very lleshy, erlsp and tender. It is resistant to disease and will thrive well on any kind of soil. A first-class market variety and one of the best and most popular of all the green-podded sorts. For prices see colored pages.

BLACK VALENTINE,—A recently introduced variety which has become quite popular, and grown with great profit in the South. The plant is extremely hardy and carly. The pools are borne profusely and are very large and extremely handsome in appearance. The color is a rich durk green, and the pod, while of excellent table qualities, is sufficient fine grained and firm as to make it a splendid and profitable sort to ship to distant markets. For prices see colored pages.

Green Podded Varieties

BURPEE'S STRINGLESS GREEN POD.—This new bean produces a vine similar to Red Valentine, but develops pods to an edible condition in 42 days, about four days carlier than Valentine. The pods are green, not quite so round as Valentine and less curved The pods are stringless, absolutely so, this quality at once placing the variety at the top of the list aurong table leans, while the early maturing is of great merit. This stringless quality is of particular value, the pods breaking as short and free as pipe stems. For prices see colored pages.

GIANT STRINGLESS.—A very hardy, stocky vine, pods long, round and green in color, of exceptionally fine quality and stringless throughout its entire growth. About a week carlier than Red Valentine and much more prolitic. For prices see colored pages.

TENNESSEE GREEN POD.—One of the most popnlar varieties through Kentucky and the south, Hardy and prolific. Pods large, flat, irregular in shape and bright green. Seeds medium size, oval, flat, yellowish brown in color. For prices see colored pages.

BOUNTIFUL,—An Improved Long Yellow Six Weeks, in that it is earlier, more prolific, very much larger and more tender. Pods are liat, absolutely stringless, rich green, very large and handsome. Desirate for both early and late planting. For prices see colored pages.

EARLY SIX WEEKS.—A long, llat-podded, very productive variety, withstanding a greater degree of frost and cold weather than any other, and on that account is preferred for first planting; also excellent for pickling, for which purpose it should be planted about the last of August. For prices see colored pages.

REFUGEE.—Late, or 1,000 to 1. Vine large, spreading, exceedingly hardy, very late, and for this reason used for late planting and for pickles. The pods are long, cylindrical, green and of good quality. For prices see colored pages.

Varieties for Shelling

The largest return will result from planting in drills from two to three feet apart and leaving the plants lwo to six inches apart in the row. Up to the time of flowering they should have frequent shallow cultivation, but any mutilation of the roots by cultivation after the plants come into bloom is likely to cause the blossoms to blast and so cut off the erop. The cultivation of beans should always be very shallow.

LARGE WHITE MARROW.—The standard large white bean commonly sold in market. Beans are good green or dry; of vigorous growth and productive. For prices see colored pages.

WHITE NAVY.—Valuable chiefly as a field bean and considered by many the best baking variety. For prices see colored pages.

Brand Street Street on



Beans---Continued

RED KIDNEY,-Similar to White Kidney, except being of a dark pink color. For prices see colored pages.

DWARF HORTICULTURAL, or Bush Cranberry.— Very productive and compact in growth. Pods me-dium length, broad, thick, curved and splashed with red. Very desirable as a green shelled bean, maturing early. Seed large, oval, piump and splashed with bright red. For prices see colored pages.

Pole Beans

Pole Beans are even more sensitive to cold and wet than the Dwarf varieties, and should be sown two weeks later. After settled warm weather, set poles four to eight feet long in rows four feet apart and extending north and south, the poles heing three feet apart in the row. Around each stake plant five to eight beans two inches deep. Two pounds will make about 100 hills

Two pounds will make about 100 hills.

KENTUCKY WONDER OR OLD HOMESTEAD .bods green, nine inches or more long, nearly round, deshy, stringless, and of excellent flavor. Dry beans, long oval, dun-colored. It is an early and most pro-lific variety. For prices see colored pages,

WHITE SEEDED KENTUCKY WONDER, or ST. LOUIS PERFECTION.—Similar to the above except that the seed is white and pods not quite so large. For prices see colored pages.

WHITE CREASEBACK. Early pods; long, round, green, tender and stringless white beans. For prices see colored pages,

SCOTIA OR STRIPED CREASBACK, $\neg A$ hardy productive cornfield bean. Has green pods about six inches long, rounded, creased-latek, very fiestly and fine quality. Used for snaps when the color is light green. Seed kidney shape, fawn color with black tripes. For prices see colored pages,

HORTICILITIRAL POLE, OCTOBER OR SPEC-KLED CRANBERRY,—A well-known variety with beins of high quality, either green or dry, not as vikoronus a grower as some of the others. Also known as "Wren's Egg." For prices see colored pages.

LAZY WHFE.—This is a superior variety for the home garden, also as a field hean among corn. De-strable either for cooking in the pod or shelled for winter. The large green pods are from 4 to 6 inches in hength. Very tender, of delicious flavor. They are bread and thick, and are stringless until quite large. Dey heans are round, pure, white. For prices see colored marges colored pages.

CUT SHORT, or CORN HILL,—An old varlety that is in favor for planting among corn. It will yield a good crop without the use of poles. Beaus nearly oblong, cut off at the ends, white and partially doited with spots. For prices see colored pages,

DUTCH CASE KNIFE .- This is also used as a cornshaped, which are of excellent quality, green or dry. For prices see colored pages.

Wax Beans

GOLDEN WAX.—The old standard wax sort. Pro-ductive and early with yellow semi-round pods of good quality, ready to pick 49 days from planting. For prices see colored pages.

PROLIFIC BLACK WAX (Black Seed.)—Very carly, round, yellow pods, a well-known standard sort. For prices see colored pages.

Dwarf or Bush Lima Beans

Dwarf or Bush Limas should be planted three feet apart, dropping two or three beans fifteen inches apart in the row. Cover about an inch deep. Dwarf Limas require no support. Plant with the eye down.



Dwarf or Bush Lima

BURPEE'S BUSH LIMA, Plants make perfect bushes from eighteen inches to two feet high. They are sure croppers and immense yielders. Fods as large as those of the Pole Lima, and contain three to five heans of the lost quality. For prices see colored pages.

of extreme earliness. Extremely productly, tender, and delleious. The dry beans are small and white. The best variety to use for canning. For prices see colored pages.

FORDHOOK BUSH LIMA.—This is an excellent Bush Lima Bean for the home garden. It is a type between the Burper's and Dreer's. Very good yielder, the pods being well filled with thick, meaty beans, which are excellent for cooking. For prices see colored pages.


Pole Lima Beans

Lina Beans are not only profitable as green shell beans, but are also a paying crop to sell as dried beans during the winter. They are always in demand and bring good prices. Lina Beans will not grow until the weather and ground are warm; if planted earlier the seeds are apt to rot in the ground.

KING OF THE GARDEN LIMA,—Vines vigorous and productive, producing a continuous bloom and fruilage to the end of the season. The pods are of enormous size, some specimens measuring from 5 to 8 inches, some containing 7 beans to the pod, all perfectly formed and of superior quality. For prices see colored pages.

SMALL LIMA or BUTTER BEAN,-Also called eva or Carolina, Not nearly so large as the other Sieva or Carolina, Not nearly so large as the other varieties, but a good bearer, and about 10 days earlier than other varieties, Fo rprices see colored pages.

LARGE WHITE LIMA,—A late varlety producing large pods and beans. Pods borne in clusters. For prices see colored pages.



Crosby's Early Egyplian

Beets

One ounce sows 50 feet of drill; 4 to 6 pounds for one acre.

For early, sow as soon as ground can be worked, and about the middle of May for general crop, in drills 15 inches apart, and 1½ inches deep. As the plants grow thin to six inches in drills. Young plants make excellent greens. Seed will germinate more freely if soaked in warm water twenty-four hours before sowing; but care should be taken not to plant soaked seed in very dry ground. The soil should be a deep rich loan.

CROSBY'S EARLY EGYPTIAN.-Improved strain of the famous Barly Egyptian, but producing a deeper or thicker root; of fine form, extremely early, deep red color, almost black, flesh sweet, smooth, tender, and of exceptionally fine quality; can be depended on for best results when grown either in garden or under glass; highly recommended as an early market

under glass; highly recommended as an early market varlety. For prices see colored pages. EARLY ECLIPSE.—To the grower desiring a very early crop we would recommend this variety as the first to be ready for table use and therefore able to command a high price on the market. It is per-fectly smooth and round. The skin and flesh are deep red—very sweet, tender and succulent. It does not grow to a very large size, but is of a fine grain and meatiness not possible in the large varieties. One of the very early beets. For prices see colored pages. DETROIT DARK RED.—A mdlum early globe-shaped beet of excellent quality. It is especially esteemed on account of its dark-red color which ex-tends entirely through the beet, and without the light

colored rings seen in some varieties. The heets are smooth and handsome. For prices see colored pages.

IMPROVED EARLY BLOOD TURNIP .-- Somewhat similar to the Detroit Dark Red, but larger and much later. A fine variety for summer and fall use. For prices see colored pages.

IMPROVED LONG DARK BLOOD.—Tops large, necks small, leaf stems and vines red, leaf green, roots large, tapering, growing even with the surface. Flesh dark red, zoned with lighter shade, tender and sweet and remaining so when kept till spring. For pries see colored pages.

LONG SMOOTH BLOOD,-Large variety, producing long roots. Excellent keeper; good quality. For prices see colored pages.

SWISS CHARD, or SEA KALE BEET.—It is su-perior to the common beet for greens; if sown at the same time, it will be fit for use before it. Later the plant forms broad, wax-like stems to the leaves, which are very delicious cooked or pickled. They have a dayor similar to spinach. For prices see colored pages.

Mangels and Sugar Beets

Farmers and stock raisers of the United States do not appreciate so fully the value of mangels for feeding cattle, hogs, sheep, etc., as do the farmers of Europe. In Germany, Great Britain and other European countries it is the exception rather than the rule where mangels are not grown on a large scale on every farm. The immense yield that may be secured from an acre, with very little expense either for material or labor, makes the mangel crop one of the most profitable on the market. Fifteen to twenty tons of root an acre is not an unusual yield, some specimens weighing 20 to 30 pounds each. When fed in combination with grain they are worth almost as much, pound for pound, as the grain. This statement may seem absurd, but experience has proved that mangels so ald digestion and assimilation, hy keeping the animals in a healthy condition, that they increase the feeding value of other feeds consumed, beside the nutrients the roots contain.

SEEDING AND CULTIVATION.—Where mangels are extensively grown, the seed should he sown with a machine. Small fields may be sown with a hand drill, which will do good work and is very satisfactory.

..CULTURE.—Sow the latter part of April. May or June, at the rate of 6 pounds to the acre, in rows 2½ to 3 feet apart and thin to 8 lnches apart. If the seed is soaked 24 hours before sowing, it germinates more quickly, but it should be put in when the ground is moist. The crop is harvested before frost and packed away in barns and cellars. They can also be put into piles or ridges five or six feet high and covered with straw or litter to keep from freezing too much. When the winter weather comes on throw on a layer of four to six inches of earth. A protec-tion of boards to shed heavy rains is also desirable.

YELLOW OR ORANGE.—A valuable variety for shallow solls, as it grows very largely above ground, making it easy to pull. It grows to a large size and is a splendid keeper. For prices see colored pages.

GOLDEN TANKARD.—Especially good for dairy feeding. It is a bright yellow color and a heavy yielder; very nutritious. For prices see colored pages.

MAMMOTH PRIZE LONG RED.—Dark red and grows very large. Good for deep loamy solls, produc-ing immense crops For prices see colored pages.

LANE'S IMPERIAL SUGAR.—A Sugar Beet which somewhat resembles a Mangel, but is of better qual-ly. It is very satisfactory for planting in this section and farther South. Grows to a large size. For prices sce colored pages.



Early Flat Dutch Cabbage

CABBAGE

CADDAGE All that Cabbage requires is the soll to be rich, well drained, and abundantly manured. For the early kinds, plant 30 inches between the rows and 16 inches between the plants. For the late kinds, 3 feet between the rows and 2 feet between the plants. For very early use, sow in January or February, in hotbeds. Set out when the plants are strong enough into other hotbeds, or set in cold-frames in March. Transplant when danger of frost is past to the open ground. For a succession, sow in the open ground last of March, or early in April. The late or winter crop can be sown in May and the plants set out in July. An ounce of seed produces 1,500 plants; one-half pound to transplant for an acre. **HOW TO DESTROY CABBAGE WORMS.**—Slug Shot can be used lightly or heavily, and the Cabbage suffers no harm. The Cabbage forms lis head by interlor growth; it throws off its earlier and outside leaves, and no dust ean enfold within its head. Apply Sing Shot with a duster, sifting it over the plants or full-grown Cabbages. The powder is very fine and goes a long way in field and garden. **COPENHAGEN MARKET.**—This is very heavy and **SECOND FARLY**

grown Cabbages. The powder is very fine and goes a COPENHAGEN MARKET.—This is very heavy and solld, like the "Ballhead" type of Cabbage; makes a fine, large, globe-shaped head with well-developed outside leaves, but it is very much earlier in maturing than any of the Danish Cabbages. It is short-stemmed, the heads being produced almost on the ground. The leaves are tightly folded around each other, which permits close setting of plants. The heads mature all at the same time. For prices see colored mages. colored pages.

EARLY JERSEY WAKEFIELD.—Long recognized as the best earliest marketable Cabbage. In size, medium; in shape pyramidal with pointed peak. Its uncommonly line heading qualities, together with its fitness for wintering in cold frames, please the most critical gardeners. Our strain of seed is of superior walling Fear prices one colored press. quality. For prices see colored pages.

CHARLESTON WAKEFIELD.—This famous va-riety has all the fine qualities of the Early Jersey Wakefield; it produces heads of a much larger size. but is two weeks later. For prices see colored pages.

ALL HEAD EARLY,—Heads flat, deep, and solid; valuable also for late. Seed sown in July and set out in August will make fine heads. Largely planted by market gardeners. Nearly 10,000 can be grown on in acre, and almost every ono will head. For prices see colored pages.

EARLY WINNIGSTADT.—This is one of our most popular varieties, especially among the German gar-deners. There is no early sort which heads with greater certainty, or more solid; the heads are of good size, cone form, broad at the base, with twisted top, and succeeds the Large York. For prices see colored pages.

SECOND EARLY.

EARLY SUMMER.--This is a very valuable variety, not only for the market gardener, but also the private not only for the market gardener, but also the private grower, as its heading season is between the Jersey Walcefield and Early Drumhead, producing heads of double the size of the former and almost equal to the latter, frequently weighing from 12 to 20 pounds each; of round-flattened form, very compact, solid, and of excellent quality; its leaves turn into heads almost as soon as formed, which permits of close planting. For prices see colored pages. ALL SZASONS.—One of the largest and a thor-oughly satisfactory second early sort. Plants are vigorous, sure heading, leaves large and smooth. This is a first-class sort both for early and late planting and is especially adapted for kraut. It is well adapted to stand the hot sun and adverse conditions. For

to stand the hot sun and adverse conditions. For prices see colored pares.



SUCCESSION-A thoroughbred second SUCCESSION—A thoroughbred second early Cabbage, pronounced by experts the most perfect type grown. Espe-cially recommended on account of its uniform size and shape; about a week later than Early Summer, but much larger heads, averaging 12 to 15 pounds in weight; 36 inches in circumference, every plant producing a fine, solid head. One of the surest varieties to make a crop under all conditions and does well in all seasons, no matter when planted. e colored pages.

For prices see colored pages. EARLY DRUHHEAD.—This popular variety fol-lows the Early Summer in heading, and is one of the most valuable varieties grown. It is ready for marketing two or three weeks earlier than the Late Prumhead, forms large, solid, rounded heads, weigh-ing on an average from 15 to 25 pounds each. For prices see colored nages.

DANISH BALLHEAD or HOL-LANDER.—A variety though in-troduced but a comparatively short thue, has become one of the standard sorts in the Cabbage growing district in the North. It growing district in the North. At produces very large, solid heads, which are globular in shape, has few, but rather large, thick bluish green leaves. Heads are borne on short stems, medium size, round, very solid and stands slipment better than any other late sorts. It is one of the very best keepers, and is much desired for kraut. For prices see colored pages.

PREMIUM LARGE LATE FLAT PREMIUM LARGE LATE FLAT DUTCH.—One of the oldest va-rieties in existence, and more largely plauted than any other sort, producing large solid heads, bluish-green, with a broad and flat surface. When touched with frost the onter leaves become thted with reddish-brown: head is white, crisp and tender. For prices see colored pages.

EARLY FLAT DUTCH. - A H carly Cabbage of good size. Heads are flat and very solid. For prices see colored pages.

LARGE LATE DRUMHEAD.-A fine, short stemmed strain of Late Drumhead, highly esteemed by the market gardeners of the Southwest, where it is said to stand warm weather better than most other sorts. The heads are of good size, round, flattened on the top, fine grain and keeps well. For prices see colored pages.

RED CABBAGE

MAMMOTH RED ROCK. By far the best, the largest and hardest heading Red Cabbage in cultivation: very uniform in size, weight, solidity, and deep red color. The heads grow to weight 10 to 12 pounds. For prices see colored pages.


Brussels Sprouts

A plant belonging to the Cabbage family, growing more up-right and producing small buds similar to miniature Cabbage all similar to miniature (aboage an along the stems. These are pulled and cooked in a similar way to Cabbage, being very tender and of fine flavor. Sow seed in May and treat like late Cabbage. For prices see colored pages.


Cauliflower

One ounce of seed for 2,000 plants CULTURE.—For early use, sow in hotbeds in January and Peb-ruary. When plants are large enough, transplant three Inches apart in boxes or other hotbeds until time to plant out. If hardened off they are seldom injured by planting ont as early as the ground can be worked, 21/2 feet apart each way. When prac-tleable, seed may be sown in rich soil from the middle of September to middle of October, and trans-planted in frames, protect during severe weather and give light and air on mild days. The early vaair on mild days. The early va-ricties should be brought to ma-turity before summer heat sets in. The late sorts mature in the auturin and are cultivated same as winter cabbage.

EARLY SNOWBALL--A standard variety, early and reliable. Our seed is extra fine. For prices see colored pages.



Premium Late Flat Dutch



HOW TO MAKE A HOT BED.

The hotbed is very necessary for the successful growth or early plants, and in this section should be started in January and February.

INSTRUCTIONS .- Dig a trench cast and west three feet wide and about sixteen inches deep, and as long as you want It. This trench should be dug, preferably, on the should be dug, preferably, on the south side of a building to escape the drip from the caves. Fill this tranch with because the drip from the eaves. Fill this trench with horse manure, from the stable, tramping and wetting it thoroughly so that it will heat evenly; cover this manure with about three or four inches of good soil, and when the soil has warmed up from below planting may be comprehended. may be commenced.

FRAME AND COVER FOR HOT BED

For north wall use a board 12 in. high; south wall 6 ln. high, End boards cut on a slant; north and 12 in, south end 6 ln, mak-ing slant of 6 ln, ln 3 feet to-wards south. This makes your frames.

For covering uso either hot-bed For covering uso either hot-bed sash or a frame covered with a good canvas, well hinged on north, hooked on the south, so wind cannot disturb it. After plants have started and the weather is so you can, raist covering and let in as much air and light as possible. Close them on frosty nights. It is well to purchase a ther-

them on frosty nights. It is well to purchase a ther-mometer and keep on the inside of the hotbed, under the cover: the temperature should not be allowed to go above 75 degrees nor holow 50 degrees at night. In a hot bed of this kind you can start almost any kind of vege-table or flower seed, and have ripe fruit and blooming plants-much earlier than otherwise much earlier than otherwise

Brussels Sprouts 12



Carrots



Danver's Haif-Long Carrot

CULTURE.—Carrots do best in well enriched and manured, sandy loam, though they will do well in any good land that is deep and thoroughly worked. For early crop, sow seed during the early part of April; tor late crop, in July and August. As the seed are very slow in germinating, it will be found helpful to soak the seed for twelve hours previous to planting, in warm water, and to roll the land after planting, to prevent evaporation of molsture. Plant in rows 12 to 15 inches apart, thinning later to about 1 luches apart in the rows. Care should be taken to have the land clean, as the seedlings are very delicate, and should not be run over with weeds. Keep well enlitivated. One onnee seed is sufficient for 100 feet drill, 3 to 1 bs., for an acre.

CHANTENAY, or MODEL.—One of the best for the market or home garden, while its great productiveness makes it also very desirable for a field sort. The tops are medium sized, with small necks. The roots are thick, about 6 inches long, smooth, and deep orange red in color. The itesh is very erisp and tender. For prices see colored pages.

DANVER'S HALF LONG,—Very productive and adaptable to all classes of soil. The roots are smooth, of medium length, tapering to a blunt point, and of deep orange color. The flesh is tender and of excellent quality. For prices see colored pages.

ONHEART, or GUERANDE.—The best for hard, stiff soils. The roots are 4 or 5 Inches long and very thick. The thesh is bright orange in color, fine grained and sweet. For prices see colored pages.

EARLY SCARLET HORN,-The earliest varlety, and best for forcing. The roots are orange red in color, about 3 inches long, blue pointed, very fine grained and of sweet flavor. For prices see colored pages,

IMPROVED LONG ORANGE, --- A very popular main crop sort, with large-sized, smooth, tine-grained roots. A splendid keeper. In deep light soil an enormous crop can be raised. This variety is grown extensively for stock feeding. For prices see colored pages.

Celery

Celery seed is very slow in germinating and should therefore be sown in finely prepared rich soil, which can be kept moist. For early use, it is advisable to sow in hotbeds or in shallow boxes in the house or early in April in the open ground. Pack the soil well over the seed with the foot or with back of the spade. Careful weeding by hand will have to be done until the young plants get started. Seed sown in beds should be transplanted. When the plants are set in the open field, trim the tops off and put in rows about 5 feet apart, setting plants 6 to 8 inches apart. Cultivate constantly during the growing season, and as the erop malures it must be earthed up or blanched. Sometimes this is done by placing two boards upright, close to the plants and filling in dirt both on the sides and in between the plants. The stalks are handled by hand, but the soil must not be allowed to get in the center. Sometimes Celery is set in beds about 4 feet wide, 6 inches between plants and 12 inches between rows, the earth being thrown out on each side of the bed. Then as it grows it is carthed in for blanching. A new method of growing Celery, which is sometimes used, is to plant a plot completely over, setting plants about 6 inches apart. This enormous growth whades the young stalks so that they turn white, but it requires exceedingly rich, heavily manured soil, deep and well drained and plenty of water for irrigation. An onnee sow in about 100 feet produces 5 to 8,000 plants. Four to 6 oz, produce plants enough to set an acre, which mature in 12 0to 150 days according to the kind and location.


GOLDEN SELF-BLANCHING,—The best Celery in cultivation and the most profitable for market and family use. The stalks of this Celery are straight, tail and handsome. Very attractive in appearance. The heart is large, solid, golden yellow in color, and of delicious flavor. It will turn at maturity to a yellowish white without hanking, but like all other Celeries, is improved by having some soli brought up to the stalks. For prices see colored pages.

GIANT GOLDEN HEART.—It is not only a good keeper, but is large, solid, as sweet as a walnut, and, of a beautiful golden color For prices see colored pages.

PERFECTED WHITE PLUME is the finest strain of White Plume Celery ever grown. Not only does the stem whiten, but the leaf itself, especially every inner leaf, assumes the attractive white color. This makes the White Plume Celery one of the most showy ornaments that can be put upon the Thanksgiving or Christmas dinner table. White Plume is uscally planted for early use, and for this reason should have extra good care. Well-grown White Plume is simply perfect, both in palatability and beauly, and is the earliest Celery in cultivation. For prices see colored pages.

GIANT PASCAL.—One of the most popular sorts for winter use. It is very large in growth; the stalks are exceptionally thick with very heavy hearts which, when blanched ,are of a beautiful creamy yellow color. Very brittle and of a superb flavor. For prices see colored pages,

WINTER QUEEN.—A very fine variety for whiter storage. Robust, stocky growth requiring but little labor in blanching. The heart stalks are heavy, broad and wolld, but crisp and tender, blanching to a rich creamy-white. For prices see colored pages.



Stowell's Evergreen

STOWELL'S EVERGREEN.—The most popular late Sweet Corn. More extensively planted than any other sort, being the general favorite with market gardeners and canners for late use. If planted at the same time with earliest kinds, it will keep the table supplied until October. Ears are of good size, grain doep, tender, and sugary, remaining a long time in condition for cooking. For prices see colored pages. LATE MAMIOTIL—A rather late variety on account of its immense size, producing the largest ears of any variety. These measure up to 14 inches in length and are well filled with large, broad, white kernels, which are sweet, tender and delicious. Usually there are 16 to 18 rows to the ear. The stalks are very large, ahout eight feet high and productive. For prices see colored pages.

Pop Corn

It pays to raise Pop Corn as a general crop. The demand usually exceeds the supply. Some farmers elalm It is as easily grown as field corn, and they receive three or four times the amount per acre for the crop. For main crop the White Rice will bring the best prices per pound as it is better known. Let the child**ren** try a patch.

WHITE RICE .- Widely cultivated and used more than any other sort. Short ears, with long, pointed kernels. Very productive. For prices see colored pages,

QUEEN'S GOLDEN.-The largest sort. Stalks grow five to six feet high, producing two to three large cars each. Pops perfectly white. Single kernels expand to one inch across. For prices see colored pages. For prices see colored pages,

Although frost may entirely destroy corn that is four or six inches above ground, if the heart has not been frozen it will rapidly grow again. Therefore do not destroy your field of early corn, even if it has been frosted to the surface of the ground.

Garden Corn

The early Garden Corns, such as the Adams and Early North-ern Field Corn, can be planted the end of March or early in April. Sugar Corns cannot be planted until the ground begins to get warm. Frequent cultivation is necessary to have good Corn. The Adams and Northern Field Corn can be planted in rows 3 feet apart, the grains about 12 or 15 inches apart, one includeep or in hils of six grains, three feet apart each way. The Sugar or Sweet Corns can be handled about the same except that such dwarf varieties as Golden Bantam and Mammoth White Cory can be planted rather release. Coller Bantan and Manmotr white cory can be planted rather closer. For succession, one can either plant several varieties which mature at different seasons or use one variety and plant every two weeks up to July. ½ pound will plant 100 hills, 12 to 15 pounds an acre. It will be ready for the table in from sixty to seventy days from planting.

Extra Early and Early Varieties

(Not Sugar Corn)

EXTRA EARLY ADAMS.—The carliest variety, and can be planted first of all. It hears small, thick ears, close to the ground, Being a dwarf variety, it can be planted closer than the others. For prices see colored pages,

EARLY ADAMS or BURLINGTON.—A little later and larger n the above. Stalks grow about six feet high; ears about eight than the above. Stalks grow about six feet high; ears about eight inches long, with twelve to fourteen rows. For prices see colored pages.

Sweet, or Sugar Corn

For table use, the Sweet Corns are far and away head of all other varieties. While they cannot be planted quite as carly as the first, or Field Corn, their quality is so superior that no garden should be without a good planting of early and late varieties.

IMPROVED GOLDEN BANTAM .- This handsome new variety is one of the most delicious of all, and generally believed to be richest in flavor. Extremely early, of hardy, vigo ous growth, so that it can be planted quite early. The stalks grow only about four feet high, but bear two or three good cars five or six inches long, of handsome golden yellow color. In flavor quite distinct from the white sorts and some have called it sweet as honey. For prices see colored pages.

EARLY MAMMOTH WHITE CORN.—This very popular and desirable variety is identical with the Red Cory in both quality and earliness. The color of the corn and cob, however, is white, and by many preferred on that account. For prices see colored pages.


EARLY MINNESOTA.—One of the best and most popular of the older varieties, with both market and private gardeners. The stalks are short and bear two long cars each, having eight rows of very sweet and tender kernols, which shrink but little in drying. Kernels very broad, sweet and tender. For prices see colored pages.

COUNTRY GENTLEMEN.—This variety is a selection and im-provement of the famous Shoe Peg, which is so highly extelled by all lovers of Sugar Corn. Its improvement consists of much larger sized ears, and producing from three to four ears to the stalk; it is of delicious quality and is without doubt the most delicate and sweetest of all Sugar Corns; cannot be recommended too high. For prices see colored pages.



Cucumber

Cucumbers succeed best in warm, moist, rich, loanry ground. They should not be planted in the open air until there is a prospect of settled warm weather. Plant in hills about four feet apart each way. The hills should be previously prepared by mixing thoroughly with the soil in each a shovelful of well-rotted manure. Sprinkle the vines liberally with Sig Shot to protect them from bugs, and when all danger from inseets is past, thin out the plants, leaving three to four of the strongest to each hill. One ounce of seed will plant about 50 hllls; two pounds will plant an acre.



Improved Long Green

EARLY FRAME or SHORT GREEN follows the Spine in earliness; it is not so desirable a variety, and is cultivated to a limited extent; is of a deep green color, and changes to a bright yellow when ripening. For prices see colored pages.

EARLY GREEN CLUSTER .- Very prolifie, produc-Ing the fruits in clusters near the root of the vine Fruit short and thicker at one end. If fruits are picked frequently, the vines continue to bear for a long season. It is a good picking variety. For prices see colored pages.

WHITE SPINE.—This variety grows fruit 10 to 12 inches in length and of rather large diameter. It is an early and vigorous grower. More blight-proof than inches in length and of rather large diameter, it is an early and vigorous grower. More blight-proof than any of the longer sorts. Color a dark green. In shape it is straight and smooth. A very good flavor, which makes it an excellent variety for home use, as well as for the market. For prices see colored pages.

ARLINGTON WHITE SPINE.—One of the most distinct, popular and profitable strains of White Spine Cucumber. The real merit of this sort has gained for it a large and ever-increasing demand, especially in very large Cucumber-growing districts of the South and East. It is beyond question the earliest and most productive variety of this type. For prices see colored pages.

JERSEY PICKLING .- This splendid variety origiated in the celebrated plekle section on the Dela-ware River, about 25 miles above Philadelphia, where more plekles are grown than in any other section of the United States. It is pronounced by growers as the best of all for plekling. For prices see colored pages.

DAVIS PERFECT.—A special selection from the Wilte Spine made by one of the large growers. It possesses all the qualities of the greenhouse varieties, retaining its fine green color until nearly ripe, and is equally as good for an outdoor crop as for greenhouse use, and the outdoor crop being so uniform in color as to compare favorably with any greenhouse grown. It has very few seeds and is ideal for slicing, being rather longer than White Spine. For prices see colored pages.

IMPROVED LONG GREEN,-The fruits of this varicty often attain a length of 12 lnches; are slender and of a uniform dark green color. It is a rather late variety and largely used for pickling; very popu-lar. For prices see eolored pages,

Herbs

SWEET, POT AND MEDICINAL

For flavoring soups, meats, etc., a few pot and sweet herbs are necessary for every garden. If they are to be used during the winter, the stalks should be cut on a dry day, when not quite in full bloom. They should then be dried quickly in the shade, and when dry ho packed closely in boxes with the air entirely excluded.

Sow in the early spring in rich soil—eighteen inches apart in shallow drills. April is the month for most varieties; the larger growing sorts can be transplanted later.

ANUSE.—Used for garnishing, seasoning and for cordials. For prices see colored pages. BASH., SWEET.—Leaves used for flavoring soups, stew and highly seasoned dishes. For prices see colored press.

CATNIP, or CATNINT.—Grown for bee pasture. The leaves and young shoots are used for seasoning.

DILL,-Leaves are used in pickles and for flavor-ing soups and sauces. For prices see colored pages. **TENNEL**—Leaves bolled are used in fish sauces nd for garnishing. Seeds are used for llavoring. For and for garnishing. prices see colored pages.

LAYENDER TRUE (Lavendula vera) .- The best. For prices see colored pages.

MARJORAM (Sweet),-Leaves and shoots used for flavoring in the summer and dried for winter use. For prices see colored pages.

SAGE,-Seasoning, stuffing. For prices see colored pages.

SUMMER SAYORY .- The leaves and young shoots are used for flavoring. For prices see colored pages. THYME .--- Seasoning, headache tea. For prices sco colored pages.



Water Cress

The most reliable way of cultivating the Water Cress is to sow the seed in moist soil, and, when a few inches high, transplant into running brooks, but protected from the current; when the plants become once established they will last for years. The leaves and stalks are used as a salad, and is considered a very wholesome dish. For prices see colored pages.

Collards

A variety of Cabbage known in different sections as "Cole," "Colewort," or simply "Greens," It is exten-sively used in the South, where it continues its luxuriant growth all winter.

GEORGIA, SOUTHERN or CREOLE .--- The best variety. Freezing does not injure, but rather improves their quality. For prices see colored pages.

Endive

CULTURE.—Sow carly in April for early crop, but is usually used as a late Fall crop. Sow seed in June or July in drills 15 to 20 Inches apart and thin out.

MAMMOTH GREEN CURLED .- This beautiful and MAMMOTII GREEN CURLED.—This beautiful and valuable varlety is much superior to the old Green Curled and grows 15 to 20 inches in diameter. The leaves are very erisp, tufty and full in every stage of growth. The mid-rih is pure white, very heavy, thick, fleshy and tender. It is equally suitable for Spring, Summer or autumn planting, being extremely hardy. For prices see colored pages,

Egg Plant

CULTURE,—Seed are of slow germination, require moderate amount of heat. Should be started in hot-heds and not checked after starting to grow. When two or three inches high, they should be potted in three-inch pots and not set out in the open until nights are warm. Plant in rich soil for best results. Plant about three feet apart and keep well watered. One onnee of seed will produce about 1,000 plants.

BLACK BEAUTY .-- This new variety is an excellent BLACK BEAUTA.—This new variety is an excellent market sort. It is about the same size and shape as the New York Improved, except a little fuller at the top; is a few days earlier and a heavier yielder. Its color is a rich purplish black, which it retains after becoming dead ripe. True stock, For prices see colored pages.

NEW YORK IMPROVED SPINELESS PURPUE,very popular variety in many locations. Fruit is large, entirely free from thorns or spines, of very' good purple cofor. An old, well-tried variety and more largely planted than any other. For prices see colored pages.

Leek

Similar to Onions in flavor, being of the same family of plants, but does not form a thick buib. Sow seed early as possible half an inch deep and when plants are large enough to handle transplant to rows 12 inches apart, setting plants six inches apart. Hill un as they grow to blanch the stems, or plant in a trench like Celery and fill in as they grow. Seed may also be sown in September and transplanted in Spring. One onnee will sow 100 feet of drill. LARGE FLAG.—Well known and popular variety; bardy. For prices see colored pages.

hardy. For prices see colored pages.



Black Beauty Egg Plant

Mustard

CTLTURE.--One ounce is sufficient for 75-100 fect of drill. Sow either in Spring or Fall, in rows 12-18 inches apart, thinding later to about six inches in the row. Cultivate same as Turnip Salad.

SOUTHERN GIANT CURLED .-- Leaves are large light green, with yellowish tinge ,much erimped and irilled at the edges. Very succulent, pungent and of sweet dayor. For prices see colored pages.

WHITE MUSTARD .- For prices see colored pages.

BLACK MINTARD,---For prices see colored pages,

Kohl Rabi

A peculiar vegetable belonging to the Cabbage fam-ily and forming a turnip-shaped bulb above ground, which is used in the same meaner as turnips. For rarden cultivation, give same treatment as Cabbage, Should the used when young and tender. Can be sown in June or July for Fall use. One onnce will sow 200 fort of still. feet of drill.

EARLY WHITE VIENNA, --- A very satisfactory va-ety of good quality. For prices see colored pages, rlety of good quality.

Kale or Borecole

Used largely for greens in Fall, Winter and Spring. Can be sown broadcast or in drills 15 inches apart from early September to the middle of October. Can also be sown in February and March, at which time the Spring or Smooth Kale is best to use. This is also used in the Full, as it makes greens quicker than other varieties. All should be protected with straw or coarse litter in Winter so that the plants can be cut through-out the season. Winter varieties can be sown at the rate of three or four pounds to the acre. The Spring Kale can be sown broadcast at the rate of cight pounds per acre or four to five pounds in drills.


DWARF CURLED SIBERIAN.—A standard variety, having fine curled leaves and of fine flavor. Will stand out all Winter in this section without pro-tection. For prices see colored pares, DWARF GREEN CURLED SCOTCH or NORFOLK. —A variety largely used for shinping. It has a finely curled leaf and has a low and spreading growth. The leaves are ornamental and are frequently used for

gurnishing. Can be sown in August and September. for prides see colored pages,

SPRING OR SMOOTH KALE.—This does not have the crinky leaves peculiar to other varieties. It is very hardy and is largely used for both Fall and Spring sowing, being the best variety for Spring sowing. For prices see colored pages.



Lettuce



CULTURE.—Lettuce does best in rich land, and the land should be properly prepared by heavy manuring and thorough cultivation. For crop for market in November and December, the seed should be sown late in July and August. For Spring crop, sow seed from last of September to the middle of October, in well made and well protected beds, transplanting to open ground in November or as late as December. Protection churing the Winter months is absolutely necessary, and if no natural protection is afforded, cover lightly with a little straw. As soon as the ground can be worked in the Spring without injury to the plants, give an application of fertilizer. One ounce of seed will give 3,000 plants, and is sufficient for 100 feet of with a backgrounds for an acce drill, 5 to 6 pounds for an acre.

INSECT REMEDIES.—For the green lettuce worm and green measuring worm which eat the leaves, spray with a solution of Hellebore In water, at the rate of one pound of Hellebore to 15 or 20 gallons of water. For green lice, spray with a solution of tobacco extract. In greenhouses, fumigation with Nico-Fume liquid or tobacco stems, will be effective. In frames, fumigation with Nico-Fume Paper is best. Tobacco stems or tobacco dust applied on the soil or around the beds, is an effectual preventive of green lice.

Curled or Loose Head

BLACK-SEEDED SIMPSON .- The best known and DLACK-SERVICE SIMIPSON.—The pest known and probably the most largely planted of any variety. Early, hardy, dependable, it is a favorite with mar-ket gardeners, both for planting outside or for grow-ng under glass. The leaves are large, light green, quite crumpled throughout, but especially frilled at the leaves. the horder. They grow compactly without forming a distinct head, are of firm texture and of good qual-ity either for family use or for shipping. Can be planted later than most sorts, as its vigorous growth enables if to withstand the summer heat. For prices sce colored pages.

see colored pages. **GRAND RAPIDS.**—Of the highest merit as a forc-ing variety. Owing to its peculiar upright habit of growth, it economizes in bench, room, and in a short time produces a mass of beautifully filled leaves of splendid quality for the table or for shipping. It is also an attractive and desirable variety for growing outside in the home garden. We have an excellent strain of seed of this variety, which is proving very virisfactory to our customers who grow under glass. For prices see colored pages.

EARLY CURLED SIMPSON .- Standard loose-leaf EARLY UTREED SUITSUN,—standard lower-and variety, forming a dense growth, but not heading. The leaves are light green, curled, and good quality. A satisfactory sort for the home garden. For prices see colored pages,

PRIZEHEAD .- Well known loose-heading Lettuce,

PRIZEHEAD.—Well known loose-heading Lettuce, quite distinct from most other sorts on account of its peculiar color, light green shading to bright red-dish brown. The leaves are somewhat crumpled and grow more so at the border. In quality, tender and sweet. For prices see colored pages. EARLY CURLED SHLESLAN.—Medlum size plant with very light green heaves of good quality and sweet flavor. Very reliable and sure to make good heaves even under very unfavorable conditions. A good sort for the home garden, one of the oldest and most popular varieties. For prices see colored pages.

Cabbage or Heading BIG BOSTON.—A splendid Lettuce for market gar-deners, either North or South. Leaves are light green, nearly smooth, except the outside edges, which are somewhat rufiled. Forms large and very com-pact heads that are especially suitable for shipping. for which purpose it is planted very largely in the South for the Northern market. For prices see col-aced number ored pages.

oreo pages, MAY KING.—This is an extremely hardy Lettuce. Can be planted very early in the Spring. Matures more quickly than any other of its class, forming large heads, the inner leaves blanching yellow, the outer ones somewhat tinged with brown. For prices see colored pages

IMPROVED HANSON,-A splendid summer heading sort and probably the most popular of its class. The plant is compact, forming a large cablage-like head which remains in good condition a long time. The

which remains in good condition a long time. The outer leaves are yellowish green, somewhat crumpled, with a large, distinctive nuldrib. The inner leaves, with, sweet and tender. For prices see colored pages. TRLANON WHITE COS.—The varieties of this class are quite distinct from the Soft Leaf Lettuce. The beaves are long and very firm in texture, producing a loaf-shaped head, the inner leaves blanching thor-oughly. The quality is excellent, the leaves remain-ing cisp and fresh. For prices see colored pages.



Musk Melons or Cantaloupes

A rich, sandy soil and good seed are absolutely necessary for success in raising the best Musk Molons. The seed should not be planted until the ground has become dry and warm; plant in hills six feet apart each way; old, well-rotted manure should be thoroughly mixed with the soil in each hill and in liberal quantity. Put six to ten seeds in the hill, and, when danger from insects is past, leave three or four of the strongest plants only. Musk or Cantaloupe Melons may also be sown in rows, that are made about six feet apart, and when the plants are well up, thinned to stand in hills five or six feet apart, just before the plants begin to run. This method insures a good stand of plants in spite of the bugs. If the plants grow very rank, the tips of the leading shouts should be pinched off when about three feet long. Green-fleshed melons will become more netted if about 200 pounds of salt are broadcasted to the acre. Cultivate often and not deep. One ounce of seed will plant sixty hills; two to three pounds will sow an acro. INSECT REMEDIES.—For the striped beetle, which is troublesome, dust plants lightly with Slug Shot, air-slacked lime, tobacco dust or even dry road dust.

Green-Fleshed Varieties

EXTRA EARLY HACKENSACK .-- Large, handsome In appearance, bountiful yielder, and early and re-liable with market gardeners. The flesh is very thick, of delicious flavor, rich and sugary. It is a healthy grower and stands attacks of insects better than any other sort. The skin is green, and thickly netted. Flesh light green, julcy, sweet. For prices

Refered pages. ROCKY FOKD.—The world-wide popularity of this variety is as great today as when it first came into prominence several years ago. The Rocky Ford Cantaloupe is slightly oblong in shape and when ripe has a sliver-colored nettinil of lace-like appearance. Skin is green, but turns a peculiar gray color when fit for shipping. Flesh greenish in color, firm in texture, and so sweet and luscious that it may be eaten close to the rind. For prices see colored pages.

LARGE HACKENSACK, or TURK'S CAP.--A verv LARGE BACKENSACK, or TCARES CAP.—A very popular variety which attains a large size, is round in shape and flattened at the ends; skin green and thickly netted, the flesh also is green, rich and sugary in flavor. It is very productive and extensively grown by market gardeners. For prices see colored pages.


IMPROVED GREEN NUTMEG.—An old, well-known variety. In shape, nearly round, Flesh green-ish yellow, sweet, and of dellcate flavor. For prices see colored pages.

Orange or Salmon-Fleshed Varieties

PAUL ROSE, or PETOSKEY .- One of the finest va-FALL RUSE, of FEIONREL.—One of the inest va-richtes ever introduced, being a cross between the Netted Gem and Osage, having all the fine qualities of the former, with the heautiful rich salmon-colored ilesh of the latter; the fruit is slightly oval, averaging about five or six inches in diameter, with deep flesh and small seed cavity; is of the most delicate and delicious flavor. For prices see colored pages.

TIP-TOP.—Tip-top in quality. Tlp-top in appear-nce. Tip-top in productiveness. This splendid melon ance

has "held its own" for many years against all intro-ductons in the melon line, and no yellow-fleshed melon of which we have any knowledge compares with it in good qualities. The testimony of all who have used Thy-Top is that every melon produced, whether big or little, early or late, is a good one— sweet, julcy, finest flavor, firm (but not hard) fleshed, and edble to the outside coating. Fruit of large size, and flesh attractive bright salmon in color; nearly round, evenly ribbed, moderately netted, very nearly round, evenly ribbed, moderately netted, productive. For prices see colored pages, very



BURRELL'S GEM. One of the best of the "Rocky BORRELL'S GEM, One of the best of the newsy Ford" type of the yellow-fleshed sorts, Fruit of me-dium size, welghing about two pounds each. They are well netted and of pleasing appearance. The flesh is edible almost to the rind, a little darker color than the Osage, richer in flavor, and fine grained and firm. An early melon, ripening in about 70 days; deliciously rich, splcy flavor, unexcelled by any other melon. An abundant yielder, and an excellent ship-per. For prices see colored pages. EMERALD GEM.—This is one of the finest vari-cties, and is well named; it is really an emerald

among the many varieties which are now cultivated; skin a dark green flesh salmon color and of sweet and delicious flavor; it has more of the flavor of the French melon than any other variety. For prices see colored pages.

OSAGE, or MILLER'S CREAM.--A medium to large sized melon, of exceptional quality. The vines are vigorous and prolific, and the frut is oval in shape, dark green in color, slightly ribbed, and partly cov-ered with shallow gray netting. The flesh is salmon colored, thick, fine grained and of delightful flavor. For prices see colored pages.




Watermelons

A light, sandy soil, with good exposure to the sun, is the best situation to plant Watermelons. The ground should be prepared deep, but receive shallowy cultivation. Hoe often and very thoroughly. If extra large Watermelons are desired for exhibition purposes, leave but one or two on a singlo vine. Plant in hills ei_{i} to ten feet apart each way, with a very generous shovelful of well-rotted manure mixed with the soil in each hill. If commercial fertilizer is used, it should contain a large percentage of ammonia and potash. Plant eight or ten seeds in each hill, and finally, when danger from insects is past, thin out to three strong plants. One ounce of seed will plant 20 to 30 hills; four or five pounds will plant an acre.

INSECT REMEDIES.—Same as Musk Melons. **PEERESS, or ICE (REAM**,—One of the very best melons for this latitude and for private gardens and nearby market, there is none better on the list; fruit medium size, oval, rind thin, finely muttled, dark and light green, flesh bright scartet, solid to the center, crisp, very sweet and fine flavored; it is one of the earthest; seed pure white. For prices see culored pages.

LONG LIGHT ICING.—A good cropper, heavy, attractive and very desirable in quality; undoubtedly one of the best. Flavor very superior. Skin light green; flesh crystalline. One of the best for home use, but not a good shipper. For prices see colored pages. TOM WATSON.—A large oblong melon, the skin of which is dark green, with thick netting on the entire surface, quite distinct from other varieties. It averages 18 to 24 inches long and 10 to 12 inches in diameter and weighs 50 to 60 pounds. The rind is thin, but tough, and flesh a bright attractive red color, crisp, sweet and delicious. The heart is large with no core. The seeds are brown, tipped with white. The appearance and qualty of this melon make it desirable for both home and market use. For prices see colored pages. FORIDA FAVORITE—Oblong in shape, growing to

FORIDA FAVORITE.—Oblong in shape, growing to a very large size, rind dark green, striped with lighter, highly prized on account of its delicious flavor; seed light colored. For prices see colored pages.



Tom Watsun

DARK ICING.—Round and of medlum size, skin dark green; flesh red and quality first-class. Good for home garden. Fur prices see culored pages,

GEORGIA RATTLESNAKE,—Very popular melon for shipping in some localities and a good market variety, oblong in shape, large size, flesh scartet, crisp and of good quality, rind dark green, striped and inottled with lighter green; seeds light color. For prices see colored pages,


KOLB'S GEM.—A large-sized melon, grown very extensively for shipping purposes. Rind is very tough, flesh red, sweet and tender, although a little coarse. For prices see colored pages.

SWEETHEART. -A fine shipping melon of large size and fine quality. The vines are very vigorous and productive, bearing the fruit early. Melons uniform in size, oval-shaped and very heavy. The rind is light green, thin, but firm; flesh bright crimson, sweet and tender. Particularly fine for shipping or market for main crop, being of such fine appearance that they sell readily. For prices see colored pages. **HALBERT HONEY.**—Said by many to be as handsome and as the flavored as Kleckley Sweet, and much more productive. Has dark green, very thin rind, with meat so erlsp and lender that well ripened melons split ahead of the knife when cutting. Fine for home market and garden, but with too thin rind for shipping. For prices see colured pages.

KLECKLEY SWEETS, or MONTE CRISTO,--Unequailed for the home patch or for nearby markets. Vine very productive; of the most luscious medium sized oval melons, with a dark green rind; flesh is bright red, sweet and tender. We do not recommend this variety for shipping as the rind is so tender it is liable to crack. For prices see colored pages.

Citron

CITRON FOR PRESERVES.—Fruit round and smooth. Is not eaten raw, but is used for making a very clear, transparent preserve of pecullarly fine flavor. Flesh, white and solid. For prices see colored pages.



Onions

United States Prize Taker Large Growers of Sets Should Write for Special Prices on Seed. Seed can be sown in hotheds and transplanted to rows twelve inches apart, the plants four inches apart in the row. When handled in this way the large varieties, such as Prize Taker or Silver King, are generally used. The seed can be sown in the open ground in rows twelve inches apart and thinned to three inches apart for large Onlons. If grown for Sets seed should be sown thickly and not thinned. Onlons require rich soil and constant cultivation. The soil should be well prepared before the crop is planted. Early three nonlons can best be obtained by planting Sets, either Potato Onlons or the small Onlons, raised from seed. Potato Onlons can be planted in the Fall and Spring, about two inches deep, the regular Sets early as possible in the Spring. If not used as Green Onlons, they will mature much earlier than Onlons from set. If large Onlons are desired, sow five to six pounds per acre; for pickling Onlons, fifteen pounds per aere, and for Sets, 40 to 60 pounds per acre. THE GREAT YELLOW PRIZETAKER ONION — 1 either for sets or for large half.

aere, and for Sets, 40 to 60 pounds per aere. THE GREAT YELLOW PRIZETARER ONION.— This variety has become famous all over the world, not only for its enormous size, but for the beautiful formed and attractive Onions it produces, which fre-quently measure 12 to 15 inches in circumference and from three to five pounds in weight, produces large Onlows same season. Exects in size, yield and keeping qualities; highly recommended. For prices see colored pages.

LARGE RED WETHERSFIELD,-The standard red LARGE RED WETHERSPIELD.—The standard red carlety and a great favorite. The bulbs are large, lattened but thick, with deep purplish red skin and light purplish white flesh, rather strong, but of pleas-ount flavor. Very productive, and is a flow keeper. One of the best for poor and dry solls. For prices see colored pages.

VELLOW GLOBE DANVERS.—The hulhs grow medium to large size, of uniform globe shape, with a small neck, and then very evenly. The skin is rich coppery yellow, with mild creamy while, crisp flesh, of excellent flavor. An escellent keeper, and a splen-did shipper. It is the variety most generally grown.

colored pages

colored pages. WHITE PORTUGAL or AMERICAN SILVERSKIN. —A mild and pleasant Onion of somewhat flattened shape when matured, luit golular when sown thickly for sets or pickling. It is very popular for family use, and one of the best for pickling, also for slicing or bedling. A favorite when young as a salad or bunching Onion, excellent for Winler. Largely grown for sets. For prices see colored pages. SOUTHPORT WHITE GLOBE.—This grows to a very large size and is a perfectly globe shaped Onion. Color is a clear, pure white. This variety is used by market gardeners for bunching.

Potato Onions

Valuable for bunching or an early crop of bulbs. The smallest sets make fine bulbs; the large bulbs, when planted, immediately multiply, each loub pro-ducing from six to twelve stalks for bunching.

Onion Sets

For prices see colored pages.

Okra or Gumbo

20

Sow the seed late in the Spring in very rich soil, in drills two feet apart, observing that the ground is warm, as if cold and moist the seeds will invariably rot; when the plants are up, thin out to a foot apart When canned, it is also one of the most delightful vegetables for Winter use, especially when canned with tomatoes,

PERKINS PERFECTION MAMMOTH GREEN PODDED.—This extraordinary variety is not only the most productive known, but forms enormous-sized nost productive known, but forms chormostation pods, and is earlier than any other variety. It is a large cropper, and is not only very highly prized by growers, but owing to its great tenderness is pre-ferred by canners, who preserve it hermetically for Winter use. For prices see colored pages. TALL or LONG GREEN.—A tall-growing variety, producing long, thin pods. For prices see colored pages.

WHITE VELVET or CREOLE.—An entirely dis-tinct variety, the pods are round and smooth, but covered with a fine fibre resembling velvet. We re-gard it as one of the unest varieties. For prices see colored pages.






Parsnip

CULTURE.—Work the soll very deep and pulverize the surface thoroughly. Sow the seed in early Spring, three-lourths of an inch deep, in rows 12 to 18 inches apart. As soon as the young plants appear, cultivate and hand weed them, and when three inches high thin to six inches apart in the row. Cultivate sufficiently to keep the soll loose throughout the season. Freezing improves the quality of Farships for table nse, so it is customary to take up in the Fall when the ground begins to freeze what will be needed for winter use, leaving the remainder to winter over in the ground, or better still, pitting them as is often done with other roots so that access may be had to them at any time. One ounce of seed for 200 feet of rows; live pounds seed required for an acre.

HOLLOW CROWN, LONG SMOOTH. — Smooth, harge, tender and sugary; one of the best. Our stock is very fine. For prices see colored pages,

IMPROVED GUERNSEY.—An improvement over the parent, "Hollow Crown," than which it is much larger in diameter, but not so long, the roots are more easily gathered. This sort gives general satisfaction, having good quality. For prices see colored pages.



Parsley

Parsley

Parsley is valuable for flavoring and garnishing purposes. Sow in drills as early in Spring as the soil can be pulverized. Seed two years old will vegetate more freely than new seed, which will frequently require five or six weeks to germinate: so the cultivator must not be disheartened if the plants do not appear within a month. The seed will also germinate more freely by soaking it 24 hours in water, and mixed with sand before sowing.

DARK MOSS CURED.—A famous English variety, and very popular in this country. It is heautifully curled, but the color is much lighter than the single. For prices see colored pages.

DWARF EXTRA CURLED.—The moss-like leaves are finely curled and of a beautiful bright green color; the growth is very compact. For prices see colored pages.

PAIN or SINGLE.—This is the hardlest varlety; follage very dark green, with plain leaves, having a strong Parsicy flavor, and much preferred in French cooking. For prices see colored pages.

Pepper


CULTURE.—For earliest crop sow in hotbed in february or March and transplant to open ground in May, setting plants about 15 inches apart in rows 2½ feet apart, Latter crops can be sown in coldframes. Cultivate and keep free of weeds. Feruvian that or some good commercial fertilizer applied broadcast around the plant and hoed in when they are about six inches high will produce an eurormous increase and improvements in yield.

increase and improvements in yield. **RUBY KING.**—This is the most popular large Red Pepper now in cultivation. Very large scarlet fruits ot sweet, mild flavor. Fiants grow two feet high and bear a une crop of the handsome large fruit, which ripen earlier than any other large truited variety. The flesh is quite thick, sweet and mild, so mild that if the seeds are removed the fruits may be caten from the hand like an apple. Especially fine for salads or stuffed for mangoes. For prices see colored pages.

LARGE BEILL or BULL NOSE,—An old standard and favorite sort. It is early, bright red h color at maturity, entirely mild, of large size and has thick ftesh. Is excellent for stuffing. It is a good hearer and is much grown for both home and market. For prices see colored pages.

NEW CHINESE GIANT PEPPER,—The fruits of this variety are of enormous size, even when put alongside such a large kind as Ruby King. The appearance of the New Chinese Glant on the market is most striking and attractive, and it sells on sight. The shape is more blocky than Ruby King, being almost square, or about the same diameter both ways. Color brilliant, glossy scarlet. For prices see colored pages.

LONG RED CAYENNE.—^PThe conical shaped fruits are three to four inches long, of bright red color and borne in great profusion. The flesh in character is very sharp and pungent. A standard household variety of Pepper. For prices see colored pages.



Chinese Giant Pepper



Peas

Peas mature early when in a light, rich soll. For the gen-eral crop, a rich deep loam or clay would be best. Peas thrive better if the ground is poor and requires en-riching, use well rotted manure, and for the dwarf varieties you can hardly make the soil too rich. When grown as a market crop, Peas are seldom staked or bushed, but are sown in single rows our inches deep, the depth depending on

bushed, but are sown in single rows three to four inches deep, the depth depending on the time of sowing, nature of the soil, as well as the variety. Wrinkled varieties are not so hardy as the smooth sorts, and if planted early should have dry, warm soil, and not planted deep, or they are liable to rot in the ground. These wrinkled varieties are, however, the sweetest and best flavored. Rows for planting should be from 2½ to 3½ feet apart according to the kind, soil and manner of culture desired. When grown in the kitchen garden it is best to sow the seed in double rows, 6 to 8 inches apart, the tall sorts requiring brush. Commence sow-ing early varieties as soon as the ground can be worked in Alteria Barden it is nest to sow the seed in double rows, o to sing early varieties as soon as the 'ground can be worked in the Spring, and continue, for a succession, every two weeks up to the end of June, discontinuing until the mildle of July, when a good crop can sometimes be seeured by sowing an extra-early sort. Two pounds sow 100 feet of rows; 115 to 140 pounds for an acre in drills; 175 lbs, broadcast, EARLY ROUND OR SMOOTH
 PEDIGREED EXTRA EARLY (2 feet).—This extra early Pea is not only early, but the very best of the smooth, white, extra early ea is not only early, but the very best of the smooth, white, extra early all he pods can be gathered in two pickings, and as they are of strong texture, are well fitted for shipping even long distances. The Peas are of medium size, round, smooth and of splendid flavor. The vines are very hardy, puges.

EARLY

ALASKA,-This is the earliest blue varlety in cultivation; the dark CEARLA ALASKA,—This is the carliest blue varlety in cultivation; the dark green color of its pods makes It a desirable shipping varlety, as it will carry long distances without losing color; this quality combined with its extreme earliness recommends it very highly to the market gardener; height 2½ feet; is also the most popular variety for canning, being almost exclusively used for that purpose by the largest canning establishments in the country. For prices see colored pages. FHRST AND BEST.—A popular, extra early Pea, producing good crops and satisfactory in nearly all sections. Vincs 2½ feet high, producing pods 3 to 3½ inches me of Philadelphia Extra 1.

isfactory in nearly all sections, long. Sold under the name of Philadelphia Extra Early, Improved Daniel O'Rourke, Rural New Yorker, Extra Early Kent and a dozen other similar long. Early.

Alaskas

For prices see colored pages. EARLY TOM THUMB is an old-fashioned favorite on account of its very dwarf habit, and is really more productive than many varieties that grow twice its height. It produces a fine-sized pod and the Peas are

sweet and tender. For prices see colored pages, AMEER.—This variety is very much like the Alaska, but is not quite so early. The vine is slightly longer as are the pods which are well shaped. It ripens uniformly and the peas are of excellent qual-ity. The seed is round, wrinkled and light green. For prices see colored pages,

EARLY WRINKLED PEAS


These are much finer than the hard, smooth Peas, being much sweeter and of superior flavor. They can not be planted quite as early, as they are liable to decay in cold, wet soil.

not be planted quite as carry, as they as the second secon nnest wrinkled Pen yet introduced, coming in with the first earlies, with pols double the size. The pods are a dark rich green, straight and square ended, and contain on the average seven to clight large, narrow peas of the richest flavor. We consider it superior to, and likely to supersede, that fine early pea, the "Gradus," being hardier in constitution, darker in color and a better yielder. It is a reliable market gardener's new place among earlies as undoubledly take the same place among earlies as

Telephone among the late sorts. For prices see colored pages.

PREMIUM GEM.—An old variety still largely grown and quile early. It is productive and the peas are of high quality. Grows a little taller than most extra early varieties. For prices see colored pages.

AMERICAN WONDER .--- A leading dwarf wrinkled Productive for earliness, productiveness, flavor and quality; strong and robust in habit, growing about 10 inches high and produces a profusion of good-sized pods, which are fairly packed with the finest flavored Peas. Has always been a great favor-ite for the home garden. For prices see colored pages.



Gradus

GRADUS, or **PROSPERITY**.—One of the very best early wrinkled, large podded Peas. The pods are fully as long as Telephone. Vine similar in appearance and does not grow so tall, being of medium height, about 3 to 3½ feet. The pods are 4 to 4½ inches long, pointed, handsome and one of the most attrative of the early wrinkled sorts. Peas very large, splendid quality and a beantiful light green color. This has been one of the most popular varieties in cultivation. For prices see colored pages.

NOTTS EXCELSIOR.—This is one of the standard high grade Peas that have established themselves with gardeners so firmly that many will take no other variety for its senson. Its quality is fine, and for a wrinkled Pea, it is hardy and theroughly reliable. It does not require staking and the pods ripen evenly, making it extremely valuable for home and market use. For prices see colored pages.

Late or Main Crop

ALDERMAN,—A splendid large podded variety of recent introduction and excellent quality. Vines vlg-orous, growing about 3¹/₂ feet high, with coarse, dark colored leaves and producing an abundance of very large, dark green pods, filled with immense Feas of delicious flavor. We recommend this to all large Pea growers. For prices see colored pages.

TELEPHONE.—One of the most popular varieties for main and late crop, on account of its many good qualities; fine appearance, large pods, and most ex-cellent flavor; a good shipper. Vines about four to two feet, very sturdy and vigorous. This Pea is con-sidered by many private and market gardeners to be the best of all. For prices see colored pages.

CHAMPION OF ENGLAND.—A very productive va-riety, universally admitted to be one of the richest and best flavored of the late Peas. Pods large, about three inches long. The seed is light green, wrinkled and very desirable for home use and especially recom-mended for market gardeners. Profuse bearer. Very nuch superior in flavor to the Marrowfat Peas. For prices see colored pages.

LARGE WITTE MARROWFAT.-This is Prea, hardy, very hardy and vigorous grower. The pods are of good size and usually contain five or six peas of good quality, but not of as high flavor as the reg-ular garden peas. For prices see colored pages.

DWARF SUGAR OR SALAD PEA .-- A distinct varicty with edible pods, cooked and eaten the same as snap beans. Worth a trial in your garden. For prices sce colored pages.

Seed Sweet Potatoes


Many people hesitate to grow Sweet Potatoes, betheying that a great deal of extra work is necessary to produce the crop. The only extra work connected with it is in the production of plants, and if you are with it is in the production of plants, and if you are not prepared to grow these yourself, they can always be purchased at a reasonable price. It is not, how-ever, difficult to grow plants. About the only differ-ence in the field culture is that the ridges are made for Sweet Potatoes before setting the plants. The only secret is to keep them free from weeds and the ground mellow. After the vines begin to run they will keep down the weeds themselves. A light, sandy soil is best soil is best

The Seed sweet Potatoes which we offer are grown. The Need sweet Potatoes which we other are grown, stored and handled especially for Seed purposes. They are not cold storage stock on which the germ has been killed, but are fresh and vigorous. It is abso-lutely necessary that they be handled quickly in Spring, as they do not keep well after being taken from the storage bins. We cannot guarantee them all to be sound upon arrival, and we try to protect an or be sound upon arrival, and we try to protect our customers by prompt service. For this reason we hold the Potatoes until the weather is settled and then fill all orders at once so as to get them to our customers pronnuly. It does not pay to buy Sweet Potatoes in small lots. Botter huy the plants unloss you will need more them

Better buy the plants nuless you will need more than 1.000.

CI'LTURE .- Put the Potatoes into hotbeds in April. **CULTURE**—Put the Potatoes into hotbeds in April. covering with three inches of earth, and after they begin to grow give plenty of air on sunny days and water regularly. In May or June set out in rows three feet apart and fifteen inches apart in the rows. The hand should be plowed shallow in order to produce the shout, chunky Potato most largely in demand. Apply a fertilizer having only a small percentage of ultrogen and a large amount of po'ash. We can supply the following varieties in April: Yellow Jersey, Red Jersey, Red and White Bermuda, Southern Oueens and Brazillans.

Southern Queens and Brazillans.



Green Striped Cashaw

Sugar Pumpkin

Pumpkins

Sow the seed as soon as the ground becomes warm, in hills eight to ten feet apart each way, or, in fields of corn about every fourth hill. Plant at the same time as the Corn. They are affected by the same insect pests as the Cucumber and the same remedies should be used. Pumpkins are not so particular in regard to soil as melons and cucumbers but in other respects are cultivated the same, though on a large scale. The pumpkin more properly belongs to the farm than the garden, especially as it readily mixes with and higher the quality of the finer squash. Pumpkins are splendid feed for sheep when the pasture begins to fail in the Fall.

KENTUCKY FIELD. A large, round, slightly ribbed, soft shell, salmon colored Pumpkin that is very productive and excellent for stock. This variety is a standard sort everywhere, and is also often grown for exhibition purposes. The flesh is yellow, tender, and of excellent quality. For prices see colored pages.

JAPANESE PIE.--A variety of high quality and which grows to a large size. The rind is blaish green, blotched with yellow: flesh salmon colored, fine grained and sweet. Fine for pies as well as for stock feeding. For prices see colored pages.

TENNESSEE SWEET POTATO.-Bell shape; medlum size, thick flesh, skin creamy white line grained, sweet, delicious. Very line for pies. For prices see colored pages.

GREEN STRIPED CASHAW or CROOKNECK.—An excellent table variety, having much the same quality as the squash. It grows to a good size and is productive. Used for stock feeding also. For prices see colored pages.

WHITE CASHAW.—Similar in all respects to the green striped except that the color of the shell is white. For prices see colored pages.


SUGAR PUMPKIN,—Excellent for pics or canning. Fruit small and round without rlbs. Flesh yellow, sweet and of best quality. Very productive.

Second Crop Seed Potatoes

These Potatoes, as the name implies, are made from the second planting. They can be planted in the Spring in the ordinary way for a second planting in July or August. It frequently happens when the first crop is a failure that by planting "Second Crops," if the season is at all favorable, that a larger yield may be secured than from the first crop. By some, Second Crop is preferred to Northern stock; we, however, recommend Northern stock for first crop and the Second Crop for late. The following are the varieties of Second Crop most used:

Triumphs, Cobblers, Early Hebron, Queen, Bovee, Thornburn, Puritan and Blush.

For prices see colored pages.



PREMIUM SEEDS

PRICE LIST

ALL PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

The prices given below are opening prices, as our catalog goes to press sometime before the demand sets in. It is possible that there may be an advance or a decline as the season advances, though at present we feel that on most items these prices will hold through the early part of the season. Your orders will be filled at our lowest prices the day order is received.

WE WOULD SUGGEST PLACING YOUR ORDER AS EARLY AS POSSIBLE.

VEGETABLE SEEDS

	ASPARAGUS SEED.			1	SECOND EARLY.	
Pa	ge Pkt.	Oz.	3 15.	Lb.	Page No. Pkt. Oz. 1 lb. Lb	
7	Columbian Mammoth White	.15	.35	\$1.00	11 Early Summar 10 25 75 3.0	0
7	Conover's Colossal	.15	.35	1.00	11 Succession	0
	ASPARAGUS ROOTS				11 Early Drumhead	
-	Per 10		Р	er 1000	12 Premium Late Flat Dutch	Ő
7	Roots \$2.50			\$20.00	12 Early Flat Dutch. 10 .25 .75 3.0 12 Large Late Drumhead. .10 .25 .75 3.0	0
	BEANS.				12 Mammoth Red Rock	
	DWARF BEANS-GREENPO				CABBAGE PLANTS-PRICES IN FEBRUARY.	
8	Pkt. Extra Early Red Valentine	Lb.2 .35	Lbs .05	15 Lbs. \$4.00	CAULIFLOWER.	
8	Black Valentino	.35	.65	4.00 4.00	12 Early Snowball	
8	Burpeo's Stringless	$^{.35}_{.35}$.65 .65	4 00 1	CARROTS. 13 Chantenay, or Model	0
8	Giant Stringless	.35 .35	. 65 . 65	4.00	13 Danver's Half Long	ŏ
8	Bountiful	. 35	.65	4.00	13 Oxheart, or Guerande	0
8		.35	. 65	4.00	13 Improved Long Orange	
	VARIETIES FOR SHELLIN	G. .35	. 65	4.00	CELERY.	
8	Large White Marrow	.25	.45	3.35	13 Golden Self-Blanehing	
9	White Navy	.35	.65	4.00	13 Perfected White Plume)0
4	berry	.30	.55	3.75 ·	13 Giant Pascal. 05 25 75 3.0 13 Winter Queen. 05 .25 .75 3.0	00
	POLE BEANS.				CRESS.	
9	Kentucky Wonder, or Old Home-	.35	.65	4.00	16 Water Cress	00
9	stead				COLLARDS.	
	St. Louis Perfection	.35 .35	.65 .65	4.00 4.00	16 Goorgia, Southern or Creole	50
9	White Creaseback				SWEET CORN.	
G	led Cranberry	.35	. 65 . 65	$4.00 \\ 4.00$	EXTRA EARLY AND EARLY VARIETIES.	
9		$35 \\ 35$. 65 . 65	4.00 4.00	Pkt. Lb. 2 lbs. 15 lbs. 14 Extra Early Adams	
5	Dutch Case Knife	.00	, 0,,	1,00	14 Early Adams	75
9	Golden Wax	. 35	. 65	4.00	SWEET OR SUGAR CORN.	
£	Prolifie Black Wax	.35	.65	4.00	14 Improved Golden Bantam	15 75
	BUSH OR DWARF LIMA BE.		05	1.50	14 Early Minnesota	75
9	Burpee's Bush Lima	$.35 \\ .30$. 65 . 55	$\frac{4.50}{3.75}$	14 Stowell's Evergreen	75
į	Henderson's Bush Lima	. 35	. 65	4,50	14 Late Mammoth	75
	POLE LIMA BEANS.			1.00	POP CORN.	a.=
9	King of the Garden Lima	$\frac{35}{35}$.65 .65	$\frac{4}{4}.00$	14 Whito Rice	
Ì	Large White Lima	35	,65	4.00	CUCUMBER.	
	BEETS.				Pkt. Oz. 1 lb. L	
	Pkt.	Oz.	<u>ት የኮ</u>	. Lb. 1.00	15 Early Frame or Short Green .05 .10 .30 1.0 15 Early Green Cluster .05 .10 .30 1.0	
10	131., 12. 1	.10	.35 .35	1.00	15 White Spino	50
- 10	Detroit Dark Red. 05	. 10 . 10	.35 .35	$1.00 \\ 1.00$	15 Jarsov Piekling	00
10	Improved Long Dark Blood	. 10	.35	1,00	15 Davis Perfect. .05 .15 .50 1. 15 Improved Long Green. .05 .10 .50 1.	50 50
10		.10	.35 .35	1.00 1.00	EGG PLANT.	
10					16 Black Beauty	
10	MANGELS AND SUGAR BE Yellow, or Orange	.10	.35	1.00	16 New York 1mproved Spineless 10 .50 1.75	
10) Golden Tankard	. 10	.35	1.00	ENDIVE.	
10) Mammoth Prize Long Red	,10	.35	1.00	16 Mammoth Green Curled	
1					HERBS.	
	BRUSSELS SPROUT				SWEET, POT AND MEDICINAL.	
10) Brussels Sprouts	. 40	1,50		10 Amso,	
	CABBAGE.				15 Bash, Swedt	
1	Copeulagen Market	.30		3.75	15 Majoram	
i 1	Charleston Wakeheld	.30	. 75	$3.75 \\ 3.00$	15 Summer Sayory	
1		.25	.75	3.00	15 Thyme	

VEGETABLE SEEDS—Continued

2

KALE OR BORECOLE. Page N 22 22 22 22 22 22 22 22 22 22 22 22 23 No. 16 16 Lb. Pkt. Oz. ł lb. 16 Dwarf Curled Siberian.......05 16 Dwarf Greon Siberian.......05 16 Dwarf Greon Curled Scotch......05 16 Dwarf Greon Curled Scotch......05 16 Spring or Smooth Kalo.......05 .60 .60 .75 \$1.50 1.50 1.50 .20 .25 20 .50 KOHL RABI. 23 3.00 .85 LEEK. 3.00 2: 23 LETTUCE. 23 CURLED OR LOOSE HEAD. 23 $1.25 \\ 1.25$.40 .40 1.25 40 1.25 21 1.25 21 21 CABBAGE OR HEADING. 21 . 40 $1.25 \\ 1.25$.40 1.25 .40 MUSK MELONS OR CANTALOUPES. GREEN FLESHED VARIETIES. .35 1.2514 14 Rocky Ford .05 .15 Large Hackensack, or Turk's Cap. .05 .15 Improved Green Nutmeg. .05 .15 .35 1.25 18 35 1 25 .35 1.25 ORANGE, OR SALMON-FLESHED VARIETIES. 18 . 15 .50 .15 18 1 25 . 40 $1.25 \\ 1.65 \\ 1.25$ 18 . 15 . 50 18 .40 . 15 18 .30 1.00 .15 WATER MELONS. 10 1.00 .10 30 .30 . 10 1.00 19 10 .30 1.00 19 .30 . 10 1.00 10 .10 .30 1.00 2 19 . 10 .30 1.00 19 . 30 .10 1.00 19 1.00 . 10 .30 19 .10 .30 19 .10 30 1 00 19 35 .10 1.10 MUSTARD. .10 .25 .75 .25 . 10 .75 .10 .75 OKRA OR GUMBO. . 10 .25 .75 20 . 10 .25 .75 20 . 10 ONIONS. Yellow Prizetaker Onion 10 Large Red Weathersfield .05 Yellow Globe Danvers .05 White Portugal or Silvorskin .05 20 .25 .85 3.25 .20 .75 $3.00 \\ 3.00$.20 20 20 25 3.00 .85 ONION SETS. Qt. ½ Pk. Pk. 20 Yollow. 20 .65 1.21 20 Red. .25 .75 1.21 20 White. .30 .85 1.21 Bu. $.65 1.25 \\ .75 1.25 \\ .85 1.25$ 4.00 4.00 20.85 1.254.00 PARSNIP. Pkt. Oz. ± lb. Lb .15 .25 .25 .85 .15 .85 .25 . 15 .85 .15 25 .85 .25 .85 GARDEN PEAS. EARLY ROUND OR SMOOTH. Pkt. Lb. 2 lbs. 15 lbs. Pedigreed Extra Early. Early Alaska. First and Best. $\tilde{2}\tilde{2}$ Early Tom Thumb.....

22

Amcer....

FARLY WRINKIED DEAC

	EARLI WRINKLED PEA	` .		
a	go			
l o		Lb.	2 lbs.	15 lbs.
2	Thomas Laxton 10	.35	.65	4.50
2	McLean's Littlo Gon	.35	.65	4.50
2	American Wonder			
2	Premium Gom	. 35	. 05	4.50
	Little Morriel	.35	.65	4.50
23	Littlo Marvel	. 35	.65	4.50
	Gradus, or Prosperity	. 35	. 65	4.50
3	Nott's Excelsior	.35	.65	4.50
	LATE OR MAIN CROP.			
3	Alderman	. 35	. 65	4.50
3	Telephone	.35	. 65	4.50
3	Champion of England to	.35	.65	4.50
3	Largo White Marrowfat	.25	.45	3.00
3	Dwarf Sugar or Salad Pea	.30	.55	3.75
		.00	.00	0.10
	PEPPER.			
	Pkt	Oz.	1 lb.	
	Ruby King 10	.50	1.75	
	Large Bell of Bull Novo to	.50	1.75	
L	New Chinese Giant Pepper			
		. 60	2.25	
•	Long Red Cayenne	. 50	1.75	
	PUMPKIN.			
	Pkt.	Oz.	} lb.	Lb.
1	Kentucky Field	10	100	1.0.

Wand 1 Dr 11	PRI.	Oz.	21b.	Lb.
Kentucky Field	.05	. 10	.20	.50
Japaneso Pie.	0.5	.15	.45	1.50
1 Chnessee Sweet Potsto	05	.15	.45	1.50
Green Striped Casbaw	. 05	. 15	.50	1.75
white Cashaw	.05	. 15	.45	1.50
Sugar Pumpkin	.05	.15	. 45	1.50
	Kontucky Field Japaneso Pie Tennessee Sweet Potato Green Striped Casbaw White Casbaw.	Kentucky Field 05 Japaneso Pie. 05 Tcnnessee Sweet Potato. 05 Green Striped Casbaw. 05 White Cashaw. 05	Kentucky Field. 05 10 Japaneso Pie. 05 15 Tcnnessee Sweet Potato. 05 15 Green Striped Casbaw. 05 15 White Casbaw. 05 15 Tornessee Sweet Potato. 05 15	Kontucky Field 05 10 20 Japaneso Pie. 05 15 45 Tennessee Sweet Potato. 05 15 45 Green Striped Casbaw. 05 15 50 White Cashaw. 05 15 55

POTATOES.

		Pk. 3	D	Bu.	Bag
25	Early Triumph (Bliss))	ωu.	Du.	Dag
25	Irish Cobbler	1			
25	Extra Early Ohio	İ.			
25					
25	Beauty of Hebron	}			
25	Whito Star	}			
25	reeriess	< Δ. b	for P	rinne	
25	Empire State)	101 1	rices,	
25	Unicago Market.				
25	Rural New Yorker, No. 2				
25	Burbank				
25	Carman, No. 3.	1			
24	Second Crop-Prices in March				

SEED SWEET POTATOES.

23 PRICES APRIL 1st ON PLANTS AND SEED.

RADISH.

	Pkt.	Oz.	1 16.	Lb.
26	Early Scarlet Turnin 05	.10	.35	\$1.00
26	Early French Breakfast			
26	Secold The Will's Mi	.10	.40	1.25
	Scarlet Turnip White Tip	. 10	.35	1.00
20	Ginemnati Market. 05	.10	.35	1.00
26	Long Scarlet Short Top	. 10	35	1.00
26				
	Early Scarlet Onve Shaped	. 10	.35	1.09
26	Chartier (Scarlet)	. 10	. 35	1.00
26	white Iciclo	. 10	35	1.00
26	White Strasburg	10	.35	1.00
26	White Box	.10		
26	Q-ince Qi		.35	1.00
20	Crimson Giant	. 10	. 35	1.00
	WINTER VARIETIES.			
26	Long Black Spanish	.15	.45	1.25
00	D 1 D1	. 10	.10	1.20

20	Round Black Spanish.	.05	. 15	45	1.25
20	Celestial-white China	05	15		1.25
26	Scarlet China	.05	. 15		1.25

RHUBARB SEED.

RHUBARB ROOTS.

ROOTS-PRICES MARCH 1st.

SALSIFY OR OYSTER PLANT.

2.25 SPINACH.

27 Bloomedale Spineck

27	Early Long Standing Spinach	.05 .05	.10	.25 .25	.85

10	. 30	.55	\$3.75	27	Early White Bush	.05	15	. 35	1.25	
10	.30	. 55	3.75	27	Early Golden Summor Crookneck	0.5	15	45	1.50	
10		. 55	3.75	27	Mammoth Yellow Bush	05	15	45	1.50	
	. 30	.55	3.75	27	Hubbard	.05	.15	.45	1.50	
10	. 30	.55	3.75	27	Mammoth Chile	05	15	35	1.95	

VEGETABLE SEEDS—Continued

Page No.

TOMATOES.

EARLY TOMAT	OES.			29	Bonnie Best	.30	\$1.00	
Page No. 28 Early Red Sunrise 28 Spark'e Earliana		.30 1.00	Lb.	29	Buckeye State		1.00 .75	
 28 Chalk's Jewel		$\begin{array}{rrrr} .40 & 1.25 \\ .39 & 1.00 \\ .30 & 1.00 \\ .25 & .85 \end{array}$		29 29	Extra Early Purple Top Milan	.10 .10	.20 .20	.85 .85 .85 .85
 Beauty, Improved Strain Ponderosa Golden Queen 	05	.40 1.25		29	RUTABAGAS. American Purple Top	.10	.25	. 85

FIELD SEEDS

The market is so unsettled at the time we go to press that we can only give prices on a few items. When you are ready to buy, write for SPECIAL PRICES. For weight per bushel and amount to sow, see inside back cover page.

CLOVER

ASK FOR PRICES. Brent's Premium Red Clover. Brent's Premium Alsike. Brent'e Premium Alsike. Brent'e Premium Bokara or Sweet Clover. Brent's Premium White Clover. Brent's Premium Crimson Clover. Brent's Premium Japan Clover. Florida Clover or Beggar Weed. Sanfoin. Sanfoin. ALFALFA.

Brent's Premium American Alfalfa. Grimm Alfalfa.

VETCH.

Spring and Winter.

TIMOTHY. Brent's Premium Timothy.

KENTUCKY BLUE GRASS. Brent's Premium Fancy Blue Grass.

ORCHARD GRASS. Brent's Premium Orehard Grass. **RED TOP OR HERD'S GRASS.**

Brent's Premium Fancy Red Top,

MISCELLANEOUS GRASSES.

Mendow Fescue. Perennial Rye Grass. Pacey's Rye Grass. Awnless Brome Grass. Tall Meadow Oat Grass. Tall Meadow Oat Grass. Sudan Grass. Johnson Grass. Crested Dogstail. Perennial Sweet Vernal. Creeping Bent Grass. Bermuda Grass.

LAWN GRASS SEED. Brent's Premium Lawn Grass Seed.

GRAINS.

SEED CORN-White Varieties.

	2 lbe.	Pk.	Bu.	Bu.
Boone County White	25	.75	1.30	2,00
Johnson County White Dent	25	.75	1.30	2.00
lowa Silver Mine		.75	1.30	2.00
Red Top White Dent	25	.75	1.30	2.00
Hiekory King	25	.75	1.30	2.00
YELLOW VARIET	TES.			
Reid's Yellow Dent	25	.75	1,30	2.00
Gold Standard Learning	. 25	.75	1.30	2.00
lowa Gold Mine		.75	1.30	2.00
Pride of the North	25	.75	1.30	2.00
Strawberry or Calico Corn	25	.75	1.30	2.00
Diagda Butcher	25		1.30	2.00
Ploody Butcher	25	.75	1.30	2.00

.75 1.30 SEED OATS.

BLED OATS. ASK FOR PRICES. Burt, or 90-Day Oats. Red, or Texas Rust-proof. Winter Turf Oats. Superba White Oats. White Spring Oats. White Spring Oats. Black Mixed Oats.

MISCELLANEOUS GRAIN.

Speltz or	Eminer
Barley.	
Flax.	
Wheat.	
Broom C	orn

	DWARF ESSEX RAPE.
	Dwarf Essex Rape.
	CANE OR SORGHUM.
	Amber. Orange. Red Top.
	FETERITA.
	Feterita. KAFFIR CORN.
	White. Red.
	BUCKWHEAT.
	Japanese. Silver Hull. Common Buckwheat.
	TEOSINTE. Teosinte.
	MAMMOTH RUSSIAN SUNFLOWER.
	Mammoth Russian Sunflower.
	MILLET.
	Southern Golden Millet. Japanese Millet. Hungarian Millet. Pearl, or Cat Tail Millet.
	COW PEAS.
	Whipporwill. Black. Braham. Clay.
	Braham. Clay. New Era.
	CANADA FIELD PEAS.
	Canada Field Peas.
	SOY OR SOJA BEANS. Mammoth Yellow. Black. Brown.
	VELVET BEANS.
	Velvet Beans. TABLE COW PEAS.
	Blackeye. Gallivant or Lady.
	HEMP.
	Cultivated River Bottom Hemp.
	PEANUTS.
	Spanish. Improved Virginia. TOBACCO.
	Tobacco.
	FERTILIZER. Brent's Tobacco Special,
	Per 125-pound bag, \$3.20; per ton, \$48.00
	Brent's Grain Grower. Per 125-pound bag, \$2.50; per ton, \$37.00
	Acid Phosphate, Per 100-pound bag, \$1.60; per ton, \$30.00
	Raw Bone Meal, Per 125-pound bag, \$4.95; per ton, \$74.00
	500 Lbs.
	Lb. Lbe. Lbs. Rate
	Pulverized Sheep Manure
	NITRAGIN.
Gai	den Nitragin (Peas, Beans, Sweet Peas only), all in one ean, one size only, weight 4 ounces
Ha	If-acre eize (any culture, weight 4 ounces)

Pkt. Oz. 11b. Lb.

 Half-acre eize (any culture, weight 8 ounces)
 50

 One-acre size (any culture, weight 8 ounces)
 1.00

 Two-acre size (any culture, weight 1 pound)
 1.80

 Five-acre size (any culture, weight 1 pound)
 1.80

 Five-acre size (any culture, weight 1 pound)
 7.50

 Postage or Express extra.
 Please state for what erop it is to be used, as we have different kinds of Nitragin.

 teria are sold only in the finely granular medium and vertilated can which always assures you strong, active baeteria and uniformly good results.

FLOWER SEEDS, BULBS AND ROOTS

Pa No	
43	Maritimum (Sweet Alvssum)
43	Little Gem
43	SNAPDRAGON i oz. Tall-Flowered Mixed
43	Dwart-Flowered Mixed
	AGERATUM. (FLOSS FLOWER)
43	Ageratum Mixed
40	(COLUMBINE) Aquilegia Mixed
43	Aquilegia Mixed
43	Giant Comet. 10
43	Mixed
43 43	White
43	Crimson
43 43	Purple
43	Mixed Queen of the Market
43	Queen of the Market
43	BALSAM. Double Balsam Mixed
	BACHELOR BUTTON.
43	(CORN FLOWER) Finest Mixed
	CALENDULA.
44	(POT MARIGOLD) 2 oz. Calendula Mixed
44	CALIFORNIA POPPY. Mixed
44	CALADIUM. Fach Dog
	CALADIUM. Each Doz. Five to seven-inch
44	CALLIOPSIS. Pkt. i oz. Best Mixed
44	CANDYTUFT. 4 oz. Annual Sorts of Candytuft Mixed
44	CANNA ROOTS. Each De-
44	Charles Henderson
44	CASTOR BEANS. DLA O
44	CASIOR BEANS. Pkt. Oz. Finest Mixed
44	(COCKSCOMB)
	CHRYSANTHEMUMS.
44 44	Shoote Doing
	CINNAMON VINE DATE
	COVCOLVULUS.
44	(MORNING GLORY)
44	
44	Mixed
44	Early Flowering Cosmos Mixed
44	Giant Mixed
44	COREOPSIS. Coreopsis Mixed
44	CYPRESS VINE. Cypress Vine, Mixed
44	DAHLIA ROOTS.
44	Decorative
44 44	Populy Flowered
44	30 3 25
	DIANTHUS
44	All Colors, Mixed
	(FOX CLOVE)
44	Fine Mixed
4-4	GAILLARDIA. toz.
-	Acwest varieties, mixed

ł	Pa				
l	No 45	Premium Mixture. Brilliant Mixture. Pastel Mixture. Choice Mixture.	Per \$1	Doz.	Per 100
l	45 45	Brilliant Mixture		.75	6.50
l	45	Choice Mixture		. 60 . 50	5.00
l		GOURDS. P Apple Shape, Dipper, Disheloth or Towel, Hercules Club and Mixed.	kt.	1 07	0100
l	45	Apple Shape, Dipper, Disheloth or Towel,			
Į		FOUR O'CLOCK.			
ł	45	Tall Mixed	05	1 oz. .15	
l	45	Dwarf Mixed	05	.25	
l	45	FORGET-ME-NOT.			
l	40	Mixed. HELICHRYSUM.	05	.30	
	45	Mixed Colors	05		
Ĺ		HOLLVILOOK			
l	45	HOLLYHOCK. Single	10		
Į	45 45	Chater's Prize Hollyhocks	10		
l		KOCHIA.	10		
Į	45	KOCHIA.	05		
		LARKSPUR-ANNUAL.			
	45	Mixed.	05	.30	
		MADERIA VINE. Ea	əh		
		Maderia Vine	10	1.00	
	45	African Double Mixed	05	. 10	
	45	African Double Mixed	05	.10	
	45	MIGNONETTE.		joz.	
	40	Large Flowering, Mixed	05	.20	
	45	NASTURTIUM. Pkt. O Tall or Climbing Nasturtiums	z.	1 Ib.	Lb
	45	Dwarf or Tom Thumb	15	.40 .50	$1.35 \\ 1.75$
		NICOTIANA. Pi	kt.		
	46	Affinis Hybrids, Mixed	05		
	46	PANSIES. PI	ct.	Oz.	
		PEONY ROOTS. Ead	05	.25	
	46			Doz. 4.00	
		PETUNIAS. PI	ct.	1 oz.	
	46	Mixed	05	.40	
	46	PHLOX.		1 oz.	
	10	POPPIES-ANNUAL.	05	.25	
	46	Double Poppies.	05	¹ oz. . 10	
		PORTULACA.			
	46 46	Double Single	10	. 65	
	10	SALPICIOSSIS	05	.25	
	46	SALPIGLOSSIS.	05	.30	
		SALVIA.			
	46	(SCARLET SAGE)			
	-10	SCABIOSA.	10	. 55	
		(MOURNING BRIDE)			
	46	(MOURNING BRIDE)	05		
	46	SCARLET RUNNER BEAN.		≵ 1b.	
	40	STOCKS.	10	. 15	
	46	Mixed	05		
		SUNFLOWER.	00		
	46	Sunflower	05		
		SWEET PEAS.			
	47	Named Varieties, separate colors10	z. 20	¹ ІБ. .40	Lb.
	47 47	Eckford's Mixed	15	.35	1.50 1.25
	47	Eckford's Mixed	$\frac{15}{25}$.35 .50	$1.25 \\ 1.75$
		SWEET WILLIAM. PR		1 oz.	1.10
	47	Mixed	05	. 15	
		TUBEROSE. Eac		Doz.	
		VERBENA. Pk	ŧ.	1.50 1.50	
	47	Choice Mixed. WILD CUCUMBER.	55	.25	
	47	WILD CUCUMBER.	05	Oz. .20	
		ZINNIAS		1 oz.	
	47 47	Tall Double Mixed	15	.15	
			<i>j</i> J		

GLADIOLUS.

PLANTS AND ROOTS FROST-PROOF CABBAGE PLANTS

READY IN FEBRUARY

	Per 100	Per 1000		
Early Jersey Wakefield	\$.75	\$6.00		
Charleston Wakefield		6.00		
Succession		6.00		
Early Short Stem Flat Dutch		6.00		
Home-grown Cabbage Plants		n March		
Celery				
Egg Plant		n April		
Tomato				
Sweet Potato		n April and May		
Rhubarb Roots		n March and April		
Sage for Seasoning		n March and April		
Scarlet Sage-Flowering		n April and May		


When ready to use, state the number wanted, variety and time wanted. Our prices will please you.

INSECTICIDES

SPRAY ALL CROPS.

Do not wait until the bugs get a start, beat them to it. A little outlay for sprayer and insecticides will prove the best money ever spent.

Arsenate of Lead, per pound	.65
Bordeaux Mixture (dry), per pound	.75
Hellebore, per pound	.90
Kerosene Emulsion, per quart	.75
Paris Green, per pound	.65
Siug Shot, per pound	.25
Tobacco Extract, per pint	.40
Sprayers (quart size), each	.65



FERTILIZERS

The use of our specially prepared Fertilizers have given wonderful satisfaction.

BRENT'S TOBACCO SPECIAL

for Tobacco and Hemp makes yields that pay for its use many times over. This is the Fertilizer for GARDEN USE also.

ANALYSIS:

2 per	cent	Nitrogen
8 per	cent	Phosphate
3 per	cent	Potash

Put up in 125-pound bags, per bag, \$3.20; per ton, \$50.00.

BRENT'S GRAIN GROWER

Use this on all grain crops. Try it drilled in the hill or broadcast on your corn. This brand is very highly recommended.

ANALYSIS:

1 per cent	Nitrogen
8 per cent	Phosphoric Acid
1 per cent	Potash

Put up in 125-pound bags, per bag, \$22.5; per ton, \$34.00.

RAW BONE MEAL

The Nitrogen contained in Bone Meal is slow acting, becoming available as the plant requires it.

Put up in 125-pound bags, per bag, \$4.75; per ton, \$74.00.

ACID PHOSPHATE

This makes the GRAIN—use it on your Oats, Corn and all grain crops where nitrogen and potash are nor required.

Put up in 200-pound bags, per bag, \$2.50; per ton, \$24.00.

PULVERIZED SHEEP MANURE


This manure is shredded and sterilized—contains no weed seeds and is odorless. Use this on your flowers, garden and field. Can be used either as a liquid or solid. Directions on bag and box.

Put up in one-pound box, 15 cents; five-pound box, 50 cents; fifty-pound box, \$2.00; per 500 pounds, \$15.00.

NITROGEN

See Page Third of Price List.

PREMIUM SEEDS



IMPROVED "TRY ME" GARDEN PLOWS

A child can do more work with this tool than a grown man with hoe and spade.

A Steel Turning Plow, Calf Tongue, Furrow Opener, Malleable Rake and Wrench furnished.

The "Try Me" Garden Plow has been greatly improved and is now the most perfect Garden Plow manufactured.

The attachments have been given special attention, especially the shape

of the turning plow so as to give the maximum amount of work with a minimum amount of labor. With the new fastening device it is impossible to attach the plow at a wrong angle and it is held in position with one bolt, which makes the changing of this attachment a simple and easy matter.

The handles are adjustable and the braces from frame to wheel are also adjustable, permitting the plow to retain the correct plowing pitch regardless of the size of the operator.

It is a great labor-saving tool, and is almost indispensable around the garden or truckfarm.

If you want a high-class garden plow and one that will do the work perfectly, "Try-Me." Weight, 20 pounds; price, \$3.95.

NORCROSS GARDEN CUL-TIVATORS HAVE REVO-LUTIONIZED GARDENING

These simple, inexpensive little implements do more and better work than the old-fashioned hoe, with decidedly less labor. They work the soil closer to plants without injuring their roots or foliage than any other type of tool known.



Suited to both men and women. We carry two sizes, five-prong with four-foot handle, and the Midget (for flowers), with a nine-inch handle. Quality the very best throughout—detachable steel prongs, malleable head, finest quality handles.

The sharp tapering shovels pulverize the ground thoroughly from one to five inches deep and leave it loose, level and untrampled.

More than a million in use in America—thousands are being exported. No garden is too large or small for the profitable use of a "Norcross."

Five-prong, weight three pounds, each\$1.35Midget, weight twelve ounces, each.50

The "NORCROSS" name is a guarantee of

SATISFACTION. Send Us Your Order.

FEEDS

FOR POULTRY

AT VARIOUS TIMES YOU NEED THEM ALL. THESE FEEDS CONTAIN NO SHELL NOR GRIT.

P	er 100 Lbs.
Kackle—For Big Chickens—Makes Hens Lay	\$4.50
Chirp—For Little Chickens—Makes them Grow	4.75

	Per 25 Lbs.	Per 100 Lbs.
Alfalfa Meal	\$1.00	\$3.50
Meat Scraps.	. 2.50	9.00
Ground Bone	1.75	6.50
Sunflower Seed	5.00	19.00
Cracked Corn	1.25	4.50
Kaffir Corn	1.25	4.50
Peas for Pigeons.	. 2.50	9.50
Charcoal, per 2 1-2 pound box		
Oyster Shells.		2.50
Grit		2.50

FOR STOCK

THE USE OF THESE CONCENTRATED FEEDS IS ECONOMICAL AND MONEY-MAKING.

	Per 100 Lbs.	Per Ton
Horse and Mule Feed	\$3.75	\$ 78.00
Dairy Feed	3.35	66.00
Calf Meal	6.00	110.00
Calf Meal, 25-pound sack		
Hog Meal		90.00
Hog Tankage		127.00
Linseed Meal	5.50	109.00
Cottonseed Meal		87.00
Wheat Bran	3.25	64.00
Corn, per bushel	Ask for Price	s.
Oats, per bushel		



Northern Grown Seed Potatoes

CULTURE .--- A sandy loam reasonably rich in organic matter, is considered the very best soil for Potatoes. However, any soil that is light and easily worked and contains a good supply of plant food will grow potatoes sucessfully. It is not advisable to apply fresh manure just before the tubers are planted. Fresh manure, besides eausing a number of diseases on the tubers, contain too large a supply of nitrogen, which produces too rank a growth at the expense of tubers. Plowing should be deep in sections where the ground freezes and stays frozen, and should be turned on edge, so that the air can get around and under the lumps. In Southern sections, Spring plowing is perhaps the best, because open winters and numerous rains have a tendency to settle the ground and render it too compact for tubers.

INSECT REMEDIES.—For the Potato Bug, Puris Green is most effective remedy and on large areas had better be applied with a leggett's Champion Paris Green Gun or Beetle Duster. For a small garden, mixing with land plaster, 1 lb. to 100 lbs, of plaster and dusting; or if sprayed, use 1 lb. of Paris Green to 100 galons of water. Slug Shot can be used in small gardens if desired. For preventing bilght and increasing growth of vines and yield of potatoes, spray with Bordeanx Mixture two or three times. It has wonderful results. Paris Green can be used mixed with it f desired.

TREATING POTATOES FOR SCAB.—Mix half pound formaldehyde with 15 gallons of water, same proportions for larger amounts of potatoes. Place uncut and unsprouted potatoes in coarse burlap sack and suspend in the solution. Let soak for two hours, then remove and dry.


EARLY TRIUMPH (Bliss) or Six Weeks.—There is good reason why the Triumph should be popular. It is from seven to ten days earlier than the Ohio, and that often means a difference of many dollars in crop. The potato is of good size, squared at the ends. Skin is red, flesh is very white and firm. It is productive, and for several years to come will probably command a higher price among potato buyers than any other sort.

IRISH COBBLER.—It a pure white Potalo, nearly round in shape with eyes rather more pronounced than in the Ohio type varieties. It is spoken of as the legitimate successor to Bliss' Triumph and is fast supersciling that variety. It sells better than Triumph, as it is a better looker, is alread of Triumph in quality and yields more, although not as early.

EXTRA EARLY OILIO.—The extra Early Ohlo is fully two weeks ahead of the Early Rose, and Is a general favorite with Potato growers and marketmen alke, and Is the most profitable Potato they can possibly grow. The tubers grow compact in the hill, are easily dug, with very few small ones—nearly every potato is of marketable size; has few eyes, which are even with the surface. With beavy manuring, close planting and good culture, a very large and profitable crop can be expected—300 to 500 bushels per acre is not an unusual yield.

ROSE,—This variety has been a great favorite for many years on all markets and many growers still claim that it has never been excelled in quality and productiveness. Potatoes are long in shape, good size and light pink in color at the bud end. They cook mealy and are of the finest flavor.

BEAUTY OF HEBRON.—An old time variety and still largely grown. Oblong in shape, white skin tinged with pink. Good yielder, fine quality.



Early Ohio

WHITE STAR .- i.oug, white in color, good keeper, good size and quality, medium late.

PEERLESS.—A standard round white potato, medium late in maturing.

EMPIRE STATE.—A good standard late Potato and one extensively used for late planting; good yielder and cooker; in color, white, somewhat llke the Burbank, but larger.

CHICAGO MARKET.—This Potato is said to be a seedling of the Rose. It is later, makes a heavler yield and is a splendld Potato for cooking and for keeping. The Potatoes are many to the hill and are large. In shape, rather oblong and flat. Color varies on different soils, from light pink nearly white, to rose color. In Central Kentucky this is one of the most popular main crop varieties.

RURAL NEW YORKER No. 2.—Well known now the country over, and very largely planted for profitable main crop. Rurals are now quoted in all the leading markets of the country along with Burbanks and other standard sorts, and usually they are quoted higher than Burbanks. They are certainly more profitable to raise. When Rural No. 2 first made its appearance as sent out in 1889 by the Rural New Yorker, it introduced an entirely distinct class of potatoes, unknown up to that time. The class is characterized by long, rather spindling vines, with dark colored stalks, dark green leaves and purple blossoms; tubers nearly round, flattened, with very smoolh, pure white skin, uniform in size, quite numerous in the hili, always very attractive in appearance.

BURBANK.—A standard Long White variety. An old standard main crop variety which is very popular because of market demand and heavy yields. Satisfies both the grower and the consumer. Tubers are large, oblong and have fairly deep eyes. Color white, quality escellent, cooking very mealy and of attractive whiteness that pleases. It is the standard market potato in most of the potato growing districts and contends with Rural New Yorker for first place.


CARMAN NO, 3.—This great Potato should be found in every list of the best varieties. It is a sort of an iron-clad, and holds its own and does well everywhere. It makes great yields of fine, large, smooth tubers, white, nearly round, even under the most unfavorable circumstances, and can be relied on to bring in money.

FOR PRICES SEE COLORED PAGES



RADISH

For an early supply, sow in a hotbed in February, care being taken to give abundant ventilation to prevent running to leaves. For open air culture and succession, sow from middle of March until September at Inter-vans of a week or ten days. The growth must be rapid to insure crispness, succulence, and mildness of flavor. A fine dry, sandy ioam, enriched and made light with weil-rotted manure, is best adapted for the purpose, all heavy soils producing directly the opposite results from those desired. One ounce to 100 feet of drill; 9 or 10 lbs., per acre.



Early Scarlet Turnip

EARLY SCARLET TURNIP .- A very early, small, EARLY SCARLET TURNIP.—A very early, small, round Radish; entire Radish is of a rich scarlet color. This splendid variety has always been a great favorite. For prices see colored pages. EARLY FRENCH BREAKFAST.—A very popular

French variety of very rapid growth, and one of the best varieties for early forcing; its form is oval; color scalet tipped with white, and small in size. It is also a beautiful variety for garnishing purposes. For prices see colored pages.

It is also a beautiful variety for garnishing purposes. For prices see colored parces. SCARLET TURNIP WHITE TIP.—Market garden-ers' favorite Radish for outdoor planting. A very desirable one for the home garden. It is an early maturing variety, only a little later than the forcing strain. Turnip-shaped; handsome scarlet in color, with a distinct white tip. For prices see colored variance. pages

CINCINNATI MARKET .- The finest long Red Rad-

CINCINNATI MARKET.—The finest long Red Rad-ish in cultivation, either for house or market. Skin scarlet colored, very thin, the flesh crisp, brittle and of delightful flavor. For prices see colored pages. LONG SCARLET SHORT TOP.—The standard early variety for market and home garden. Roots iong, growing partly above ground, straight, smooth, rich, scarlet color, very crisp and quick grower. Our seed is especially scienced. For prices see colored pages, FARLY SCARLET ALLET SHORE COLOR (in colored)

EARLY SCARLET OLIVE SHAPED .- Olive shaped. terminating in a small (ap root. Skin scarlet; neck small; flesh rose colored, tender and excellent. For For prices see colored pages.

WHITE ICICLE.-The finest of the early, pure white varieties. Planted in the Spring, the Radishes are ready for puiling in about three weeks from sowing the seed. They are long and slender and clear pure white, making them very attractive when

on sale and on the table. It is crisp and tender, both when young and until it attains farge size, thus remaining in condition for use for considerable


thus remaining in condition for use for considerable time. For prices see colored pages. CHARTER (Scalet).—One of the best long scar-lets for second early Summer or Fali uses. Roots when fully grown, average 7 or 8 laches long and 1_2 to 2 laches thick, but even when only $\frac{1}{2}$ lach thick are in good condition for table. It remains longer without getting pithy than any Summer sorts. Color, bright crimson, shading to white at the tip. For prices see colored pages. WHITE STRASCH RG.—One of the most popular and desirable of all long white Radishes for second early or Summer crop. Even when comparatively small it is fine quality and remains crisp and tender

and desirable of all long white Radishes for second early or Summer crop. Even when comparatively small it is fine quality and remains crisp and tender much longer than other early varieties. Roots when full grown are $1\frac{1}{2}$ to 3 inches and 5 to 6 inches long, tapering. Top medium; roots smooth, crystal white color, handsome, showy, crisp and tender and espe-cially desirable for market or family use. For prices and smooth where

chain desirable for market of tanking use. The prices see colored pages, Sow in Jelly or Angust for winter use, LONG BLACK SPANISH.—A long, very hardy Radish. Skin nearly black; flesh pure white. Very well known and extensively planted. For prices see colored pages.


Colored pages. ROUND BLACK SPANISH.—A large, turnip-shaped tadish. Skin and fiesh same as the long variety. Quality about the same. For prices see colored pages. CELESTIAL—WHITE (HINA.—Roots average 15 'n. long. 5 in. in diameter; grows mostly above ground; fiesh white, crisp and juicy. For prices see indexed variant.

colored pages, sCARLET CHINA,—Very large red whiter vari-ty, Crisp, while flesh; good keeper. For prices see



Early Scarlet Olive Shape





Spinach

One ounce of seed for 100 feet of drili-ten to tweive pounds in drill per acre.

CULTURE .--- Spinach is very hardy. extremely wholesome and palatable and makes a delicious dlsh of greens, retaining its bright green color after cook-ing. It should be planted in very rich ground, the richer the better. Sow in drils one foot apart, and commence thinning out the plants when the leaves are one lnch wide. All should be cut before hot weather, or it will be tough and stringy. For early Spring use, the seed should be sown early in autumn. In the North the plants will require a slight protec-tion of leaves or straw, but in the Southern States no protection is necessary, and they will continue their growth most all winter. of greens, retaining its bright green color after cooktheir growth most all winter,

Bloomsdale Spinach Bloomsdale Spinach Spinach being cut to the acre than any other variet y, and thus adding an increased profit to the shipper, It is especially recommended for autumn sowing, as when sown in spring time it shoots to seed early. On good soil 150 barrels of Bloomsdale Spinach should be cut to the acre. For prices see colored pages. EARLY LONG STANDING SPINACH.—This is the best variety to be sown in the Spring and at monthly intervals for a successive summer supply. Bubbarb CULTURE.—Rhubesh

CULTURE,—Rhubarb succeeds best in deep, some what retentive snil. The richer its condition and the deeper it is stirred the better. Sow in drills about an inch deep, and thin out the plants to six inches apart. In the fall transplant the young plants into very highly manured and deeply stirred soil, setting them four to six feet apart each way, and give a dressing of coarse manure every Spring. The stalks should not be plucked until the second year, and the plant never allowed to exhaust likelf by running to seed. MYATT'S VICTORIA.—Planting two year old roots gives quicker results.—For prices see colored pages.

Salsify or Oyster Plant When properly cooked, it is a good substitute for oysters in taste and flavor, and is very nutritious. A most palatable vegetable; the cultivation is precisely the same as directed for Parsnips and Carrots. Salsify will keep finely through the Winter, in the ground where grown, in exactly the same manner as Parsnips. The roots are perfectly hardy; in fact, they are best after the frost has touched them. Succeeds best, perhaps, in light, well-enriched soil. If it is necessary to use manure, it should be very fine and well-rotted. Sow early in drills 18 inches apart and cover firmly one inch deep; thin to three inches opart in the drills. One onnee of seed will sow fifty feet of drill; eight pounds is sufficient to plant an acre-stronger growing and less liable to branch. Invaluable to market gardeners. For prices see colored pages.

Squash or Cymling

Summer Squash requires one ounce to 30 hills. Winter varieties, one ounce to 15 hills and 3 to 4 pounds

CULTURE.—Plant when the weather has become settled and the ground fairly warm. Bush varieties are planted 3x4 feet; running varieties 6x8 feet; about 4 to 6 seeds per hill and thin out later, leaving the strongest plants about 3 to the hill. Hills similar to those made for Cucumbers with well-rotted manure or fartilizer are best. Winter varieties may be stored in a moderately warm dry place of even temperature. INSECT PESTS.—For the Striped Beetle, see under Cantaloupes. For the Squash Bugs, Tobacco Dust is sometimes a preventive, but Kerosene Emulsion is the best remedy. EARLY WHITE BUSH.—A well known early vari-ety. Color is creamy while with comparatively smooth surface, somewhat flattened and scalloped. Vines are bush, vigorous and very productive. Known as Patty Pan or Cymling in the South. For prices see enlored pages.


enlored pages.

EARLY GOLDEN SUMMER CROOKNECK .-- The DARLY GOLDEN SUMMER CROOKNECK, The old standard sort; very productive and matures a little earlier than the Giant Summer Crookneck. Fruits, when fully grown are about one foot long, with distinctly crooked neck and surface uniformly warty; color bright yellow. Fnr prices see colored norms pages.

MAMMOTH YELLOW BUSH or GOLDEN CUS-TARD,--This is a new rich golden yellow, scalloped bush Summer Squash, grows large, is not excelled in quality and is very productive. For prices see colored pages.

ored pages. **IUBBARD.**—A well tried popular favorite, with strong, vigorous, prolific vines. Squashes weigh from 10 to 25 pounds. Dark green, with golden yellow flesh, deep and finely grained, richly flavored, sweet and dry. Property kept, it will last from September to May. For prices see colored pages. **MAMMOTH CHILE.**—A large fruited variety, skin smooth and dark orange color. Flesh is of a rich yellow color—very thick, fine grained and sweet. Excellent for ples and needs little sugar. Fruits very large, sometimes attains weight of 150 pounds. Fine for stock. One of the hest winter varieties. For prices see colored pages.

Squash



Early Red Sunrise

TOMATOES

Seed can be grown in a hothed or in boxes in the house for carliest plants and later in cold-frames or in the open ground as soon as danger of frost is past. If sown thinly in rows they will stand until large enough to handle. Enough plants can be started in an ordinary eigar box to supply the average family, but they would of course have to be transplanted to pots or other boxes to afford room for growth. Tomatoes are one of the carliest vegetables to grow from seed, and all should have them as they are not at all particular as to soil. Where possible, it is well to make this rich, either with stable manure or a good potash fertilizer. Set the plants three to four feet apart each way and cultivate well. An ounce of seed will produce about 1,500 plants. Three to four ounces are sufficient for an are.

INSECTS AND BLIGHT,—For the green worm, which eats the foliage, use Hellebore, either dry or in solution, or Paris Green mixed with water at the rate of 1 lb, to 150 gallons and spray. For rot, blight and other diseases, spray the plants with Bordeaux Mixture in solution, commencing early.

Early Tomatoes

EARLY RED SUNRISE.—We quote from the originator of this remarkable tomato.—"A few years ago we made a selection for an early tomato, with the idea of increasing the yield of saleable fruit over the Earliana, which, in our estimation, was the best early tomato at that time. We carefully tested this variety before offering it to our customers. Since offering it for sale, we have had a great many recommendations from men who know. It has even surpassed our highest expectations, and we feel pleased that we can offer this tomato to our customers. We consider it the most useful variety in our list hecause of its being a week earlier than Earliana, both in first fruit and main gathering, because it yields twentyfive per cent more saleable fruits than the Earliana, because it cuts equal with any other variety, early or late." Flants of this tomato sold by us May 15, 1919, matured tomatoes the last week of June. If you want the earliest tomato and a good one, try this. For prices see colored pages.

For prices see colored pages. SPARK'S EARLIANA.—Probably no carly Tomato introduced in many years has attracted so much attention and has so large a sule as Spark's Earliana. It is not only extremely early, but is remarkable for its large size, handsome shape and heautiful bright red color. Its solidity and fine qualities are fully equal to many of the best late sorts. Extra early Tomatoes are one of the most profitable crops for the market gardener as well as especially desirable in the home garden. You will make no mistake in planting the Earliana. For prices see colored pages. CHALK'S JEWEL.—One of the newer introductions in Tomatoes. It is extra early In maturing, coming in very shortly after Spark's Earliana, but a heavier cropper than that variety, with Tomatoes of large size and sweeter in flavor. It is of bright red or scarlet color, being in the same class in quality and handsome appearance as the Matchless, while it is distinctly earlier in season. A particular advantage claimed for this variety is its hardy, vigorous and robust growth, admitting of earlier plenting in the field, as it is claimed that it withstands cool weather and blight where plantings of other tenderer sorts would be injinred. It is very highly recommended by those who have grown it and it is rapidly growing in favor everywhere. For prices see colored pages.

JUNE PINK.—The earliest of all pink Tomatoes. It is a good yielder of high quality and runs very smooth for an early sort—similar in habit and shape to the Earliana, differing from it in color only, which is pink in-

and shape to the Earliana, differing from it in color only, which is plak instead of red. Plak Tomatoes are much preferred in some markets. The June Pink, while primarily an early Tomato. continues to bear and ripen fruit up to frost. The fruit is borne in clusters. single specimens often measuring 3 inches in diameter. For prices see colored pages.





TOMATOES—(Continued)

ACME.—This celebrated variety is of an entirely distinct character, and is very popular. It is well adapted for Southern culture; form perfect, round, slightly depressed at the ends, very smooth; color a glossy dark red, with a sort of purplish tinge; ripens all over and through at the same time; bears continuously until frost; delicious in flavor. For prices see colored pages.

LIVINGSTON'S GLOBE.—Another new variety of exceptional merit. It is of beautiful globe shape, with quite a percentage of elungoted (stem to blosson) remits which permits a greater number of slices being

quite a percentage of elingated (stem to plosson) fruits, which permits a greater number of slices being taken than with flat-fruited sorts. Color a beautiful glossy rose, tinged purple. For prices see colored pages.


PONDEROSA.—It is in every way spiendid. It excels in magnificent size, often attaining a circumference of 18 inches, frequently weighing 2, 3 and 4 lbs, each, perfect in form, free from wrinkles and fissures, perfectly smooth; solid, free from water cavities, almost seedless; ripenthoroughly from center to skin, its glowing crimson color permeating the flesh to the heart; It is free from rot; but above all, the delicious quality and flavor are its crowning merits—toothsome and rich when sliced, savory and delicious when canned, very little bolling being required for it to thicken.

The plants of Ponderosa Tomate are of Inxuriant, healthy growth, independent of droughts, free from blight, and are prodigious, early and continuous bearers. First ripe fruits are often picked in ten weeks from seed sowing, while late fruits may be gathered until frost. For prices see colored pages.

GOLDEN QUEEN. --- A very handsome yellow Tomato of large size, solid and smooth; very productive. For prices see colored pages.

BONNIE BEST.—Early, of good shape and size. It is a vigorous grower and very prolific. In shape it is nearly round, very thick through, and partly flattened at the stem end. Grows in clusters of 4 to 6; color is a bright searlet. This is a variety that should be tried by every one. BUCKEYE STATE.—A desirable variety for truckers. Grows in large clusters of six to eight, large fruit. Ripens evenly, solid with color, a purplish pink.

BEAUTY, IMPROVED STRAIN.—This has been a standard variety for many years, and is still the favorite main crop Tomato with our market gardeners. Medium early, round, very uniform in shape. Skin smooth, crimson with purplish tinge. Flesh solid and of excellent flavor. A splendid Tomato for either the home garden or for shipping. For prices see colored pages.



Purple Top White Globe

STONE. This variety is very larke and of a bright scarlet color; very smooth; ripening evenly to the stem without a crack, exceedingly solid; is an excellent shipper; quality the very best; fine for canning; a good keeper; without hard core; not subject to rot; its vines and foliage rank and robust. For prices see colored pages.

SMALL-FRUITED VARIETIES. Small Varieties,-Tomotoes, excellent for preserves or pickles; Red Peach, Vellow Peach, Red Pear, Yellow Plum.

Turnip

For early use, sow as soon as ground opens in Spring, in drills from 12 to 15 inches apart; thin out to 6 or 9 inches in the rows. For succession, continue to sow every two weeks until lune; for Fall and Winter erop, sow in July and August. The Rutabagas are grown for feeding stock, and are also excellent for the table. Take up the roots in November, or before severe frosts; cut off tops within an inch of the crown, store in cool cellar or pit, or pile in a conical form out-of-doors, in dry ground; cover carefully with long straw, and links by earthing up with about 12 to 15 inches of earth, leaving a trench around the heap to carry off water. One ounce of seed for 150 feet of drill; one pound for an acre.

EXTRA EARLY PURPLE TOP MILAN.—Of handsome appearance; somewhal flattened, white with purple top. Two weeks earlier than Purple Top Strap Leaf; good for Spring or Fall planting. Bub forms very rapidly. For prices see colored pages.

PURPLE TOP WHITE GLOBE.—A fine table Turnip. It is an early and heavy cropper, as well as a good keeper. The huld is a very handsome globe, and is especially in demand among market gardeners, This is also a good Turnip for stock feed, as it will grow to a harge size if left for that purpose. For prices see colored pages.


PURPLE TOP STRAP LEAF.—This is probably more extensively planted than any other variety. It is a very early flat Turnlp of medium size, the lower portion white and the upper part reddish purple. The flexh is fine grained and sweet. A splendid table variety and desirable also for stock feed. For prices see colored pages.

SEVEN TOP.-Grown extensively in the South for the tops, which are used for greens. It is very hardy and will grow all winter. As it does not produce a good root, it is only recommended for the tops. For prices see enfored pages.

Rutabagas

Rutabagas, Swedish or Russian Turnips, are extensively grown for a farm crop. The roots are elnsegrained, hard, and will endure a considerable degree of cold without injury if preserved in a pit or cellar during the winter. Rutabags are superior to any other vegetable root grown for cattle, horses and sheep. The animals thrive and fatten on rutabagas, carrots, and mangels fed in combination with hay.

AMERICAN PURPLE TOP.—A very large, globeshaped Rutabaga, yellow with purple top. Hardy, vigorous growing variety of excellent quality for the table and one of the best for stack feed. For prices see colored pages.



Brent's Premium Field Seeds

For close on to fifty years we have made a specialty for close on to first years we have name a specialty of Fleid Seeds. Located in the center of the grass seed growing section we are enabled at all times to buy from the growers to the best advantage,

Our cleaning and shipping facilities are the best.

Both our large warehouses are located on switches and are within a short distance of all depots.

That the merits of "BRENT'S PREMIUM SEEDS" are recognized is shown by our continuously increas-ing domestic and foreign demand.

To Obtain Best Results with Grass and Clover Seeds

Have the ground thoroughly prepared. This is of the utmost importance to secure the largest and most successful crops. If the land is filled with weeds it the utmost importance to secure the instant where it successful crops. If the land is filled with weeds it is better to sow some grain crop or Millet to smother the weeds before sowing other grasses or clovers, Before grass seeds are sown, the ground should be thoroughly and deeply plowed, and repeatedly bar-rowed. This is more expensive, but the results will more than instity it. more than justify it.

Where the land is in need of fertilizing, and there is very little that is not--200 to 400 pounds of Raw Bone Meal or a good mixed fertilizer can be used when the seed is sown, either in the Spring or Fall. This will eliminate danger of weeds to a great extent. Seeds can be sown in the Spring or Fall. In the Spring, February, March and April are the best

Crimson Clover

Trifolium incarnatum)

Farmers all through the middle Atlantic and southcentral States are increasing the acreage of Crimson Clover very materially, as they find it one of the most satisfactory of early forage and soli-improving crops. Its greatest value is a soll-improver, practical farmers maintaining that a crop of Crimson Clover turned under is equal to a good application of stable manure. It costs less to seed per acre than any other similar crop, and the results in putting the muchneeded nitrogen and humus into the soil are considered superior even to cowpeas, or any other known crop throughout this section.

The best time for sowing is during August, Sep-tember and October. It should be sown at about the rate of 15 pounds to the acre. For prices see colored pages.

months in this section. Grass Seeds can be sown alone or with a graip crop. Sown alone generally give better results. Seeds can be sown with a Wheel-barrow Seeder, Rotary Seeder, by hand or a Grain Drill. For light seeds a Grain Drill, or a Wheel-barrow Seeder is best. The Rotary Seeder for heavy grass seeds and clover. Best results are obtained from two way sowings, sow one half the seed crossing the field and the other balf in returning over the months ln this section. Grass Seeds can be sown the field and the other half in returning over the same space.

Light seed should be covered very little. grass Clover seeds and heavier grass seeds 14 to 14 inch. Grass seeds sown by hand or with a seeder should

he harrowed and afterwards rolled,

Watch your meadows, when a hare spot ap more seed should be sown which will insure a spot appears, inore even cron

Japan Clover

(Lespedeza striata)

Japan Clover is a promising crop throughout the middle and Southern States. It grows rapidly prac-tically anywhere. Once started it soon spreads and tically anywhere. Once started it soon spreads and makes a steady growth of the finest and most nutri-tions pasturage, much relished by all stock. On stony hillsides or waste lands it will grow well also on low or wet lands, in combination with Red Ton, making excellent grazing for this class of land. It is recommended for sowing in woods that are used for grazing, as it will not well in the shade where other grazes will not other grasses will not.

It is not advisable to graze Japan Clover too con-tinuously for first season, but after that it can be grazed at any time. This Clover is not recommended for lands that will grow other Clovers or grasses;

but for poor, wornout solls it will make excellent pasturage and benefit the soil. Will make excellent sow 10 pounds to the acre in March or April. It does not make much showing the first year. For prices see colored pages.



Red Clover

(Trifolium pratense)

Red Clover is grown for both hay and pasturage, also when the roots and stubbr are turned under for soiling purpose. As a gatherer of nitrogen it is of great value to are turned under for solling purpose. As a gatherer of nitrogen it is of great value to land. Soil that will produce satistactory yields of corn are best sulted for led clover; boggy lands sometimes do not give good results. When Ilme is deficient it kentucky, where stands of Red Clover have bot been giving satisfaction, Alske has been sown to advantage. Red Clover, when sown in the spring, on winter grain after the late frosts, will usually have a natural covering. When this covering is lacking the Clover seed should be sown by drilling or harrowing in. Many tarmers be-lieve in two sowings in central Kentucky. This is dono by sowing one-half the amount of seed in February, the balance during the last part of March or first of April. It can also be sown in autum, during September, or at any time sufficiently early to preven the being caught by a freeze, or in the early spring while the ground is freezing of thawing. Sow in the autumn, 10 lbs. to the acre; if in the usual way in spring. 8 to 10 pounds, For prices see colored pages.

Mammoth Clover (Trifollum pratense)

(Trifolium prateinse) Mammoth or Sapling Clover, sometimes called Feavine Clover, is a variety of the common Red Clover, maturing about ten days later. The larger size of Mammoth Clover plants makes it of slightly greatet value than Red Clover as a soll improver: as hay it is somewhat coarser. Sow in the same manner as Red Clover. For prices see colored pages. see colored pages.

White Clover

(Trifolium repeus)

This variety of Clover is found generally throughout the United States. It is hardy, and will grow on nearly any soil, but does best on heavy land. Its greatest value is for sowing with Distures for lawns and pastures. The blossoms of this Clover are much sought by honey-bees. Sow 10 to 12 pounds to the acre. For prices see colored pages.

Florida Clover or Beggar Weed

(Desmoeium Molle)

Beggar Weed is especially recommended as forage crop and a soll improver for the thin sandy lands and pine barrens of the South. Makes a vigorous growth, 2 to 5 ft. high, makes a large yield of pas-turage and bay, nearly equal in nutritive value to cow pea hay. May be sown any time after frosts are over until middle of June. Sow in drills 3 ft. apart, 3 to 4 pounds to the arre or broadcast 10 to 12 pounds per acre. Cover 1 to 2 inches. May be cut for hay or green feed when 2 ft. high and will produce suc-cessive crops branching from roots. For prices see colored pages. Beggar Weed is especially recommended as forage colored pages.

Alsike

(Trifolium hybridum)



This Clover is valuable when sown alone, or with Red or Mammoth Clover, for hay, Is very hardy, and can be sown early in Soring. Seed is small, and should not be covered deeply. Because of the smallness of the seed, a bushel of Alsike will sow more than a bushel of Red Clever. Some sections where Red Clover can no longer be grown satisfac-torlly, Alsike is used. Sow alone, 6 to 10 lbs. to the acre, on wheat or rye, 4 to 6 lbs. to acre. For prices see colored alone, or with Red or Mammoth Clover.

pages.



Red Clover

Bokara or Sweet Clover

Of the three varieties of Sweet Clover known, the Blennial White (Melilotus Alba) is considered the best for this section. The Blennial Yellow is also used. The Annual Yellow is not so desirable.

used. The Annual Yellow is not so desirable. Sweet Clover can be grown in all sections of the United States, and it has been proven that in many sections it is of value as a farm crop. It thrives on poor clay and poor sandy soil, but does best on limestone soil. On poor soils and where it is un-common, the seed should be inoculated at the time of sowing. As the bacteria of the roots of the Sweet Clover can inoculate Alfalfa, it makes it a valuable crop where Alfalfa is to be sown later. Sweet Clover must have a tirm, well-prepared seed-bed. It does best after corn on ground that does not

Sweet Clover must have a limit, well-prepared seed-bed. It does best after corn on ground that does not need to be plowed, using a disc or spike-tooth harrow to cover the seed. It can be sown either in spring or fall, and does best when sown alone; 20 to 30 pounds of hulled seed, or 30 to 40 pounds of unhulled, are sown to the acre. It is a vigorous grower and soll-improver, especially on poor, wornout hand, where an ordinary crop will not grow. As with Alfalfa and Cow peas, stock may not eat it readily at first; but, from the amount that is being fed in many states, it is apparent that their dislike is overcome. Sweet Clover disappears under ordinary mowings, as it lasts only two years under such conditions, but if left to seed itself, will last ten to fifteen years. For prices see colored pages. see colored pages.

Sanfoin


(Esparcette Ciover)

A little known variety of special value for light, dry, sandy or limestone soils. Is a good fodder plant, Usually sown with oats or barley, using 30 or 40 lbs, of seed to an acre. For prices see colored pages.

Flax

should be sown late enough in the Spring to reax should be sown late enough in the Spring to avoid frost, but as early as it is possible to do so. in order to secure the early Spring rains. When grown for the fibre, about one bushel should be sown to the acre; but if for seed alone, usually one-half is suf-ficient. For prices see colored pages.

Alfalfa or Lucerne (Medico Sativa)



Field of Alfalfa

Alfalfa is the most valuable crop that can be grown on any farm. The United States Department of Agri-culture says: "In addition to the hay crop. Alfalfa at two years adds \$100.00 to the value of every acre on which it grows."

Alfalfa is sown in this section in the Spring, but Alfalfa is sown in this section in the Spring, but more generally in August and early September to avoid weeds. When sown at this time, two cutings may be made the following season. Alfalfa does hest on a deep loose limestone soil. Where lime is heking, it should be supplied. The Kentucky State Eperiment Station recommends four tons of ground limestone to the acre. It will not do well on many clay soils nor where the water table is within six inches of the surface.

The soll should be thoroughly prepared, fine on top, but well settled. Plow deeply and disk and harrow thoroughly, right after plowing. Then roll to make lt firm.

The soil should be fertlie. Barnyard manure at the The soil should be letthe. Barnyard manure at the rate of 8 to 10 tons to the acre, if applied the year be-fore Alfalfa is sown and the weeds that grow from the manure are cradicated, makes a most satisfac-tory fertilizer turning under green crop also helps.

The plant, when young, is weak and must have plenty of available food the first year to make its growth, then when established, it is a strong grower.

It will then develop a strong tap root, enabling it to stand the winter well, and start vlgorously the following year.

Sow at the rate of 15 lbs, in drills or broadcast 20 lbs, to acre. It is advisable to sow the seed half one way and the other half across to secure a uniform stand. Alfalfa must be covered not sown on the sur-

face, as other clovers and grasses. After sow-ing broadcast, lightly harrow and always roll. Depth to sow depends on the soll from three-fourths to one inch is generally sufficient.

Inoculation is generally recommended, but in all cases is not necessary. Where Sweet Clover grows wild, artificial inoculation is not gener-

grows whild, artificial inoculation is not gener-ally necessary as the same germs grow on Sweet Clover as on Alfalfa. Alfalfa will yield three to five cuttings when well established. It should not be grazed. Let it wilt a little before feeding green. If cut for hay, cut closely when in bloom, let lie for 21 hours, then rake in whidrows, When dry, stack in field with straw covering or put under cover. Handle as little as possible to prevent shat-tering of leaves. tering of leaves.

Brent's Premium American

ALFALFA SEED

This seed is selected from the best American and but to see the form on non-irrigated band. It is plump, time colored, of high germi-nation and purity. For prices see colored pages.

Grimm Alfalfa

This variety was originated in the northwest by a man named Grimm. In appearance of the seed and bloom it cannot be distinguished from other varieties. It is characterized by spreading roots instead of one main tap root, by wide growth and heavy stooling qualities. On ac-count of its peculiar root formation it is claim-ed it will withstand winter killing. For prices see colored pages.

Peanuts

Peanuts should be planted on light, loamy soll, and will prove one of the most profitable crops that can be grown. They yield very largely-yields of 50

will prove one of the most profitable crops that can be grown. They yield very largely—yields of 50 hushels per acre being reported on land too poor to plant in corn. In addition to the yield of nuts, they yield ordinarily about a ton of excellent dry forage per acre, in addition to the crop of nuts. Peanuts should always be shelled before being planted. They should be planted in May or early alune, in rows about 2½ to 3 feet apart, dropping the nuts 8 to 10 inches apart, one in a bill. Cover one or two inches deep. Cultivate three or four times with a cultivator, so as to loosen the earth and keep down weeds, and at last working, with a small turn plow throw the dirt to the nuts. It is also advisable to late in the season, as late cultivation is likely to injure the formation of lime, scattering it on top-of the row just after planting, and to use a top-dressto make an application of line, scattering it on top of the row just after planting, and to use a top-dress-ing of land plaster just after the last working. Pea-mits require plenty of line to make first-class nuts, and the use of line and land plaster as above men-tioned is recommended by the most successful growers. In harvesting, plow the peanuts, and then stack against stakes stuck into the ground, the roots with the peannts on them, to the center, and the leaves outside. outside.

On a small plot, four rows 12 feet long, in a garden near Lexington, one bushel and a peek of peanuts were dug this fall. Try them in your garden this season.

Senson. SPANISH.—Rather small pods, but very early and extremely productive. The nuts are rich and highly lavared. This variety is also used for stock feeding. The entire plant being harvested and making very nutritions feed. For prices see colored pages. IMPROVED VIRGINIA.—Grows upright and pro-duces heavy crops of large nuts. For prices see col-ared mass

ored pages.



Spring Vetch

(Vicia sativa)

The Vetches do not do so well in the Spring as in the Fall. In some sections, spring Vetch seems, however, to give very good results. When sown in Spring, the Spring Vetch makes a quicker growth than the Halry Vetch. It is best always to sow with some grain—beardless barley or oats, a bushel of barley or oats and 30 pounds of Vetch to the acre. For prices see colored pages,

Winter Vetch

(Vicia villosa)


Halry or Winter Vetch is increasing in popularity wherever grown, and is proving to be one of the most valuable crops for Fall planting. It not only makes the most antificuous hay, but improves the condition and productiveness of the land for crops to follow. Winter or Halry Vetch occupies first place in this respect it being among the few plants grown during the Fall and Winter months that are able to gather nitrogen from the air and deposit it in the solifor future use of other crops. The foragis greatly relished by horses and cattle and is very nutritions; it is also a fluemith producing food.



Vetch

Vetch can be sown from duly to November, and should be sown broadcast at the rate of 20 to 30 pounds to the acre, with one bushel of rge or wheat. The rg \cdot or wheat helps to hold the Vetch off the ground, cuabling it to make a better growth, and making it more easy to harvest and cure properly. For a hay crop, Vetch should be cut just after the rge or wheat has headed out, and before the grain matures. If Vetch is sown alone, without being put in with rge or wheat, it should be sown at the rate of 35 to 40 pounds to the acre. It is much better, however, to sow it with rge or wheat. For prices see colored pages.





Boone County White

Pedigreed Seed Corn a yield of 75 to 100 bushels to acre. The dif-

There is no crop depends as much on nature of seed sown as does Corn, as shown by the experiment made some years ago by Prof. Holden, of the lowa Agricultural College. He planted 100 samples of corn taken from 100 different planters in the vicinity of Ames, iowa. Giving all the same carc and cultivation and planting on the same land-the variation in yield was very large, some of the corn producing less than 20 bushels while others yielded nearly 100 bushels to an acre.

The best seed produced nearly four times as much corn and of better quality than did the lots of inferior corn.

To cultivate a corn field with a 50 to 75 per cent yield costs just as much to cultivate with

ference in the cost of poor and the best seed is only about 30 to 40 cents per acre. As a bushel of corn will plant from six to

eight acres, you can see very clearly that if you receive only an increase of one bushel to the acre that the additional yield more than pays for the additional cost of the seed. If, as noted in the experiment of Prof. Holdenthe yield is increased from 20 to 80 bushelsthe shortsightedness of planting anything but the best is evident.

A saving in the cost of seed is always poor economy-and nowhere more so than in seed corn.

WHITE VARIETIES

WHITE T BOONE COUNTY WHITE.—This variety originated in Boone County, Indiana, from which it takes its name. It is probably the best known while variety in the central corn helt and in Kentucky. The cars are from 8 to 11 inches long, about 7½ to 8 inches in circumference, with 18 to 24 rows and average about 16 ounces in weight. The cob is medium long and well filled both tip and butt, with pure white grains containing a good per cent of proteins. It is matured in about 110 days. Stalks grow good size in circumference and height, with liberal amount of blades. We can supply either Kentucky or Indiana grown. For prices see colored pares. JOHNSON COUNTY WHITE DENT.—This variety, like Boone County, is a native of Indiana. It is not so well known as Boone County, which it greatly re-sembles, as it is a newer variety. Some of our cus-

sembles, as it is a newer variety. Some of our cussembles, as it is a newer variety. Some of our cus-tomers, who for one reason or another, do not like the Boone County, give their unqualified approval to Johnson County. The ears are about the same in dameter as Boone County White and are slightly longer. Cohs white, with long indented grains set close together. The ears, however, are smoother than Boone County and some other white varieties. This variety bears a large amount of foliage for ensilage, good root development and matures in about 110 days. For prices see colored pages. It is a good plan to change your Seed Corn fre-


quently.

quently. IOWA SILVER MINE.—This is one of the best known of the White Dent varieties. It matures early. 85 to 90 days. Has a white cob and solid pure white grain that makes the finest meal. On thin land and with adverse conditions, It will do better than any other white variety and on rich land the yields are enormous. The ears are good shape, from 9 to 12 inches iong, with 18 to 20 rows of deep, narrow grains packed tight on the cob. The stalks generally produce two ears to the stalk, and are from 7 to 8 feet high. This corn is a disease resister and stand-hot weather well. For prices see colored pages. **RED COB WHITE DENT.**—This corn is especially adapted to rich land where a white corn with a red

adapted to rich land where a white corn is especially adapted to rich land where a white corn with a red coh is not objected to. The grain is white, deep and solid, on well filled ears of about 10 inches in length The number of rows varies from 18 to 24. This corn makes a heavy yield on land that is adapted to it For prices see colored pages.



Gold Standard Leaming



Johnson County White

INCKORY RING.—An old and well-known white variety. Short ears with the largest grains and smallest cobs known. The stalks grow from six to eight feet high and have from two to three ears. It is a heavy yielder of both grain and folder and is extensively used in some sections. Matures in about 85 to 30 days. For prices see colored pages.

Yellow Varieties

REHD'S YELLOW DENT.—Among the many excellent varieties of Yellow Corn grown in the corn belt, Reid's Yellow Dent stands among the best of all yellow varieties. It is extensively used by stock feeders. The color is a rich yellow, closely packed and very deep grains, which entirely cover the butts and tips of good height, with one or two enrs, 10 to 12 inches long and 14 to 16 rows. The cob carries a large amount of corn, often shelling 88 per cent or hetter. Matures in about 100 days. For prices see colored pages.

shelling 38 per cent or better. Matures in about 100 days. For prices see colored pages. GOLD STANDARD LEAMING.—One of the oldest of the yellow varietles known. It is a general favorite with stock raisers on account of its large yield of grain and for fodder and ensilage. The grain is light yellow and does not become as thinty as most yellow varietles. The cob is red and of medium size. The ears are from 9 to 11 laches in length and from 7 to 8 inches in circumference. Statks from 10 to 12 feet high and large amount of foliage. Matures early. For prices see colored pages.

colored pages. IOWA GCLD MINE.—This is a Yellow Dent variety that is grown extensively throughout the United States, and by many is claimed to be the best of all yellow varieties. The habit of growth and appearance is the same as Iowa Sliver Mine, as is its earliness, size of ear and productiveness. The grain is of a bright golden color, hence its name: very small cob which drikes out nearly as soon as it ripens. The stalk bears from one to two good ears which are 8 to 10 inches long. It matures 90 to 100 days. This is the corn for thin land, on rich land the yield will be proportionately greater. For prices see colored pages.

pages. **PRIDE OF THE NORTH.**—The earliest of all Yellow Dent Corn, maturing from 85 to 90 days. The ears are from 7 to 8 inches long with small cob and kernel. Color is bright orange. 70 pounds of ears will make 62 pounds of shelled corn. On good soll it is capable of producing four or five good stalks to the hill, many of which will lear two ears each. Good results can be obtained from planting in drills, as the stalks are small and do not require as much room as the large growing sorts. If for any reason you cannot plant your corn at the proper time. Pride of the North may save the day, as it matures from 20 to 30 days earlier than the large ear varieties. For prices see

to 30 days earlier than the large earlier trancities. For pares, solared pares, STRAWBERRY or CALICO-CORN.—A very old variety very popular with stock feeders. It is a combination of colors—red, white and yellow. The ears are large with deep grains and small cob, 7 to 8 inches in circumference, and 9 to 12 inches long. It is rich in protein. Matures in about 100 days. A bad ear in a field of Calico is a rarity. Load for load, Calico will outwelgh any other corn we know of. For prices see colored pages.

BLOODY BUTCHER.—An early corn, making a good yield and frequently used for replanting. The color varies from a light to a deep red, nearly black. Ears from 9 to 11 Inches long, 16 to 20 rows. Grains dented and somethnes quite rough. This corn is not much bothered by worms or birds. For prices see colored pages.





Selected Seed Oats



We take a great deal of pride in the quality of the Seed quality of the Seed Oats which we offer to our trade. They

a r.e. always selected and recleaned over our own mllls, BURT, or 90-DAY OATS-This Oats has been extensively for years and has lately come into use in Kentucky. The color is between a gray and yellow — looks like a stained White Oat--shraw stiff and stands up well and makes an excellent yield. yleld. As it before any other grain it is esper-cially desirable for early feeding. For priecs see colored pages.

RED or TEXAS RUST-PROOF. This RUST-PROOF.— This Oat originally came from the Southwest. The heads are unusually long and heavy. Sometimes the heads start within a few inches of the ground. When this is the case it should be mowed and cured as hay. Ordinarily it can be handled in the usual manner. To be used as sheaf oats this variety is superfor to any other. For prices see colored pages.

WINTER TURF OATS .- The best and hardiest of When sown early, they are far superior to Oats. They yield ordinarily 40 to 60 bushels oats. Spring Oats. Spring Oats. They yield ordinarily 40 to 60 hushels to the acre, but under favorable conditions yields of over 100 bushels to the acre have been reported. The grain is of a dark gray color. Very heavy with a thin hull, and tests 40 to 42 pounds to the bushel. On good land they grow 4 to 5 feet high, producing both the best quality of feeding oats and better and more palatable straw for stock. Sow 11_2 to 2 bushels to the acre. For prices see colored mores aere, For prices see colored pages.

SUPERBA WHITE OATS.--This is an early winter variety. The straw is of medium height and very strong. We have never heard of a case of its lodging. The grain is large and plump, very heavy, with a thin hull. This oat, on account of its great pro-ductiveness, will give wonderful returns. With a favorable season, 90 to 100 bushels to the acre and on eventionally good ground an high og 197 humber of exceptionally good ground as high as 125 bushels to the acre. For prices see colored pages,

WHITE SPRING OATS,-Our stocks of these oats are especially nice. They are northern grown and have been carefully recleaned by us. For prices see colored pages.

BLACK MIXED OATS .- These oats grow taller and BLACK MIAND OLIS,—These dats grow tatter and yield a little better than the white, and for this rea-son are preferred to use on mode ate or thin land, They make more follage than white Spring Oats and are better to cut green. For prices see colored pages,

Speltz or Emmer

This grain is of comparatively recent introduction in This grain is of comparatively recent introduction in this country. It is claimed by some to be the primi-tive wheat the kind grown by the ancients. It re-sembles Rye in the habit of growth is early will stand drought, yields well, makes a fine pasture or hay. The grain resembles wheat, but has a husk like broater.

barley. Sow in the Spring broadcast or drill at 1½ to 2 hushels to the acre. Bushel is forty pounds. For prices see colored pages.

Seed Wheat


We sell thousands of bushels of the best and most improved varieties of Seed Wheat every year, and our wheats have attained a very high reputation on account of their cleanliness and superior quality. We Issue in August a descriptive list of Seed Wheat and other seeds for Fall sowing, which we will take pleasnre in mailing to anyone upon request.

Broom Corn

Broom Corn CLITTRE.—Sow in drills 3 ft. apart at the rate of 3 to 5 lbs. per acre, thinning out stulks up about 70 10 the rod. Cultivate as for corn. Rich land requires theker seeding and more stulks than medium or poor soil. Cut when the seed is in the milk state. For prices see colored pages. MAMONA DWARF.—A favorite sort in the Southwest on account of is earliness, dwarf hablt, robust growth, extreme productveness and long well-flow of the seed is the brush, and stalks make well-flow of the series of the brush stalks make seedent fodder which is reliable by stock. On account of its large yielding, moderate height and tor southern States. For prices see colored pages. EXERGREEN.—Wherever the location is suitable for growing Broom Corn, farmers find it a paying trop, the demand for the brush exceeding the supply. This evergreen variety grows about s to 10 feet high, stands up well, and is entirely free from crooked weaks. The fiber is long and the, It will not get red in the lield before it is cut, but is strictly a green the lield before it is cut, but is strictly a green the lield before it is cut, but is strictly a green the lield before it is cut. Barneys

Barley

BEARDLESS SPRING BARLEY,—A very valuable criety. The carllest barley known. The straw is variety. The carliest barley known. The straw is about the height of common barley but better, and will stund up on any land; on good land will produce 80 lushels per acre. Sow as early as you can; frost does not hurt it. Many farmers will not grow bar-







Brent's Premium Lawn Grass Seed

FOR PRICES SEE COLORED PAGES.

There is nothing more attractive around a home than a beautiful lawn. Nothing is such a constant source of pleasure and adds so to the value of the place at such a small cost. Without a lawn the flowers and plants about the home lose much of their attractiven ess.

A lawn can be made by solding, but much better and more satisfactorily by sowing the seed and at less expense. Solding is expensive and rarely satisfactory. Sod is frequently cut from the roadside or some outof-the-way pasture. It is generally poor in quality and full of weeds and unless very carefully laid will make an uneven surface and an unattractive lawn. To sow the seed is cheaper and better.



This Year

Make Your Place

LOOK LIKE HOME

By Fixing Up A GOOD LAWN

> BRENT'S PREMIUM LAWN GRASS.— An unrivaled mixture of the purest and cleanest seed. It contains only the highest grade of grasses suitable for the purpose of making a heantiful, durable, lasting lawn. Brent's Fremium Lawn Grass Seed germinates quickly, roots deeply; this cnables it to readily withstand the intense heat of summer and the cold in whiter, showing a beautiful,

stand the intense heat of summer and the cold in whiter, showing a beautiful. In the green during the greater part of the year. It contains no annual grasses for a quick show, to the detriment of a permanent lawn, but has only those which are lasting and hardy. When a lawn is once established from our seed it hasts for years. From 6 to 8 weeks' time is all that is required to form a close, thick turf of rich, velvety green. For a perfect and enduring hawn of closely interwoven, firm, elastie turf, which will flourish under varied conditions of soil and climate and show a luxuriant, rich green growth throughout the year, plant Brent's Premium Lawn Grass Seed.

QUANTITIES TO USE.—One lb. for 100 square feet; 5 lbs, for 2,000 square feet; 25 lbs, for 10,830 square feet (¼ acre); 50 lbs, for 21,780 square feet (¼ acre); 100 lbs, for 1 acre.


For renovating old lawns, use about one-half quantity given in the above table.

HOW TO MAKE A LAWN.—The preparation of the soll is very important in making a good lawn. As early as possible in the Spring it should be thoroughly dug or ploughed to the depth of 10 to 12 inches and properly graded to the desired level. Remove all stones, sticks, sods, etc., harrow or rake it fine and roll it firm. It is impossible to get the soil too fine to receive the seed. If the soil is poor, wood ashes, hone meal or pulverized sheep manure should he added after digging it up. Weil-rotted stable manure is also good, but it often contains weed seeds. Sow the best seed obtainable--it is always cheapest in the end. It is best to sow seed liberally, not only so as to produce a lawn mickly, but because the best lawn seed produces line-beayed grasses which should take endire possession of the ground at once, thus choking out and preventing the development of any weed seed, which are apt to be in all soils. Sow seed 1y hand; distribute it evenly, going both ways across the plot. After sowing, cover the seed by raking lightly, then roll. When the grass has become well rooted, use lawn mower. Keep the mower sharp, as if dull it will pull and injure the grass, besides causing the lawn to have an uneven appearance. Never will take off the first joint, as this is an injury. Mow as often as necessary, in growing weather at least once a week. Let the short elippings remain on the lawn, as they wither and dry and form a protection to the roots. When the chippings are long, they should be raked off, for besides being unsightly, they are also injurions. When dry and hot, avoid entiting too close.

TO GRASS A TERRACE.—Take for each square roi a pound of lawn grass seed and mix it with about six cubic feet of good dry garden loam. Place it in a tuband add liquid manner, diluted with about two-thirds water until the ulxture has the consistency of mortar. Make the slope even and smooth, water it well, then apply a thin, even coat of mixture.

FOR SHADED PLACES.—On nearly all lawns there are shaded, hare and unsightly spots on which the owners have difficulty in getting a stand of grass. For such places this mixture is adapted. It is composed of grasses which naturally grow in shaded places. They are the finest and most costly of grasses. If the soil is covered with most, or "sour" and out of condition, take off the surface and apply alaked lime at the rate of one hushel to 1,000 square feet. This will sweten the soil. Then dig and prepare the lawn as directed above.





Kentucky Blue Grass

(Poa pratensis)

Kentucky Blue Grass is a percunial, having an abundance of long, slender leaves; it makes the best, sweetest and most nutri-tious pasture for all kluds of stock. The Blue Grass paint does not produce long stalks, as do some other grasses, but it is con-stantly putting up new blades, which come from the roots or base of the plant; hence a pasture well set with Keutucky Rue Grass is generally fresh, and will graze a greater number of stock to the acre than any other grass. It is on the beautiful Blue Grass pasture of Keutucky that the famous high bred horses, for which the State is neted, are reared. This grass b-the first to start in the Spring and remains green practically throughout the Winter. The roots are very thick and stout and Jorm a tough sod. Blue Grass requires about two years to get well started, and for that reason it is often sown in mixtures with other grasses. It will do well for almost any hand, excepting sandy soll in the extreme southern States. Sow in the Fail at the rate of 15 to 30 pounds to the acre. For prices see colored pages. Kentucky Blue Grass is a percunial, having an abundance of

Orchard Grass

(Dactylis glomeratu)

Orchard Grass is one of the best and most reliable grasses for Orchard Gräss is one of the best and most reliable grässes for the middle and Southern States, either for hay or pasture. It suc-ceeds well on nearly all soils, but it does best on uplands, loamy or moderately stiff soils. It starts early in the Spring and continues well into the Winter. It is of quick growth, bears close grazing, and when young is especially relished by stock. It makes excellent hay and gives the very best results mixed and grown with Tall Meadow Oat Gräss and Red Clover, it should be cut when in blossom as the bay is mirred if the seed is allowed best results mixed and grown with Tall Meadow Oat Grass and Red Clover. It should be cut when in blossom, as the hay is injured if the seed is allowed to ripen. It sown for seed, stock should be renoved 60 days before the time for cutting. It can be cut, put in shock and threshed in same manner as wheat. The yield runs from 5 to 30 bushels to the acre and the pre-valling price for the seed for the past 10 years has been from \$1.50 per bushel up, depending upon the quality. It can be sown in the Spring or Fall, either with grain or alone. Sow two bushels to the acre, if sown alone; or with Red Clover, one bushel of Orchard Grass and four pounds of Clover are the quantities usually sown. For prices see colored pages.

Meadow Fescue

(Festuen prutensis)

Meadow Fescue, sometimes called Euglish Blue Grass, is practically well adapted to our uplands and mountainous districts, and gives excellent results on good loamy or heavy solts all through the Middle States and the South. It is a splendid Spring and Summer grass, and makes more and thicker leafage than even Orchard and Tail Meadow Oat Grass. It is also especially useful for Fall and Winter pasturage, as it remains green throughout the Winter. It is very popular in eastern Kentucky, southwest Virginia, Carolina, where it is very highly appreciated. It sue-

Carolina, where it is very highly appreciated. It suc-ceeds well in nearly all sections of the South, and should be very largely used in pasture and hay mix-rures, being especially suitable for sowing with Red Top and Timothy for hay, or with these and Orchard and Tall Meadow Oat Grass for permanent pasturage.

Sow either in Spilng or Fall at the rate of 20 to 25 sow etther in spring or rain at the rate of so to 25 pounds to the acre, it sown by likelf. When sown with Red Top and Timothy, sow 14 pounds Meadow Fescue, 5 pounds of Fancy Cleaned Red Top and 6 pounds of Timothy to the acre, Sow for grazing mix-ture with Orchard and Tall Meadow Oat Grass, add-ing 8 to 10 pounds each of these two grasses. For prices see colored pages.

Perennial Rye Grass

(Lolium perenne)

This is one of the quickest of any of the grasses and will furnish a quick-growing, most nutritious and and will furnish a culck-growing, most nutritious and icafy pasturage, at the same time making very good hay. On account of its quick, early growth, it should be a constituent of nearly all hay and pasture mix-ures. It is becoming well known in this country as a valuable pasture grass, which will bear frequent close cropping. It produces an abundance of follage, which remains bright and green during the seasons. The hay is much relished by all kinds of stock. It will grow well on almost any kind of land, but does better on such land as will produce a good corn crop. When sown by itself sow 30 pounds to the acre. either in Spring or Fall. For prices see colored pages.

Pacey's Rye Grass

(Lollum perenne)

The most valuable grass of Great Britain, holding the same position of importance that Timothy does in this country. Very early, and cures into hay that is hard, but has a sweet flavor and is relished by cat-tle. Mixed with Red Clover, makes n good hay. Height, $1\frac{1}{2}$ to 2 feet. Sow 20 to 30 pounds to the core acre,

This is simply a variation of the common Perennial Rye Grass, but it is much more vigorous. For prices see colored pages.

Awnless Brome Grass

(Bromus inermis)

This is a valuable grass for light and sandy soils and dry localities. It roots deeply and stands droughts well. It is growing quicker than most other grasses, and is essentially an early

Spring and late Fail pasture grass, The hay crop having been removed, it makes heavy growth of aftermath well adapted for permanent pasture. In the Southern for permanent pasture. In the construct States it is generally sown in October or November. Sow 18 to 20 pounds to the acre and thoroughly harrow. It is espe-civily adapted to the Northwestern cially adapted to the Northwester States. For prices see colored pages.





Tall Meadow Oat Grass

(Arrhenatherum elatius)

Vields as much as Timothy or Orchard Grass as early as Orchard Grass, with more leaf and alfording better grazing. It is not strango that this grass is becoming so popular. It will keep all Winter and all Summer; the drought of mid-Summer or the cold of Winter does not injure it. It starts growing very early in the Spring, can be cut twice for hay, and will yield good grazing until late in the Fall. It contains more flesh and muscle-forming material than Timothy, but it is not so faitening. For hay it should be cut while in bloom. Tall Meadow Oat Grass is best adapted for rather light and loamy uplands, but gives excellent results on nearly all soils, and better results than any other grass on light, medium soils. Sown alone, use 20 to 30 pounds to the acre, Winter, Spring or Fall. Sown in mixture, use 10 to 12 pounds of Tall Meadow Oat Grass, 12 to 14 pounds of Orchard Grass and 3 pounds of Red Clover. It gives the very best results sown with Clover. By adding 6 pounds of Red Top or Herd's Grass to the mixture, its grazing quality will be materially increased. For prices see colored pages. Ylelds as much as Tlmothy or Orchard Grass as early as Orchard see colored pages.

Timothy

(Pbleum pratense)

This grass is so well known that it needs no description; it is extensively grown throughout this county, and succeeds well on most soils, withstanding extreme droughts, heat or cold. It makes the very best and most nourishing hay, which can be preserved for a long time. Sow 10 to 15 pounds to the acre. For prices see colored pages.

Red Top or Herd's Grass

(Agrostis alba)

This is a good, permanent grass and makes a perfect sod. It is one of the best grasses that can be sown on "washy" lands and for holding the soil; is also highly recommended for low marshy land. In most sections it is highly thought of for hay, succeeding Clover and Timothy when they have died out. It is a good forage plant when kept fed close, and it never grows so coarse or hard but that the stalk is sweet and tender, and it is eaten without waste. It should enter largely into a mixture with other grasses. Sow 25 to 30 pounds to the acre of uncleaned seed, and 10 to 20 pounds of seed to the acre when chaff is removed. For prices see colored pages.

Sudan Grass

This new grass has come into great prominence in the past ten years. It was originally brought to this country by the U. S. Department of Agriculture from The Sudan. Africa. It belongs to the Sorgham family and in looks much resembles Johnson Grass, the main difference is that it is an annual and has to be pro-duced from seed each year. On account of its not living over Winter, it can never become a pest like Johnson Grass sometimes does. Sow in Spring at same time of Millet and Sorghum. Grows from 4 to 6 feet hield. Is beauty of the source same time of Millet and Sorghum. Grows from 4 to 6 feet high. Is easily cured for hay, which all stock relish; yield of hay is from 1 to 2 tons per cutting and 2 to 4 cuttings can be made per year. Cut for hay as soon as the grass is in full head. If grown for seed, cut when the seed is ripe and fully matured. Sudan Grass will resist any amount of dry weather: is valuable for hay and silo. Sow in drills 2 to 5 pounds to the acre broadcast 10 to 15 pounds. For prices see colored pages.

Johnson Grass

(Sorghum Halepense)

This is a perennial Sorghum, and can be sown only This is a perennial sorghum, and can be sown only in the Spring to advantage, April being the best month. It makes a farger yield of hay, and will admit of 3 or 4 cuttings, making, on good land, 1½ to 2 tons per acre at a cutting. It should be sown only on land where it can remain as a



only on land where It can remain as a permanent pasture, and should be cut before the seed ripens to confine it to the fields where It is grown. The roots of Johnson Grass can be killed by cold weather and exposure of the roots by late Fall and Winter plowing. Sow 25 to 30 lbs. to the acrc. Thick sowing makes a finer stalk, which, when cured. is better for stock. This grass does hest in the South. For prices see colored the South. For prices see colored in Dages.



Timothy

Crested Dogstail

(Cynosurus Cristatus)

On dry, hard soils and hills it is valuable for its hardiness. Useful for lawn mixtures. Sow 25 pounds to the acrc. For prices see colored pages.

Perennial Sweet Vernal

(Anthoxanthum Odoratum)

Useful as a mixture with other grasses on account of its early growth. It cmits an agreeable odor when cut for hay. Sow 10 pounds to the acrc with other For prices see colored pages. grasses.

Creeping Bent Grass

(Agrostis Stolonifera)

(Agrosus Stoionifera) Adapts itself fairly well to most soils, but thrives best on low or moist lands. On account of its short, slender follage, vigorous root growth, and creeping habit, it produces a turf capable of withstanding a great deal of wear, and should be included in all mixtures designed for pleasure grounds. Seed with other grasses at the rate of about 30 pounds to the acre. For prices see colored pages.

Bermuda Grass (Cynondon dactylon)

((ynondon dac(ylon)) A valuable perennial grass for pasture through the South. It does well on light soil, and very well on clay and loamy soils, standing dry and hot weather remarkably well. It is rather hard to cradicate when once established; this can be done, however, by plowing deeply the Bermuda Grass sod and inverting it so that the crops planted to succeed it w^[1] get a groad start. Their shade will prevent the Bermuda Grass from growing. Sow from March to May, put-ting in about 6 to 8 pounds to the acre. For prices see colored pages. see colored pages.





Dwarf Essey Rupe

Dwarf Essex Rape

(Brassica napus)

(Brassien napus) Rape should be sown in July, August or September, It makes a large-yielding, natritious, succulent green feed or pasturage all through the Fall, Winter and early Spring. The fattening properties of Rape are said to be very much better than those of clover; it makes a first-class crop, either sown alone for graz-ing during late summer and fall, or sown with crim-son clover. Rape can be successfully sown in the Spring as well as the early Fall; early Fall seeding, however, gives the best results. Rape is lost sown in drills at the rate of 3 to 5 bs; to the acre, or it earn be sown broadcast when from 6 to 8 bs, to the acre should be used. For prices see colored pages.

Cane or Sorghum

Sorghum will make a larger yield in the same length of time than any other plant in this lalitude and is very nutritious and much relished by horses and cattle. It can be cut two or three times during the senson, and stands dry weather well. For sum-mer pasturing for cattle and hogs it is excellent. Turn the stock on the field factore the plant joints and sends up stems, or when about a foot high. Sorghum can follow rape or rye and then le followed by rape in the Fall, thus making a continuous pasture. For forage, sow 50 to 75 pounds to the acre; for sorghum, drill about 12 to 15 pounds in rows about 3½ feet wide.

314 feet wide,

Amber,-The earliest variety, not so heavy in yield as some others, makes a lighter-colored syrup. For prices see colored pages, Orange.—A little later than Amber; claimed to make a heavier yield of forage. For prices see col-

ored press

Red-Top.—This is the best variety for forage on account of its many leaves and heavy, compact heads, Cane very sweet, Symp darker than that of the Amber, For prices see colored pages,

Buckwheat

Sow 3 necks to 1 bushel to the acre.

Buckwheat is not considered exhaustive to the soil. As a smothering crop, where the land contains objectionable weeds, it is very desirable, and it puts

Feterita

Feterita is one of the non-saccharine sorghums of the same class as Kaiar Corn, Milo Maize, etc., and it is a new addition to our forage crops, its chief characteristic being its wonderful yields in extremely dry places,

lt matures early-about 20 to 30 days before Kallir Corn. It stools out from 3 to 18 heads to a stool, making an immense

18 heads to a stool, making an infimense crop. The grain is larger than Mile, fully as soft, and much whiter than Kalär Corn, its feeding value is somewhat better than either Kalär Corn or Mile, and does not contain the dust that accompanies Kallir corn and Mile. The head is creet and does not shatter much. It is not loth-ered by chinch lugs. For prices see colored pages. Dages.

Kaffir Corn

Kallir Corn has been largely grown h the West for a forage and main crop. The grain is much relished by cattle and poultry, It can be sown with cowpeas; the Corn holds the vines off the ground, making a larger yield of peas, and both can be cut together, making a jarger yield of feed. Sow alone, brondcost 40 to 50 poinds to the acre for forage and cut before fully headed,

While is the standard variety; Red is very popular, and in some sections is con-sidered hardler. For prices see colored pages.

the soll in admirable condition for any crop that is

desired to use for rotation. It can be suwn so late as to prove a profitable second crop to follow early peas, potatoes, etc. Good pasturage for bees,

JAPANESE,—It proves to be live weeks earlier than Silver Hull, both being planted at the same time. Kernels are peculiar and distinct. Makes a time. Kernels are peculiar and distinct. Makes a superior grade of flaur. For prices see colored pages.

SILVER HULL.-Grain silvery gray, in color, Rounder than common lockwheat, is earlier, has thinner husk, and yields more. For prices see colored pages.

COMMON. BUCKWHEAT,-Selected seed. For prices see colored pages.

Teosinte

Teosinte is a forage crop, somewhat resembling Toosinte is a forage crop, somewhat resembiling Indian corn in appearance. The leaves, however, are not so broad and large and the stalks contain sweeter sup. It makes a large yield of fodder, much relisied by all stock. After being cut, it stools out enor-rounsly. The first cutting can be made when the plant is 2 to 3 feet high. The seed is slow in germi-nating but once started grows rapidly. Sow in drills 2 to 3 pounds per acre, $3\frac{1}{2}$ to 4 feet apart, Sow during the last of May or In June. For prices see colored pages.

Mammoth Russian Sunflower

The best variety for the farmer, as it makes heads nearly double for the size of the common kind, and makes a much larger yield of seed. Will yield under favorable conditions, 40 to 60 tushels to the acre and yields of as high as 125 tushels have been reported under excentionally favorable conditions. It is highly recommended for poultry, and the best egg-producing food known, and the leaves make excellent fodder. relished by all kinds of stock. The seed is a good food for horses, and yields a fine quality of oil. The strong, blick statks can also be used for fuel. Culti-vate the same as corn. When the seed is ripe and hard, cut off the heads and pille loosely in a rail-pen having a solid floor, or in a corn crib. After curing sufficiently, so that they will thresh easily, flay out and run through a threshing machine, and clean with an ordinary fanning mill. Some species of sunflower are largely planted in the flower garden for ornament. For prices see colored puges. The best variety for the farmer, as it makes heads



Millet



Golden (formeri) called German) Millet

SOUTHERN GOLDEN MILLET, -- True Sonthern Golden Millet makes a heavier yield of forage and hay than any other of the Millets. If sown for hay, it should be sown thickly, using from 50 to 65 pounds to the acre, and should always be cut while in bloom and before the seed hardens. If seed forms, the stalks become too hard for good hay and it is exhaustive to the land. If sown for seed, drill in at the rate of about 15 pounds to the acre and cultivate. On good land the yield should be from 30 to 50 hushels per acre. If sown for seed, secure Southern-grown seed. The seed is slightly smaller and rounder than the Western Golden. For prices see colored pages. SOUTHERN GOLDEN MILLET,-True Southern pages.

HUNGARIAN MILLET.—This Millet does best on good low ground and rich soil. It makes a superior class of hay, which is not so hard on working stock as the hay of other varieties; it, however, does not make so large a yield. Sow from the first of May to July first, 40 to 50 pounds to the acre. For prices see colored mages colored pages.

JAPANESE MILLET .- Entirely distinct. It grows 6 JAPANESE MILLET.—Entirely distinct. It grows 6 feet, yields 10 tons green fodder per acre. When oured, it makes an excellent quality of hay, and is a much relished green fodder. Cure as you would a heavy crop of clover. It may be sown from the mil-dle of May to the first of July, broadcast at the rate of 15 pounds per acre, but it is better to sow it in drills, 12 to 18 Inches apart, using 10 to 12 pounds per acre, and cultivate until 15 Inches high, when its rapid growth will smother all weeds. For prices see colored nages. colored pages.

PEARL or CAT-TAIL MILLET (Penicillarla,)-**PEAKL** or **CAT-TAIL** MILLET (Penicillarla.)— Pearl Millet is valuable as a continuous-cutting forage plant. Grows from 10 to 12 feet high, but can be cut when the plant is 3 to 4 feet in height, when it will stool out and make a tremendous growth, which can be cut three or four times during the season. It is excellent for dairymen, or anyone wishing green feed through the Summer we it can be cut on the data with the summer season. excellent for darymen, or anyone wishing green leed through the Summer, as it can be cut as desired until killed by freezing. Sow 5 pounds to the acre in drills 3 feet apart, or broadcast 25 pounds to the acre. It should not be skewn before May, as it requires warm weather to germinate and do best. For prices see colored pages.

Cow Peas

Cowpeas are one of the largest-yielding and most nutritious crops known. The vines when cured are considered superior to Timothy hay in the South. As a tertilizer the Cowpea has no superior, for, to a greater Cowpea has no superior, for, to a greater extent than any other leguminous crop, it has the power of extracting the nitrogen from the air and depositing it in the vines and roots so that the land is benefited even when the crop is cut for hay. Sow in late May up to the middle of July, 60 to 90 pounds to the acre.

WHIPPOORWILL,—A favorite, carly, up-right growing variety, more largely used and sold than any other kind. Has brown-speckled seed, which are easily gathered. Makes a good growth of vine, which can be easily cut and cured as dry forage. For prices see colored pages.

BRAHAM.—A new varlety that is a cross between the Iron and the Blue Whippoor-will or Crowder. It has the good qualities of both the iron and the Whippoorwill. It is discase resistant and heavy yielder of both seed and hay. The seeds are small. One bushel will go twice as far as any of the older varieties. It is better adapted to lighter solls than for heavy clay soils. It is one of the best and most satisfactory va-rieties that can be grown. For prices see colored pages.

NEW ERA.—This extra-early Cowpea is unquestionably one of the most valuable varieties in cultivation. It is quicker in growth than any other Cowpea; makes a very large growth of vine and a very pro-lific yield of Peas. It stands unright, enab-ling the Peas to be easily gathered. The Peas are fully one-third smaller in size than those of any other Cowpea, so that it does not require as many to seed an acre. For prices see colored pages.

BLACK .- This is the standard varlety, and the most largely grown in this immediate section. It is very prolific, early to mature, makes a fine growth both of vines and leaves and a good yield of Peas 1.4 a forage crop and makes an enormous yield of rich, nutritious feed. For prices see colored pages.

CLAV .- Seeds medlum-sized and cream or clay colored. Vines grow long and leafy. Seed matures me-dium late. For prices see colored pages

Canada Field Peas

This is a crop which it not only profitable but will return to the land the much-needed nitrogen as well. These Peas are second only to clover in their soll-enriching properties, and can be grown under almost any condition of soil or elimate. There is always a ready market for Peas, or they can be profitably ground and fed to the stock. The vines make rich, nutritions hay. If fed when in a green state, pods, vines and all to milch cows, the flow of milk will be almost doubled

Peas are a paying crop, and can be profitably planted in many ways. First. When sown alone, about 3 bushels are re-quired to the acre. After maturing, they should be threshed when dry. The yield will vary from 30 to 60 bushels nor core

threshed when dry. The yield will vary from 30 to 60 bushels per acre. Second. Peas and oats are frequently sown to-gether, using 1½ bushels of Peas and 2 bushels of uats to an acre. By so doing a double crop can be secured. They can be threshed at one time and readily separated in cleaning. Taird. They can be sown alone or with oats, and fed green. It is surprising the amount of fodder which is produced in this way. If sown together, the Peas should be sown first and plowed under about 4 inches deep; the oats may then be drilled in. Fourth, For plowing under when Peas and oats are sown together, and each are "in milk." they are nearly equal in value to clover, used in the same way, to enrich the soil.

to enrich the soll. Sow in January, February or early March.

For prices see colored pages.





Soy Benns

Soy or Soja Beans (Glycine hlsplda)

The use of Soy Beans is constantly increasing on ac-The use of Soy Beans is constantly increasing on ac-count of their value as a forage and feed crop as well as their great fertilizing properties. They can be sown with cowpeas to hold the pea vines off the ground which thus can be cut and cured to better advantage for hay. They can be grown generally where corn can, and do equally well on light and heavy solls. Where a crop of Soy Beans is growing it is nearly impossible for weeds to grow. For hay or fertilizer they should be sown from 60 to 90 pounds to the aere. When sown for ensiting the is better to sow in corn at 15 to 20 pounds to the acre. Sow for the shelled Beans, at the rate of 60 to 90 pounds to the acre, in drills $3\frac{3}{2}$ feet apart, and cultivate. For prices see colored pages.

Velvet Beans

(Dolichos multillorus)

Velvet Beans make a large growth of vines. They are equally as nutritious as the cowpeas, and are largely used, both for grazing and as a forage crop, throughout the South. The vines and roots are very rich in nitrogen, making it a most valuable soll-improving erop. The vines grow so rank that it is with difficulty that they can be turned nuder in the green state, and it is nunch better, it possible to leave them above ground until killed by frost, then to plow under in the Winter or early Spring, at which time they will make a heavy matted coating of vegetable matter which, turned under, will benefit the soil atmost as much as heavy application of stable manare. These Beans should be planted in May or June, at the rate of 1½ pecks to the acre, in drills 5 feet apart. For prices see colored pages.

Table Cowpeas

BLACKEYE,—Vlnes erect, seeds medlum-sized, white, maturing medium late. This Pea is recom-mended and grown in many sections for table use.

mended and grown in many sections for table use. For prices see colored pages. GALLIVANT or LADY.—This is an old-fashloned Pea, which is very popular in sections where it is known. The peas are small in size, of very fine flavor, superior in table qualities to the Blackeye. It is very prolific, and a very desirable variety. It is known in some sections as "The Lady Pea." For prices see colored pages.

Plant a small patch of Cowpeas in your garden this year for your table.

Hemp

CULTURE.—The soil should be thoroughly prepared. Sow in AprII—the Kentucky Experi-ment Station for eight years records shows sowing on AprII 25th, one bushel to acre, 2 inches deep, gives best results. Best results are obtained with 7-inch wheat drill as the plants grow more uniform than when sown broadcast. After sowing, roll the and. Do not sow too thick. The best fibre comes from stalks about ½-inch in diameter. Plants will begin to show in one week. Blos-soms in July when sown in AprII, cut about stack; this improves the übre, and there is less loss. If allowed to remain too long on the ground it is liable to sunburn and the quantity be injured. If stacked before sufficiently dry it heats. From the last of October until De-cember, depending on the weather, to make stuck if the process which liberates the int or fibre. From one to two months are regulred, depending on the weather, to make the libery ready to brake. Alternate freezing and thewing is ideal weather for retting.

HEMP GROWN FOR SEED.—Sow in river bottom at rate of 2 quarts to the acre, plant in hills and cultivate. When seed is ripe, heat yield is from 15 to 30 bushels to the acre. The

Kentucky River Botton Hemp Seed. For prices see colored pages,

Tobacco

TOBACCO SEED .- Our seed is carefully grown and

TOBACCO SEED,—Our seed is carefully grown and saved from the center stems only, CULTURE.—Sow seed in February in a plant bcd, which has been first thoroughly burned, and is pro-tected with a thin cotton cloth. About the first of June set in rich highly fortilized ground in rows three and a half by three fect. Use Brent's Hemp and Tobacco Special Fertilizer, Cultivate often and worm and sucker as necessary. One onnce of seed sows fifty square yards sufficient to set two or three acters. acres.

We can offer the following varietles:

White Burley v Kentucky Yellow Red Burley One Sucker Stand-up Burley Vuelta de Abajo Big Oronoko Sweet Oronoko Big Hayana Connecticut Seed Leaf Improved Yellow Pryor Improved Yellow Oronoko Blue Pryor Broad Leaf Groceh For prices see colored pages.

FERTILIZERS

Our two brands have given satisfaction wherever tried.

The use of commercial fertilizers has increased enormously of hete years throughout the country, bood fertilizers are recommended by all Agricultural Stations. The two brands we offer we believe fill all requirements.

Brent's Tobacco Special

For Tobacco, Hemp, and Gardens, 150 to 300 pounds the acre, For prices see colored pages, to the acre.

Brent's Grain Grower

The use of this fertilizer will not only increase the

The has of this fertilizer will not only increase the yield of the grain crops, but will also give splendid results on Grass and Clover crops that follow. The land is improved and put in better condition for any crop that follows its use. Broadcast 400 to 500 pounds to acre and harrow in; in hills or drills 200 to 400 pounds.

For corn, if used in hills, a handful to 2 or 3 hills, scattering it so that the fertilizer will not come into direct contact with the seed. For prices see colored pages.

42



Flower Seed Department

The arrangement is, for the most part, alpha-hetical, the various plants being described by class, hardiness, height, color of flower, thue of bloom, etc. This information we hope will be an ald to determine whether or not the flower under consid-eration meets your requirements.

	11																												
\mathbf{tare}																													
11.																													
Т.																													
11.	-A.										• •										.)	E	ar	dy	1	A	.nr	เนล	18
н.																													
H.	H.	F	•	• •		• •		• •		• •	•			•	• •		 .E	ťa	.1f	-1	1	ar	d۵	7	I,	eı	'e n	nla	11×
11.																													
11.	с.									• •											. F	18	tr(ly		C	llır	$^{\mathrm{he}}$	\mathbf{rs}
G.																													
н.	В.		• •	•	• •	·	• •	• •	•			• •	• •		• •	•			• •	• •	Ŧ	Ia	rc	у	J	BI	en	որ	is

ALYSSUM

Hardy annual of dwarf habit blooming until killed by frost. Fine for beds, horders and vases, Maritimum (Sweet Alyssum). For prices see col-

ored pages, LITTLE GEM. For prices see colored pages.


ANTIRRHINUM—SNAPDRAGON H, H, P, 1½ to 3 ft. Snapdragons blossom the first year, if seed is sown early. Slightly covered with leaves, they survive our winters. Succeed best in leaves, they sur rather light soil.

TALL-FLOWERED MIXED. For prices see colored pages.

DWARF-FLOWERED MIXED. For prices see colored pages.

ored pages. AGERATUM (Floss Flower) H. H. A. One of the very best hedding plants, heing literally a sheet of bloom from early summer till frost. Unlike many bedding plants, their flowers are not liable to he spolled by rain, nor do the colors fade out. The blue varieties are without doubt the most satisfactory bedding plants of this color for our trying climate. Easily raised from seed, which is usually started in a hothed or window and transferred to the open ground in May. Can also be sown out-doors in May. For prices see calored pages.





Aster

Aquilegia, or Columbine

H. B. Charming hardy plants, bearing in countless numbers through May and June exquisite clear blue, white, rose, yellow, purple and striped blossoms. For planting in permanent borders or edges of shrubhery this old-fashioned favorite is one of the best. They thrive well with ordinary garden culture, but do best in partially shaded mooks. Few hardy plants are so easily grown from seed. Will bloom first season if sown very early. For prices see colored pages. pages.

Asters

For best results, Asters should have good rich solf and plenty of moisture. The serd may be sown in-doors early and the plants set out in May, yet seeds sown in the open ground produce excellent results. **GIANT COMET.** A beautiful and distinct class with long curled and twisted petals gracefully formed in foose yet densely double globes, 18 inches. **Mixed.** For prices see colored pages.

ASTER SEMPLES

White—For prices see colored pages, Pink—For prices see colored pages.

Crimson—For prices see colored pages, Purple—For prices see colored pages, Mixed—For prices see colored pages.

QUEEN OF THE MARKET. This is earlier than other sorts, and therefore a favorite. Beautiful flow-ers of large size and fine appearance, borne on stiff stems.

Mixed Queen of the Market. For prices see colored pages

Balsam


Double Camelia-Flowered Balsam

DOUBLE BALSAM, Mixed. A good strain. For prices see colored pages.

Bachelor Button (Corn Flower)

Seed may be sown either in spring or autumn. Thrives well in poor soll. Finest Mixed, For prices see colored pages.





Chyrsapthemums

CALENDULA

(Pot Marigold) H. A. 1 ft. Strong, lushy plants. Very showy, large, double composite flowers, ranging in colu-from ivery to deep orange. They bloom all summer and fall nutil ent down by frost. Sow in open ground in spring. For prices see colored pages.

CALIFORNIA POPPY H. A., 1 ft. Especially valuable for growing in flower beds and masses. Bright showy flowers and feathery foliage. Good for cut flowers.

feathery folinge. Good for cut flowers. Mixed. For prices see colored pages. CALLIOPSIS Showy, beauliful, free-blooming plants, producing large, bright flowers of rich and charming colors throughout the entire summer. Best Mixed. For prices see colored pages. CANDYTUET CANDYTUET

A dwarf annual of casiest culture. Annual Sorts of Candytuft, Mixed. For prices see colored pages.

CANNAS

CANNAS Dormant Roots—Varieties CHARLES HENDERSON.—Very large flowers. Ver-million red. Penciled yellow in center. Green foliage. 3½ ft.

3.12 11. KING HUMBERT.—Flowers six inches in diameter on large trasses, bright orange scarlet with red mark-ings. Follage rich coppery larger, 4 to 5 feet, **PENNSYLVANIA.**—Flowers vermillion scarlet over-laid with orange scheren. Follage green, 5 feet, Even without or object warger.

For prices see colored pages.

CASTOR BEANS Finest Mixed. For prices see colored pages. CELOSIA CRISTATA (Cockscomb) Hardy annuals of casy culture. Thrive in light soil. Fine border plants; in bloom from midsummer until frost. Mixed. For et

For prices see colored pages. CYPRESS VINE

CUTICESS VINE Pretty annual climber. Scalding the seeds before planting hastens germination. Should be planted at the base of a tree or trellis and trained upon strings. Beautiful dark green follage and star-shaped flowers in clusters. For prices see colored pages-

CHRYSANTHEMUMS (Daisies) The annual varieties bloom profusely from early summer until frost. A little pinching back while plants are young will result in bushy and stocky growth up to 12 to 18 inches in height. Do not con-found the annual sorts with the Japanese varietles. H. A. There is a wide range in the colors—from nearly while to rich deep orange. For prices see col-ored puees

ored pages. SHASTA DAISY.

ored pages. SHASTA DAISY. Of bushy growth, bearing all summer a profusion of immense white flowers on long stems. For prices see colored pages. CONVOLVULUS (Morning Glory) MAJOR. The well-known kind. IMPERIALS JAPONICA. The flowers are of great size, some of them beautifully fringed, and of lovely varied colors.

varied colors.

Mixed. For prices see colored pages;

Mixed. For prices see colored pages; COSMOS Early Flowering Cosmos From seed started early In frames and afterwards transplanted into light sandy soil, the plants will be 3 or 4 feet high by August. Early Flowering Cosmos Mixed. For prices see col-

ored pages.

ored pages. Giant Flowered Cosmos These do not usually bloom until late. Giant Mixed. For prices see colored pages. COREOPSIS H. P., 2 to 3 ft. Blooms the first year from seed if sown carly. Strong, vigorous and busby plants. The flowers are composite, very large, of extremely grace-ful form, having broad and luted rays, four-toothed at tips, purest golden-yellow in color; they are borne on very long slender wiry stems. Blooms freely and continuously from June until late autumn. For prices see colored pages. see colored pages.

DAILLIA ROOTS

Decorative, Cactus, Pompon, Peony Flowered and Mixed. For prices see colored pages.

Mixed. For prices see colored pages. DIANTHUS (Garden Pinks) CHINESE AND JAPANESE GARDEN PINKS. Many of the howers have fringed edges. The coloring of all is beantiful, varied and unique. Will thrive almost everywhere, and they remain in bloom a great length of time. Cutting the flowers freely makes more come in their place. For prices see colored pages. DIGITALIS—Foxglove. H. P., 2 to 3 ft. Useful as the background of the shrubby border. Rich hoamy soll and partial shad-suit them best. Fine mixed. For prices see colored page.

uage.



Marigold

Mixed.

44



GAILLAJ .DIA

GAILLAV, DIA H. P., 1½ to 2 ft. Thrives in nearly all soils and situations, requiring no protection and almost no earc. Flowers large; with rich shades of scarlet, orange and crimson, the three often combined in one flower. Destrable for the perennial korder. If sown early will bloom the first season. Newest Varieties, Mixed, A splendid mixture; com-prises all the coloring's known. For prices see colored

pages.

GLADIOLUS-Bulbs

PREMIUM MIXTURE — Includes many choice showy large llowering varieties. All colors, **BRILLIANT MIXTURE**—Contains wide range of

color brillant PASTEL MIXTERE .-- Contains all soft colors. Very

attractive.

attractive. **CHOICE MINTURE.**—A very good mixture of standard varieties with a wide range of colors. The price of this mixture enables any one to make a large planting. For prices see colored pages. **GOURDS**

GOURDS These are desirable in many places where an im-mense amount of vine is wanted quickly. With many sorts the fruit is unique and conamental and useful. APPLE SHAPE.—Beautinuly striped. DISHCLOFH. or TOWEL.—Many women prefer discloth made of this Gourd to anything else, as it is

dways sweet and clean as long as any part of it is left

HERCULES CLUB .-- Sometimes grows 3 ft. long.

 HERCULES CLUB.—Sometimes grows 3 ft. long.
 Mixed—All sorts, For prices see colored pages.
 FOUR O'CLOCK
 Tall Mixed. For prices see colored pages.
 FORGET-ME-NOT (Myosotis)
 II. P., 6 inches. They like cool, most soil, and will bloom most freely in fall and carly spring.
 Mixed. Many varieties, For prices see colored marges. pages,

HELICHRYSUM

HELICHRYSIM (Strawflower or Everlasting) One of the lest llowers to dry for house decoration. Gather before the bloom expands and hang with heads down in a cool place. Mixed Colors. For prices see colored pages. HOLLYHOCK H. A. and H. B., 6 to 8 ft. Seed sown midsmanner will insure fine plants next season. Give deep, rich soll

soll.

Single, Annual sorts. For prices see colored pages.





Helichrysum (Strawflower or Everlasting)

MAMMOTH ALLEGHENY. Annuals with double and semi-double fringed nowers ranging in color from pure white to deep red. For prices see colored pages. CHATERS PRIZE HOLLYHOCKS, Mixed, For prices see colored pages.

KOCHIA (Summer Cypress, or Mexican Firebush) H. H. A., 2 to 3 ft. Makes a pyramidal-shaped sypress-like bush with feathery, light green foliage, deepening until it becomes a lovely crimson hue about September

TRIPOCHILA. Excellent for hedges along garden walks. For prices see colored pages.

ANNUAL LARKSPUR

These include the Rocket and Hyacinth-flowered. Suw seed as early as possible where they are to bloom. For prices see colored pages.

MARIGOLD H. H. A., 2 to 3 ft. Bloom continually all summer. hey succeed best in a light soil exposed to the sun. AFRICAN DOUBLE MIXED. For prices see colored They pages

FRENCH. For prices see colored pages.

MIGNONETTE H. A., 12 to 18 Inches. Sow in pots or In boxes under glass in February or March, and thin or pot off the seedlings to make good plants for bedding out in April. Sow ontdoors in rows about April 1 and again regularly at intervals of about three weeks wetti August until August.

LARGE FLOWERING, Mixed. For prices see colared pages, NASTURTIUM

DWARF or TOM THUMB NASTURTIUMS. Grand bedding plants. Their compact growth (about one foot), richly colored flowers, free blooming and long lasting qualities, have made them general favorities Sow in rows about a foot apart. Thin out the seed-lines. For prices see colored surges For prices see colored pages. lings.

TALL or CLIMBING NASTURTHUMS. Sow in mod-TALL or CLIMBING NASTLICTIONS. Sow in mod-erately good soll, preferably in a sunny position, cov-ering the seeds about one inch deep. Thin out the seedings so that they stand ten or twelve inches apart. Furnish strings or trellises to which the plants can be trained. These plants may also be cultivated as trailers for hanging baskets and vases. For prices see colored pages.

Nasturtlum





Single-Double Petunia

NICOTIANA (Tobacco Plant)

Hardly annuals, growing 2 to 3 ft. high. The flowers of all are tubular, some of them fragrant. Valualde decorative plant.

AFFINIS HYBRIDS, Mixed. For prices see colored pages.

PANSIES

If the seed is sown in spring outdoors in a partially If the seed is sown in spring outdoors in a partially shaded location, the seedlings will bloom in autumn. Pansles thrive best in a cool, moist soil which should be enriched by well-decayed barnyard manure or finely ground bone meal. Mixed. For prices see colored pages.

PEONY ROOTS

Red, White, Plnk. For prices see colored pages.

PETUNIAS

Hardy annuals of the easiest culture. Heat, rain and drought do not affect them. From early summer until late fail the plants are covered with flowers, It is advisable to sow the seeds indoors, covering very lightly, and later transplant to bed or borders In May.

Mixed. For prices see colored pages.

PHLOX

Unsurpassed for variety of colors. For prices see colored buges.

ANNUAL POPPIES

Well known plants which will endure considerable hardship and thrive on sandy soil. The seed is very fine and should be very lightly covered. Annual sorts should be sown in a loamy soil where they are to bloom, as they do not take kindly to transplanting. **DOI BLE POPPIES.** Mixed colors. For prices see

colored pages.

SALVIA

(Scarlet Sage)

Seed should be started either indoors or in a hotbed; do not sow in open ground until soil has become well warmed.

SPLENDENS, 234 ft. The weii-known variety; tiery scarlet. For prices see colored pages,

PORTULACA

(Rose Moss)

Hardy annual. Specially adapted for dry, light soils, and particularly for sowing on surface of beds of spring blooming bubbs such as Tuilps, Narcissus, etc. The seed is very small; it is advisable to mix with sand before sowing. Sow on open ground in the sum subsetion. May in a sumy situation.

DOUBLE. For prices see colored pages, SINGLE. For prices see colored pages.

SALPIGLOSSIS

(Phinted Tongue) Hardy annual worthy of more extensive cultivation. The funct-shaped lowers are like a petudia. They come in a wild range of colors, each flower veined and penciled. In bloom August to October, Useful for cutting. For prices see colored pages.

SCABIOSA

(Mourning Bride)

The flowers are borne on long, why stems, in while, yellow, pink, scarlet, crimison and maroon. Beautiful in the garden, and excellent for bouquets. 12 to 18 inches high. Mixed, For prices see colored pages.

SCARLET RUNNER.

SCARLET RUNNER BEAN.---Used for ornamental purposes. The plant is of large growth and climbs well. Leaves are a very dark green, llowers bright scarlet, very attractive. The blossoms resemble somewhat the blossoms of Sweet Peas. Continual bloomer. For prices see colored pages.


STOCKS

(Giilifiower)

Stocks are hardy annuals indispensable in every garden. There are both summer and winter-blooming varietles. For either bedding or pot culture they are desirable. Average height of plants, 1½ feet. Stocks last a long time in bloom, are beautiful, fragrant, and satisfactory. Mixed. For prices see colored pages.

SUNFLOWER

In bloom from June until frost. For prices see colored pages,



Sweet Peas





Verhena

Sweet Peas

SWEEL FEAS CULTURAL DIRECTIONS—The soil for Sweet Peas should be rich and deep. The seed should be sown as early in the season as the ground can be worked, and in a position where the Peas will be fully exposed to sunlight and air on both sides of the row. It is best to make a trench or furrow about 6 inches deep. In the hottom of which sow the seed. Cover with about an meh of soil, pressing it down firmly. As soon as they are above ground, thin out to two to four inches apart; when planted too close they do not attam their full development. They generally are 'allowed to run upon a wire netting four to five feet high. high.

During dry weather they should be watered thor-oughly and frequently and given an application of liquid manue once a week. The flowers should be cut as often as possible, to prevent the plants from running to seed, which would stop them from con-tinuing in bloom tinuing in bloom.

Grandiflora Type

BLACK KNIGHT. Deep maroon, BLANCHE BURPEE. Pure white, BLANCHE FERRY, Rose and white. DUKE OF WESTMINSTER. Purple. HON. MRS. E. KENYON. Large; primrose. KATHERINE TRACY. Pink. KING EDWARD VII. Bright red. LADY GRISEL HAMILTON, Lavender. LORD NELSON. Deep navy blue, SCARLET GEM. Bright searlet,

ECKFORD'S MIXED. Contains all the more delicate or pastel shades.

CHOICE MIXED. Contains all colors properly blended.

SPENCER BEST MIXED. A mixture or selected varieties of the Spencer type.

For prices see colored pages

Sweet Peas for Fall Planting

Sowing in the late November or early December in the open ground secured flowers carlier in the season than from seeds sown in Spring, and the root growth s stronger, so it carries a plant through a dry season better, the seasons of blooming are prolonged.

Sweet William

112 ft. For beddling, bordering or cutting, this favorite is invaluable. Blooms second year from seed. MIXED. For prices see colored pages.

Verbena

Start seed in the early spring, in the house or under glass, and transplant where they are to bloom, after three or four inches of growth have been made.

CHOICE MIXED. For prices see colored pages, DWARF MIXED. For prices see colored pages.


Wild Cucumber

The quickest growing climber. For prices see colored pages.

Zinnias

TALL DOUBLE MIXED. For prices see colored Dages.

DWARF MIXED. For prices see colored pages.



INDEX GARDEN SEEDS

Page	р	age
Asparagus	Lettuce	. 17
Beans, Dwarf 8	Mangel	10
Beans, Wax9	Melons, Musk	
Beans, Pole	Melons, Water	
Beans, Lima	Mustard	
Beets	Okra	
Brussels Sprouts	Önions	
Cabbage	Onion Sets	
Carrots	Parsley	
Cauliflower	Parsnips	
Celery	Peas, Garden	
Collard	Pepper	
Corn, Pop14	Potatoes, Irish	
Corn, Garden Sweet	Potatoes, Second Crop	
Cress, Pepper Grass16	Potatoes, Sweet	
Cress, Water	Pumpkin	
Cucumber	Radishes	
Egg Plant	Rhubarb	
Endive	Salsify	26
Herbs	Spinach	
Hot Bed	Souash	26
Kale	Tomatoes	8.29
Kohl Rabi	Turnips	29
Leek	Recipes	-5-6

INDEX FLOWER SEEDS

Page
Alyssum
Antirrhinum-Snapdragon43
Ageratum
Aquilegia, or Columbine43
Asters
Balsam
Bachelor Button
Calendula (Pot Marigold)44
California Poppy
Calliopsis
Candytuft
Canna
Castor Beans
Celosia Cristata (Cockscomb)
Chrysanthemums (Daisy)44
Convolvulus (Morning Glory)44
Cosmos
Coreopsis
Cypress Vine44
Dahlia Roots44
Digitalis (Foxglove)44
Dianthus (Pink)44
Gaillardia45
Gladiolus-Bulbs45
Gourds
Four O'Clock
Forget-Me-Not45

	Page
Helichrysum (Everlasting)	
Hollyhock	45
Kochia	45
Larkspur—Annual	45
Marigold	
Mignonette	
Nasturtium	
Nicotiana	
Pansies	
Peony Roots	
Petunias	
Phlox	
Poppies—Annual	
Portulaca	
Salpiglossis	
Salvia (Scarlet Sage)	
Scabiosa (Mourning Bride)	AG
Scarlet Runner	
Stocks	
Sunflower	
Bean (Scarlet Runner) Sweet Peas	47.
Sweet William	
Verbena	
Wild Cucumber	
Zinnia	47

INDEX FIELD SEEDS

	Page
Aknless Brome Grass	
Barley	
Beans, Soy	
Beans, Velvet	
Bermuda Grass	30
Blue Grass, Kentucky	10
Buckwheat	40
Cane Seed, or Sorghum	40
Clovers	21 22
Corn, Broom	26
Corn, Field	24 25
Corn. Kaffir	34+35
Corn, Kamr	40
Creeping Bent Grass	
Crested Dog's Tail	39
Fertilizers	.33-42
Feterita	40
Flax	31
Hemp	42
Johuson Grass	
Lawn Grass	
Meadow Fescue [*] (English Blue)	

	Page
Millet	41
Oats	
Orchard Grass	
Peanuts	
Peas, Canada	
Peas, Cow	
Peas, Cow Table	
Rape	
Red Top, or Herd's Grass	
Rye Grass	
Speltz	
Sudan Grass	
Sunflower	
Sweet Vernal	
Tall Meadow Oat Grass	
Teosinte	
Timothy	
Tobacco	
Vetch, Spring	
Vetch, Winter	
Wheat	

Planting, Maturity and Weight Table

This is for field planting, and where plants and roots are stated, it is necessary to have them ready beforehand. The third column indicates the distance that the plants should stand in the rows, and where seed is sown they should be thinned out to this distance. The fifth column indicates maturity from the time plants are planted in the field, or seed is sown in the field. Also note that the last column is the approximate weight of seeds and not products. Time of planting and maturity is for latitude of Lexington.

"Indicates that the crop can either be planted in the Spring or Fall; if in the Spring, February to April; In the Fall, August and September.

	Thme to Sow or Plant	Distance of Rows Apart	Distance of Plants ln Rows	Quantity per Acre	Ready to Ure	Approx- lmate Welght of Seeds per bu. ln lbs.
rtichoke—Tubers	Mar. to Apr.		2 ft.	6 to 8 bu. 8 to 10 lbs.	Sept. to Oct. 3 years	50 60
sparagus—Seeds sparagus—Roots	Mar, to Apr.	15 ln. 6 to 8 ft.	4 to6 ln. 12 to 18 ln.	4,000 to 7,000	2 years	
arley	Sept. to Nov.	Broadcast	Broadcast	1½ bu.	July and Aug.	47
eans—Dwarf	Apr. to Aug.	21/2 ft.	4 to 6 in.	1½ bu.	8 weeks Winter	50 60
eans-Navy	May to June	2½ ft. Broadcast	6 ln. Broadcast	¾ to 1 bu. 1 to 1½ bu.	Fall and Winter	60
eans—Soja	May to June	4 ft.	3 ft.	1/2 to 3/4 bu.	10 weeks	60
eets—Table	Feb. to July	12 to 18 ln	4 ln.	6 to 8 lbs.	1½ to 3 mo.	191/a 191/a
eets-Sugar	Apr. to June	21/2 to 3 ft.		6 to 6 1bs.	Fall and Winter Fall	50
rekwheat	June to Aug.	Broadcast 30 in.	Broadcast 15 to 20 ln.	34 to 1.bu. 10.000 to 14,000		
abbage—Plants (early abbage—Plants (late)	Mar. to Apr.	3 ft.	2 ft.	7,260	Fall and Winter	
arrot	Mar. to June	1 to 2 ft.	3 to 4 in.	3 to 4 lbs.	45 to 70 days	
autiflower-Plants	Mar. to Apr.		2 ft.	8,000 to 10.000 15,000 to 30,000	3 months 4 to 5 mo.	37
alery Plants	linne to Aug.	3 to 4 ft. Broadcast	6 to 9 ln. Broadcast	8 to 10 lbs.	Next year	60
lover-Alsike	*Feb. to Sept.	Broadcast	Broadcast	5 to 8 lbs.	Next year	60
lover—Red and Supling lover—Alsike	•Mar. to Sept.	Broadcast	Broadcast	20 lbs.	Next year May 1	60
lover—Crimson	July to Sept.	Broadcast 3 to 3½ ft,	Broadcast	12 to 15 lbs. 4 to 6 qts.	2 to 3 mo.	44 to 5
orn—Garden orn—Fleld (drills)	Apr. to July	3 10 3 ½ 11.	10 to 18 ln.	6 to 8 qts.	3 to 4 mo.	56
orn-Field (checked)	Apr. to July	31/2 to 4 ft.	3½ to 4 It.	4 gts.	3 to 4 mo.	56
ucumber	Apr. to July	4 to 5 ft.	4 ft.	2 lbs.	2 to 2½ mo. 60 days	3.5
og Plant-Plants	may to June	3 ft. 18 ln.	2½ to 3 ft. 2 in.	5,000 to 6,000 4 to 5 lbs.	2 to 21/2 mo.	26
and we	*Feb to Oct.	Broadcast	Broadcast	1 1/2 to 2 bu. 80 to 100 lbs.	Next year	14 20
rass Seeds—(Light) rass Seeds—(Lawn)	•Feb. to Oct.	Broadcast	Broadcast	80 to 100 lbs.	8 to 10 weeks	20
lore area dish Roots	нер то маг.	2½ ft.	12 to 18 In. Broadcast	12,000 to 15,000 6 to 8 lbs,	5 to 6 weeks	56
(ale-Spring	*Feb. to Sept.	Broadcast Broadcast	Broadcast	3 to 4 lbs	Fall to Spring	54
obl Rabi—Plants	Mar. to Apr.	11/2 to 2 ft.	10 to 12 ln.	21,000 to 34,000 40,000 to 80,000	21/2 to 3 mo.	35
ettuce—Plants	•Mar. to Sept.	12 to 15 in	16 to 8 ln.	40,000 to 80,000	1 ¹ / ₂ to 2 mo. 2 ¹ / ₂ to 3 mo.	32
leion-Musk	May to July	4 to 6 ft. 8 to 10 ft.	4 to 6 ft. 8 to 10 ft.	2 lbs. 3 lbs.	3 months	35
kale—Spring Laie—Winter .chi Rabi—Plants .ettuce—Plants .ceton—Musk .celon—Water Iillet—German	May to June	Broadcast	Broadcast	1 bu.	6 to 7 weeks	50
fillet—German Instard mats—Spring mats—Winter kra mions—For large bulbs mions—For sets mion Sets arsley	'Mar, to Sept.	Broadcast	Broadcast	4 to 5 lbs.	6 to 8 weeks	56 32
ats-Spring	Mar. to Apr.	Broadcast	Broadcast	1½ to 2 bu. 1½ to 2 bu.	July 1 June 20 to July 10	32
ats-Winter	*Feb. to Sept.	Broadcast	Broadcast 8 to 10 ln.	8 to 10 lbs.	60 to 70 days	48
kra	Mar. to Apr.	12 to 14 in.		4 10 5 108.	July to Aug.	39 39
nions—For sets	Mar. to Apr.	10 to 12 ln.		40 to 50 lbs. 15 to 16 bu.	July June	32
nion Sets	Feb. Mar. Apr.	12 ln.	4 ln.	15 to 16 bu.	July	42
	Mar to Apr	[18] ln.	4 to 6 ln.	a to 7 108.	Fall and Winter	18
eas—Smooth eas—Wrinkled eas—Canada Field	Feb. to Mar.	21/2 to 3 ft.	1	11/2 to 2 bu.	7 weeks 7 to 9 weeks	60 56
eas-Wrinkled	Apr. to May	21/2 to 3 ft.	Broadcast	1 ¹ / ₂ to 2 bu. 1 ¹ / ₂ bu.	June 15	60
eas-Canada Field	Feb. to Apr.	Broadcast Broadcast	Broadcast	11% bu.	3 months	60
eas—Cow epper—Plants	may to bury	20 ln.	15 to 18 ln.	11,000 to 14,000	2 to 21/2 mo.	28 60
otatoes—(Early)	Mar. to Apr.	27 ln.	10 to 12 in.	8 to 12 bu.	lune to July Oct. to Nov.	60
otatoes—(Early) otatoes—(J.ate)	July to Aug.	301n. 3 ft.	15 to 18 in.	8 to 10 bu.	Sept. to Winter	
weet Potato—Plants umpkin	May 15 May	8 to 10 ft.	s to 10 ft.	7,000 to 8,000 2 lbs.	Fall	1 27
tadish	Feb. to Aug.		3 in.	13 10 10 105.	24 to 40 days 5 to 8 weeks	56
ape	*Feb. to Sept.	Broadcast	Broadcast	6 to 8 lbs. 5,000 to 7,000	Next year	
hubarb-Roots	Feb, to April	A IL. Broadcast	2 to 3 ft. Broadcast	1 to 2 bu.	Aprll 20	56
radish ape hubarb—Roots ye alsify pinach—Early quash—Spring quash—Winter cosinte	Mar. to Apr.	11/2 to 2 ft.	3 to 4 ln.	6 to 8 lbs.	Fall and Winter	18
pinach—Early	*Feb. to Sept.	Broadcast	Broadcast	15 to 20 lbs. 3 lbs.	8 weeks July	26
quash-Spring	May	4 ft.	3 ft. 6 to 8 ft.	1 1bs.	Fall and Winter	22
quasi-Winter	May to June	3 to 31/2 ft.	8 to 10 ln.	3 to 5 lbs.	Aug. to Oct.	46
eosinte	May to June	3 to 3 1/2 11.	21/2 to 3 ft	4.800 to 5.000	Sept. to Oct. July until frost	
'obacco—Plants 'omato—Plants	May to July	i ft.	13 to 4 ft.	2.700 to 3 600 1 1/2 to 21bs.	11/2 to 2 mo.	- 60-
'nrnin	"Feb. to Sept.	Broadcast Broadcast	Broadcast Broadcast	50 lbs.	May	50 69
etch						

THE WILLIAM BYRD PRESS INC. HORTICULTURAL PRINTERS. HICHMOND, VA.

BRENT'S SWEET PEAS

